

2018 CPC+ Program

Contents

- Partners in Performance 3
- Program updates..... 4
- How our attribution model works..... 5
- Supplemental data 6
- Glossary 7
- Administrative details 9
- Prevention:**
 - Cervical cancer screenings 13
 - Childhood immunizations 14
 - Adolescent immunizations..... 16
 - Well-Child visits in the first 15 months of life..... 18
 - Well-Child visits 3-6 years 19
 - Chlamydia screening..... 20
 - Lead screening in children 21
 - Recorded BMI (pediatric and adult patients)..... 22
 - Colorectal cancer screening..... 23
- Chronic disease management**
 - Diabetes care: Controlled HbA1c less than 7.0% 24
 - Diabetes care: Controlled HbA1c less than 8.0% 26
 - Diabetes care: Controlled HbA1c less than or equal to 9.0% 27
 - Diabetes care: Annual retinal eye exam..... 28
 - Diabetes care: Monitoring for nephropathy 29
 - Optimal diabetes care 31
 - Hypertension: Controlled blood pressure..... 32
 - Medicare 5-star optimal measure..... 34
 - Depression screening and follow-up 35
 - Senior care education 38
- Transformation of care**
 - Medication Therapy Management (MTM)..... 39
 - Care management..... 40
 - Patient-centered medical home (PCMH) recognition..... 45
 - CG CAHPS..... 46
 - Healthy Michigan Plan: HRA completion and open access 47
 - All-cause readmissions 48
 - ED visits: PCP treatable care 50
 - Risk adjustment education 51
- Measure code sets** 54
- Report #70**..... 95
- Three reporting-only (no financial incentive) measures are in development.**
 - Virtual visits..... TBD
 - Acute hospital utilization* TBD
 - Emergency department utilization* TBD

Partners in Performance

Helping you thrive in a changing world

For 21 years, we've partnered with PCPs to improve the quality, access and affordability of care for our members. Our goal is to:

- **Optimize health.** We provide tools, programs and information that make it easier for you to improve the health outcomes of your Priority Health patients with integrated, patient-centered care.
- **Ensure the best care experience.** We engage your Priority Health patients and hold them accountable for their health.
- **Eliminate avoidable costs.** We hold you accountable for using evidence-based medicine to reduce costs, and we reward you for achieving the best outcomes.

We will achieve our commitment by focusing—with you, our partner providers—on five foundational elements:

- **Comprehensive Primary Care.** *We work with you:* Building from our combined clinical resources, we'll work together with you to implement transformative programs that meet the needs of your patient population.
- **Access and experience.** *We're committed:* We work with you to ensure that patients have access to exceptional care, in all settings—primary care, specialty care and facility services. In addition, we're committed to assisting you in improving the patient experience by providing actionable information and program support.
- **Fair and transparent cost.** *We're transparent:* We work with you to collect performance data on fair cost of services, usage, quality and experience. We then share this data with Priority Health patients and employers so they can make informed health care decisions.
- **Value-based payment.** *We pay for value over volume.* We work with you to transform the way health care is delivered. By collaborating on reimbursement strategies, we can help you successfully transition from a pay-for-volume business model to a pay-for-value one, minimizing economic impact.
- **Specialty care engagement.** We're working to engage specialists in transforming the care model to improve quality and patient experience while lowering the cost of care. With support from primary care, we can collaborate across the care delivery system to ensure the right care at the right time for patients.

Working together, Priority Health and our primary care physician partners have produced outstanding results for Michigan communities year after year. We're here to help your practice maximize its 2018 PCP incentives. Contact your Provider Performance Specialist for practice resources and programs to support your efforts.

2018 Program updates

The Incentive Program is updated annually to reflect current health care trends. The 2018 program aligns with our mission and goals for transformation of models of care and financing of care delivery.

For complete details on these measure changes, refer to the individual measure specification pages.

Administrative changes

2018 program categories

- Prevention
- Chronic disease management
- Transformation of care

2018 New measures

- Risk Adjustment
- Virtual visits – Reporting only measure
- Acute hospital utilization – reporting only measure
- Emergency department utilization – reporting only measure


2018 Revised measures

- Care management – revised criteria and payout
- Medicaid Access: Healthy Michigan Plan – revised criteria
- PCMH – revised payout

How our attribution model works

We're committed to providing a medical home for all Priority Health members.

We use an attribution model to ensure that members enrolled in health plans with no PCP assignment are included in the PCP Incentive Program. This includes members in self-funded and fully funded PPO plans as well as in Medicare PPO plans.



Visits are determined using claims information. Valid E&M codes: 99201-99205, 99212-99215, 99241-99245, 99381-99387, 99391-99397. Valid place of service locations: school, homeless shelter, Indian Health Service free-standing facility, Indian Health Service provider-based facility, Tribal 638 free-standing facility, Tribal 638 provider-based facility, office, patient's home, outpatient hospital, federally qualified health center, state or local public health clinic and rural health clinic.

Supplemental data

Priority Health defines supplemental data as anything that is submitted to Priority Health beyond what is included on a claim form. There are three approved methods of submitting supplemental data:

- HL7
- Patient profile
- Report #70

How we audit supplemental data

Random audits ensure the accuracy of our PCP Incentive Program payouts.

Priority Health audits the supplemental data provided by practices for the PCP Incentive Program measure requirements. This annual audit randomly selects practices throughout the network.

At year end, each audited practice is given a partial list of supplemental data provided to Priority Health. Practices are required to return a copy of the medical record that documents the supplemental data piece. Example: If lab value data was supplied the practice would submit a printed copy of office visit notes with the lab value.

Audit process procedure:

- Audit notices are emailed to the practice group and PHO/PO if applicable.
- Providers are required to respond to the audit within two weeks of the delivery date. Failure to return results by the deadline will result in ineligibility for the 2018 payout.
- If a medical record is unavailable, audit results will be recalculated to determine a compliance score with the audit. An audit result of less than 95% accuracy will require an additional audit of 50 medical records.
- Failure to reach a score of 95% or higher on the second set of 50 records will result in ineligibility for the 2018 payout.
- Revised PCP Incentive Program scores will also be used to determine apple quality ratings as displayed within the Priority Health Find a Doctor tool.
- Additional sanctions against the practice may also be considered based upon audit results.

Glossary

Accountable Care Network (ACN)

Accountable Care Networks are contracted physician organizations/physician hospital organizations (PO/PHOs) or professional groups defined as one entity for reporting and performance measurement purposes. The pay for performance (PFP) group serves as the system template or creation of ACN groups and ACN reporting.

Attribution model

Our attribution model matches a primary care physician with a patient enrolled in a Priority Health plan that does not require an assigned PCP. See our attribution model on page 5.

Facility site ID

The administrative number Priority Health assigns to your practice for purposes of identification and payment. The facility site ID is a four to five digit number included on each PIP report.

FileMart

A Priority Health application within our website's Provider Center. FileMart is the available mechanism to receive standard incentive program and membership reports.

Health plan inclusion

All Priority Health plans, except our Medigap and short term individual plans, are included in the PCP Incentive Program.

HEDIS

The Healthcare Effectiveness Data and Information Set (HEDIS) is the most widely-used set of performance measures in the health care industry. HEDIS is developed and maintained by the National Committee for Quality Assurance (NCQA), a not-for-profit organization committed to assessing, reporting and improving the quality of care provided by organized delivery systems. If HEDIS definitions are revised throughout 2018, Priority Health will update measures based on those revisions. If a HEDIS revision impacts our PCP Incentive Program, we will provide written notification to the network and update the manual online as appropriate.

MCIR

The Michigan Care Improvement Registry (MCIR) is an electronic immunization registry and is available to private and public providers for maintenance of immunization records for all citizens in the State of Michigan.

MCIR calculates a patient's age, provides an immunization history and determines which immunizations may be due. Priority Health receives monthly data downloads from the Michigan Department of Community Health (MDCH) and displays this data within monthly reports and in Patient Profile.

Non-adherence

Non-adherence is defined as "Members refusing to follow provider recommendations for care".

- Providers can request that non-adherent members be excluded from PIP measure denominators.
- It is the intent of the Non-adherent Member Exclusion Procedure to identify members who have been counseled at least three times on recommended care and who have made the personal choice not to seek care, for any reason. The three outreach attempts must be a minimum of one week apart and must take place in 2018.
- Non-adherence requests will only be accepted using the Patient Profile tool. A provider may request exclusion of a member at any point prior to Nov. 9, 2018 for the 2018 program year. Each request for exclusion will be granted for the current program year only.
- Non-adherent members are removed from all PCP IP measures not just the measure for which he or she is non-adherent.

Manual processing of non-adherence member exclusions take place during the 2018 settlement process in the first quarter of 2019. Find additional information about the non-adherent process at priorityhealth.com/provider/center/incentives/cpc-plus/nonadherent-members (login required).

Patient Profile

Patient Profile is an online resource designed to assist PCPs with patient management. Data is based on information gathered through medical claims, lab files submitted by hospitals and independent laboratories, pharmacy claims, HL7 files and physician-supplied data.

Patient Profile features include:

- Patient search: Practices can conduct a search for individual patients and review reports for individualized care needs.
- Health condition search: Searches are available for an entire patient population. Variables may be selected to tailor the search to your practice's specific interests.
- Resource list: Clinical practice guidelines and printable patient education tools.

Patient Profile data updates:

- Patient demographic information is updated nightly.
- Supplemental data provided by primary care practices and network providers is scheduled for a weekly update administered each weekend.
- PCP Incentive Program indicator icons are updated with the monthly PIP report refresh.
- MCIR data is received once monthly, usually between the 23rd and 25th of the month.

Pay for Performance (PFP) group

A Pay for Performance group is a contracted PO, PHO or large medical group.

MPPM

Per member per month (MPPM) identifies one member enrolled in the health plan for one month.

Priority Health Standard of Excellence

Is defined as 75th percentile practice group performance or 90% adherence for patient care processes measured at the point of care.

Administrative details

Understanding the details is key to successful participation in our PCP Incentive Program.

Comprehensive Primary Care Plus (CPC+)

CPC+ is an alternative payment model (APM) introduced by the Medicare Access and CHIP Reauthorization Act (MACRA) of 2015. Participation in CPC+ supports development of an advanced medical home (AMH) model, facilitated by multi-payer collaboration. We consider CPC+ a program under Partners in Performance, along with our standard PCP Incentive Program. Practices may participate in either program, but not both.

Participation in CPC+ is determined by CMS and is only available to practices that met the eligibility requirements to participate in the model. CPC+ payers expect that practices participating in CPC+ will do so for the full five years of the model. However, participation in CPC+ is voluntary and practices may withdraw from the model without penalty any time during the 5-year program period. Practices are required to notify CMS (and cc: Priority Health), at least 90 calendar days before the planned day of withdrawal. Departing the program before completion of a performance year (PY) puts a practice at risk for recoupment of the prospectively paid performance based incentive payment.

Upon termination of CPC+ participation, practices would be eligible for Priority Health's standard PCP Incentive Program (standard PIP). Practices can only participate in our CPC+ program if they have a minimum of 100 Priority Health members.

Demographic changes

Centers for Medicare and Medicaid Services (CMS) has issued requirements regarding online directories to ensure that members have true availability of contracted providers and specifically whether they are accepting new patients. Under the requirement CMS is requiring the following:

- Require contracted providers to inform the plan of any changes to street address, phone number and office hours or other changes that affect availability.

To become fully compliant with this requirement, Priority Health will make the PIP_099 Physician Audit and PIP_007 Open/Closed and Peak Membership report available to all providers. We expect providers to review these reports regularly and contact Priority Health immediately if their open/closed status has changed. Providers are contractually obligated to provide 60 days prior written notice of closing to new members. Providers, who need to make changes, including location, contact information, office hours, etc., can communicate to Priority Health using the provider change form located on our website at priorityhealth.com/provider/center/forms. Correct physician alignment and demographic information facilitates accurate PIP settlement.

If a PCP has demographic changes they should submit a participating provider change notification form to PH-PELC@priorityhealth.com.

Earned members

Earned members are based on assignments to a practice on the 15th of each month, considering retroactivity.

Manual revisions

If revisions are made to the technical manual throughout the calendar year, the updated online version will be considered the official version. The online version will be dated to identify the most current version. We'll alert you of manual revisions via news articles.

Medicaid

Includes members under Children's Special Health Care Services, Healthy Michigan Plan and MICHild.

Member assignment

For most measures, member assignment for program settlement aligns with the participating PCP assigned or attributed on Dec. 31, 2018. Measure case definitions provide a few exceptions to this rule. Official member counts include 90 days of retroactivity. Employers have 30 days to request retroactive member enrollment or termination. However, 90-day retroactivity may be requested by an employer for review.

Member discharge

Discharging members for the sole purpose of reaching PCP Incentive Program measure targets is not allowed. We review member discharges and they must meet the following criteria as listed in the online Provider Manual at priorityhealth.com/provider/center/standards/provider-patient-relationship/discharge.

Minimum settlement check amount

Practices earning less than \$50 will not receive a PCP Incentive Program settlement payout.

Outcomes MTM

OutcomesMTM[®] is a Cardinal Health company and vendor Priority Health leverages for the delivery and administration of Medication Therapy Management programs.

PHO/PO pay-to rules

Contracted PHO/POs will receive program settlement for all member providers in one check at year end settlement (April 2019). These PHO/POs will be responsible for distributing settlement funds to providers at their discretion.

Post-settlement review

Requests for review of final 2018 settlement performance and financial payouts must be submitted in writing by May 11, 2019. Each post-settlement review request must meet or exceed a minimum \$1,000 dollar of the total earned PCP incentive program settlement reward by practice group. In addition, the post-settlement review must be considered a health plan error or omission to meet review criteria. For details and submission criteria for post-settlement review request requirements contact your practice's Provider Performance Specialist.

Priority Health apples designation

Apples are awarded annually to PCPs whose performance meets or exceeds threshold targets for preventive care and treatment of chronic illnesses. These quality ratings, illustrated by red apple icons, are published on the PCP's page in our "Find a Doctor" tool at priorityhealth.com. An overall rating is awarded based on the average for all applicable measures and are based on HMO/POS Quality Index. The practice must qualify for 3 or more measure and meet a minimum patient threshold to receive apple designation.

PCPs earning a score of:

- Four apples: meet or exceed the target
- Three apples: are in the top third of the target
- Two apples: are in the middle third of the target
- One apple: are in the bottom third of the target

Priority Health Quality Awards

The physicians and groups selected for annual Priority Health Quality Awards have achieved the highest overall scores for ensuring patients receive preventive care, control chronic disease and have a good patient experience. Quality award results are based on performance of a combined quality index score of 1.0 and greater, plus minimum membership of 100 Priority Health members. The quality index (QI) is the sum of the numerators, divided by the sum of the denominators, of each PCP Incentive Program Clinical Outcomes measures. The result is then divided by the weighted average of the targets to determine the recipients.

Program deadlines

Care management attestation survey CPC+ sites to receive prospective payment in April	March 1, 2018
Care management attestation survey CPC+ sites that are new to care management or under transition and a care manager has not been trained by May 1.	June 1, 2018
Senior care education – attestation survey and webcast	June 1, 2018
All-cause readmission attestation survey	June 1, 2018
Risk adjustment education – in-person training	May 21, 2018 – Grand Rapids May 22, 2018 – Southfield
Risk adjustment education – webcast and survey attestation	Sept. 14, 2018
PCMH recognition – Medicaid only	Sept. 14, 2018
Discharge/Transfers – to be completed for 2018	Oct. 31, 2018
Non-adherence	Nov. 9, 2018
CG CAHPS practice-level performance data for 2018 program year	Jan. 31, 2019
Special exceptions	Jan. 31, 2019
Supplemental data	Jan. 31, 2019
Claims submission	Feb. 28, 2019
Post settlement review 2018	May 10, 2019

Program funding

The PCP Incentive Program is funded with a per member per month (PMPM) accrual for HMO/POS, ASO/PPO, Medicare and Medicaid. The PMPM funding amount varies by each of these business categories. Forecasting is used to determine measure payout and measure availability by business category. Forecasting includes analysis of expected business category performance and measure member populations in 2018. Although the ASO and PPO products will be settled based upon combined performance, the PMPM funding amount for each product will vary and a total combined amount will be used to determine a maximum budget amount for this business category. Program funding is subject to change and updating at any time during the program year.

Reporting

No custom reports will be built or provided to PO/PHOs or practices for the 2018 PCP Incentive Program.

Report #70

Report #70 is an Excel file made available by Priority Health for PCP practices to compile and provide data to Priority Health. Practices enter member-specific data into the file and return the file electronically to their Provider Performance Specialist who routes it to the correct department within Priority Health for data downloading.. Report #70 instructions are listed on pages 97-100

Secondary cardholders

Members with primary insurance coverage through another health insurer are included in the PCP Incentive Program.

Settlement

For traditional (practice sites not approved in a CPC+ track), settlement for the PCP Incentive Program occurs at year-end. No prospective payments will be distributed. For practice sites approved in a CPC+ track, prospective payments will be distributed.

Settlement entities

Settlement will be attributed to the participating primary care provider (PCP) assigned as of Dec. 31, 2018 unless otherwise specified, and paid to the physicians' primary contracted physician hospital organization (PHO) or physician organization (PO). Physicians participating in multiple PHO/POs will be asked to select a primary affiliation for purposes of the PCP Incentive Program. PHO/POs will only receive incentive payment for contracted product lines. If physicians have a contract for any product directly with Priority Health outside of the PHO/PO contract, Priority Health will distribute those non-contracted funds directly to the same entity his/her claims are paid to for primary care services.

Special exceptions

Special exceptions are only accepted for measures with performance targets. They must be entered in the patient profile tool and must be submitted online by the Jan. 31, 2019 deadline. No other reasons for exclusion or method of submitting your request will be accepted. Manual processing of special exceptions will take place with the 2018 settlement process in the first quarter of 2019. To learn more about special exceptions go to priorityhealth.com/provider/center/incentives/cpc-plus/special-exceptions (login required)

Supplemental data

Supplemental data may be submitted to Priority Health through these methods:

- Patient Profile using the “Update Data” function
- PIP Report #70, Supplemental Data Extract available via FileMart.
To learn more, contact your Provider Performance Specialist
- EMR or Patient Registry data exchange (e.g. HL7 file format)
- Michigan Care Improvement Registry (MCIR)

Supplemental data must provide the date on which the service is performed rather than the date a test or result was reviewed with the patient. All supplemental (provider-reported) data is subject to audit.

Supplemental data upload schedule – HL7 data, Patient Profile, and Report #70

- Demographic data: Data transactions including address and benefits are updated nightly.
- Supplemental data: The bulk of Patient Profile data comes from supplemental data elements from claims, HL7 files and provider updates: This update is administered each weekend.
- Release of PIP FileMart reports: Reports are released approximately by the 15th of each month and include data received through the end of the previous month. If the 15th falls on a weekend, reports are released the following Monday. The release of reports corresponds with the “Opportunity” indicators in Patient Profile.
- Opportunity indicators: These update the Monday following the release of the reports. If the 15th falls on a weekend or a Monday, opportunity indicator updates will display the following Monday.
- MCIR data is received from the state typically between the 23rd and 25th of the month. Immunization values, dates or counts are updated Monday following the receipt of the MCIR file.
- Report #70: Uploads submitted and processed on or prior to the last day of the month will have the submitted data reflected on the next month FileMart report release.

Note: These timelines assume all systems are refreshing properly and in a timely manner. Technical issues may result in delays.

Prevention

Cervical cancer screenings

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	<p>The percentage of women 21–64 years of age with a cervical cancer screening according to the following schedule:</p> <ul style="list-style-type: none"> • 30–64 who had cervical cancer screen and human papillomavirus (HPV) co-testing performed every 5 years. With service dates four or less days apart during 2014, 2015, 2016, 2017 or 2018 and who were 30 years or older on the date of both tests. <p>For example, if the service date for cervical cancer screen was December 1 of the measurement year, then the HPV test must include a service date on or between November 27 and December 5 of the measurement year.</p> <p>or</p> <ul style="list-style-type: none"> • 21-64 years of age: cervical cancer screen in 2016, 2017 or 2018
Case definition	<p>Women must be continuously enrolled with Priority Health in 2016, 2017 and 2018 with no more than a 45 day gap in coverage each year. Women must be members of Priority Health on Dec. 31, 2018. For Medicaid only, continuously enrolled with Priority Health in 2018. Women must be members of Priority Health on Dec. 31, 2018.</p>
Age criteria	24–64 years of age as of Dec. 31, 2018. The measured age range for women with a cervical cancer screen and human papillomavirus (HPV) co-testing is 30-64.
Exclusionary criteria	<p>Women who have had a complete, total or radical abdominal or vaginal hysterectomy on or before Dec. 31, 2018. If Priority Health has not received claims data regarding this history, providers may supply through supplemental data options.</p> <p>Member in hospice or using hospice services any time during 2018.</p>
Numerator	The number of women who received cervical cancer screening as defined above.
Denominator	The number of women who reached the age of 24-64 years as of Dec. 31, 2018.
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO, Medicaid
Method of measurement	Claims data processed by Feb. 28, 2019, and provider supplemental data by Jan. 31, 2019.
Provider data input	<p>Supplemental data for hysterectomy history may be provided until Jan. 31, 2019. Supplemental data for non-billed cervical cancer screenings and/or HPV co-testing may be provided until Jan. 31, 2019.</p> <p>Supplemental data includes:</p> <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 <p>Supplemental data for non-billed HPV screenings Report #70 and patient profile Supplemental data is subject to audit.</p>
Target: HMO/POS, ASO/PPO	83%
Target: Medicaid	71%
Payout	\$10 per measured member

Prevention Childhood immunizations

Source	HEDIS Combination 3
Target source	2017 HEDIS 90 th percentile
Identified measure	<p>Immunization set combination 3:</p> <ul style="list-style-type: none"> • Four DTaP/DTP: All at least 42 days after birth, with different dates of service, and on or before the second birthday • Three Hepatitis B: On or before the second birthday, with different dates of service • Three H Influenza Type B (HIB): All at least 42 days after birth, with different dates of service, and on or before the second birthday • One MMR: On or before the second birthday. MMR the “14-day rule” does not apply • Three IPV: All at least 42 days after birth, with different dates of service, and on or before the second birthday • One Varicella: On or before second birthday, or history of disease on or before the second birthday • Four Pneumococcal Conjugate: All at least 42 days after birth, with different dates of service, and on or before the second birthday
Case definition	<p>Children continuously enrolled with Priority Health for a 12-month period preceding their second birthday, with no more than a 45 day gap in coverage. Children must have active enrollment and be assigned to a participating PCP on their second birthday. Member/PCP assignment: PCP assigned on the member’s second birthday.</p> <p>All events except for MMR must be at least 14 days apart. Following HEDIS criteria, numerator events such as influenza vaccines must be at least 14 days apart to count as two separate events. If two of the same numerator events (i.e. two influenza vaccines) happen within 14 days of each other we will credit only the first one. For example, if the service date was February 1, then the service date for the second visit must be on or after February 15.</p>
Age criteria	2 years of age as of Dec. 31, 2018
Exclusionary criteria	<p>Children who are documented in MCIR as having certain health conditions for which vaccines are contraindicated.</p> <p>Members in hospice or using hospice services any time during 2018.</p>
Immunization waivers	<p>The PCP Incentive Program also allows members to be excluded from this measure when parents choose not to vaccinate their child.</p> <p>An immunization waiver form is required as documentation for these cases. The parent or guardian must sign the immunization waiver form yearly and a copy must be saved in the patient’s medical record.</p> <p>History of a member’s immunization waiver needs to be submitted through the Update Data function in Patient Profile. These members are removed from the measure denominator.</p> <p>Priority Health requires the use of one of the following immunization waiver templates:</p> <ul style="list-style-type: none"> • Michigan Department of Community Health • American Academy of Pediatrics • Alliance for Immunization in Michigan

Numerator	The number of children with completed vaccinations as defined above
Denominator	The number of children 2 years of age as of Dec. 31, 2018
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO and Medicaid
Method of measurement	<p>Claims data processed by Feb. 28, 2019.</p> <p>MCIR data is downloaded from the State of Michigan monthly. MCIR immunization history must be entered by Jan. 31, 2019.</p> <p>MCIR and Priority Health match member records using a point system. We aren't always able to make a perfect match. Check monthly reporting for non-matches and provide the member's MCIR number to Priority Health through Patient Profile or Report #70.</p>
Provider data input	For the MMR, hepatitis B and varicella vaccine, history of illness or seropositive test should be entered in MCIR as a "documented immunity" (e.g., a child with chicken pox history would be noted as having a documented immunity to the varicella vaccine).
Target: HMO/POS, ASO/PPO	87%
Target: Medicaid	81%
Payout	\$170 per measured member

Prevention

Adolescent immunizations

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	<p>Immunization set combination 2: Percentage of adolescents 13 years of age who had the following vaccines:</p> <ul style="list-style-type: none"> • Meningococcal: One meningococcal conjugate between the 11th and 13th birthdays • Tdap: One between the 10th and 13th birthdays • HPV: Two human papilloma virus vaccine between 9th and 13th birthdays at least 146 days apart. For example, if the service date for the first vaccine was March 1, then the service date for the second vaccine must be after July 25.
Case definition	<p>Adolescents must be continuously enrolled with Priority Health for a 12-month period preceding their 13th birthday with no more than a 45 day gap in coverage. Adolescents must have active enrollment and be assigned to a participating PCP on their 13th birthday.</p> <p>Member/PCP assignment: PCP assigned on the member's 13th birthday</p> <p>Following HEDIS criteria, numerator events such as influenza vaccines must be at least 14 days apart to count as two separate events. If two of the same numerator events (i.e. two influenza vaccines) happen within 14 days of each other we will credit only the first one. For example, if the service date was February 1, then the service date for the second visit must be on or after February 15.</p>
Age criteria	13 years of age as of Dec. 31, 2018
Exclusionary criteria	<p>Refer to the CDC guidelines regarding health history, which may result in contraindication for a vaccine. The health history must be noted in MCIR.</p> <p>Members in hospice or using hospice services any time during 2018</p>
Immunization waivers	<p>The PCP Incentive Program also allows members to be excluded from this measure when parents choose not to vaccinate their child.</p> <p>An immunization waiver form is required as documentation for these cases. The parent or guardian must sign the immunization waiver form yearly and a copy must be saved in the patient's medical record.</p> <p>History of a member's immunization waiver needs to be submitted through the Update Data function in Patient Profile. These members are removed from the measure denominator.</p> <p>Priority Health requires the use of one of the following immunization waiver templates:</p> <ul style="list-style-type: none"> • Michigan Department of Community Health • American Academy of Pediatrics • Alliance for Immunization in Michigan
Numerator	The number of adolescents with completed immunizations as defined above
Denominator	The number of adolescents 13 years of age as of Dec. 31, 2018
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO, and Medicaid

Method of measurement	<p>Claims data processed by Feb. 28, 2019.</p> <p>MCIR data is downloaded from the State of Michigan monthly. MCIR immunization history must be entered by Jan. 31, 2019.</p> <p>MCIR and Priority Health match member records using a point system. We aren't always able to make a perfect match. Check monthly reporting for non-matches and provide the member's MCIR number to Priority Health through Patient Profile or Report #70.</p>
Provider data input	All immunization data must be updated in MCIR by Jan. 31, 2019.
Target: HMO/POS, ASO/PPO	26%
Target: Medicaid	32%
Payout	\$50 per measured member

Prevention

Well-Child visits in the first 15 months of life

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	Infants turning 15 months of age in 2018 who had at least six well-child visits by 15 months of age
Case definition	<p>Continuously enrolled with Priority Health from 31 days of age to 15 months of age with no more than a 45 day gap in coverage.</p> <p>The infant must be enrolled and assigned to a PCP on the day of their 15th month of age. Fifteen months of age is defined as the 90th day following the infant's first birthday.</p> <p>Member/PCP assignment: PCP assigned to the infant on the date the infant reaches 15 months of age.</p> <p>Following HEDIS criteria, numerator events such as a well-child visit must be at least 14 days apart to count as two separate events. If two of the same numerator events (i.e. two well-child visits) happen within 14 days of each other we will credit only the first one. For example, if the service date was February 1, then the service date for the second visit must be on or after February 15.</p>
Age criteria	15 months of age during 2018
Exclusionary criteria	Members in hospice or using hospice services any time during 2018
Numerator	Infants with at least six well-child visits before turning 15 months of age
Denominator	Infants turning 15 months of age during 2018
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO, and Medicaid
Method of measurement	Claims data processed by Feb. 28, 2019
Provider data input	<p>Supplemental data includes:</p> <ul style="list-style-type: none"> • HL7 • Report #70 <p>Supplemental data is subject to audit.</p>
Target: HMO/POS, ASO/PPO	89%
Target: Medicaid	74%
Payout	\$75 per measured member

Physical exams (well-child visits)

Here's how often children should have complete physicals (well-child exams):

Age	Recommendation
Newborn	1 visit 3-5 days after discharge
0-2 years	1 visit at 2, 4, 6, 9, 12, 15, 18 and 24 months
3-6 years	1 visit at 30 months and 1 visit every year for ages 3-6
7-10 years	1 visit every 1-2 years
11-18 years	1 visit every year

Prevention

Well-Child visits 3–6 years

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	Children 3–6 years of age who received one or more well-child visits with a PCP in 2018
Case definition	Children must be continuously enrolled with Priority Health during 2017 with no more than a 45 day gap in coverage. Children must be members of Priority Health and assigned to a participating PCP on Dec. 31, 2018.
Age criteria	3-6 years of age as of Dec. 31, 2018
Exclusionary criteria	Members in hospice or using hospice services any time during 2018
Numerator	The number of children with at least one well-child visit in 2018
Denominator	The number of children 3-6 years of age as of Dec. 31, 2018
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO, and Medicaid
Method of measurement	Claims data processed by Feb. 28, 2019
Provider data input	Supplemental data includes: <ul style="list-style-type: none"> • HL7 • Report #70 <p>Supplemental data is subject to audit.</p>
Target: HMO/POS, ASO/PPO	88%
Target: Medicaid	83%
Payout	\$60 per measured member

Physical exams (well-child visits)

Here's how often children should have complete physicals (well-child exams):

Age	Recommendation
Newborn	1 visit 3-5 days after discharge
0-2 years	1 visit at 2, 4, 6, 9, 12, 15, 18 and 24 months
3-6 years	1 visit at 30 months and 1 visit every year for ages 3-6
7-10 years	1 visit every 1-2 years
11-18 years	1 visit every year

Prevention Chlamydia screening

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	The percentage of women 16–24 years of age who were identified as sexually active with one or more chlamydia screenings during 2018.
Case definition	Women must be continuously enrolled with Priority Health in 2018 with no more than a 45 day gap in coverage. Women must be enrolled with Priority Health and assigned to a participating PCP on Dec. 31, 2018.
Age criteria	16–24 years of age as of Dec. 31, 2018
Exclusionary criteria	A billed pregnancy test during 2018 and a filled prescription for isotretinoin (Accutane) or an X-ray on the same day as the pregnancy test or six days after the pregnancy test. Submit a special exception in Patient Profile for women with a pregnancy test conducted pre-surgery. Members in hospice or using hospice services any time during 2018
Numerator	Women with at least one or more chlamydia tests during 2018.
Denominator	Sexually active women 16-24 years old.
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	Medicaid
Method of measurement	Pharmacy and medical claims processed by Feb. 28, 2019. Physician reported data submitted by Jan. 31, 2019. Sexual activity is identified through billed diagnosis codes, procedure codes and pharmacy claims.
Provider data input	Documented chlamydia screening may be supplied as supplemental data through Jan. 31, 2019. Supplemental data includes: <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 Supplemental data is subject to audit.
Target: Medicaid	70%
Payout	\$15 per measured member

Prevention

Lead screening in children

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	The percentage of children two years of age who had one or more capillary or venous blood screenings for lead poisoning on or before their second birthday
Case definition	Children must be continuously enrolled for 12 months prior to their second birthday with no more than a 45 day gap in coverage. Children must have active coverage and be assigned to a participating PCP on their second birthday. Member/PCP assignment: PCP assigned to the child on their second birthday
Age criteria	2 years of age as of Dec. 31, 2018
Exclusionary criteria	Members in hospice or using hospice services any time during 2018
Numerator	One or more capillary or venous blood tests to screen for lead poisoning on or before the child's second birthday.
Denominator	All children turning age two in 2018
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	Medicaid
Method of measurement	Claims data processed by Feb. 28, 2019. Physician reported data submitted by Jan. 31, 2019. Lead screenings noted within MCIR will also be downloaded to supplement claims data. The MCIR lead file from the State of Michigan does not include MICHild or Healthy Michigan Plan members, or Children's Special Health Care. Therefore, some practices may notice members not meeting the lead screening measure even though the member may have had the service completed. Providers should enter these screenings as supplemental data.
Provider data input	Documented lead screenings may be supplied as supplemental data through Jan. 31, 2019. Supplemental data includes: <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 Supplemental data is subject to audit.
Target: Medicaid	86%
Payout	\$15 per measured member

Prevention

Recorded BMI (pediatric and adult patients)

Source	Priority Health standard of excellence derived from HEDIS and 5-Star Guidelines
Identified measure	The percentage of patients with a billed PCP E&M claim between Jan. 1, 2018 and Dec. 31, 2018 that had a BMI or BMI percentile documented in the chart and submitted to Priority Health through supplemental data.
Case definition	Member must be continuously enrolled with Priority Health medical coverage in 2018 with no more than one 45 day gap in coverage. Member must have active Priority Health medical coverage on Dec. 31, 2018. Only the first PCP E&M visit during the measurement year will be evaluated. E&M visits tied to members PCP on date of the earliest PCP E&M visit.
Age criteria	Medicaid members 3-74 years of age on Dec. 31, 2018. For Medicare members 18-74 years of age on Dec. 31, 2018.
Exclusionary criteria	None
Numerator	Count of unique members identified in the denominator with a BMI or BMI percentile submitted to Priority Health through supplemental data between Jan. 1, 2018 and Dec. 31, 2018.
Denominator	The percentage of patients with a billed PCP E&M claim between Jan. 1, 2018 and Dec. 31, 2018 that had a BMI or BMI percentile documented in the chart and submitted to Priority Health through supplemental data.
Level of measurement	Practice group
Minimum members	1 per practice group
Applicable product lines	Medicaid and Medicare
Method of measurement	Claims data processed by Feb. 28, 2019 and supplemental data entered on or before Jan. 31, 2019.
Provider data input	Supplemental data includes: <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 Supplemental data is subject to audit.
Target: Medicare	98%
Target: Medicaid	94%
Payout	\$0.10 per member per month for members 3-74 years of age on Dec. 31, 2018. Payout will be for the full 12 months of 2018.
Notes	Providers are encouraged to bill BMI or BMI percentile ICD-10 diagnosis code on any PCP E&M claim. (ICD-10 diagnosis code of Z68.51-Z68.54 for members 20 and younger and Z68.1-Z68.45, E66.01 & E66.2 for members 21-74)

Prevention

Colorectal cancer screening

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	The percentage of members 50-75 years of age who had appropriate screening for colorectal cancer
Case definition	Members continuously enrolled in 2017 and 2018, with no more than a 45 day gap in coverage. Members 51-75 years of age as of Dec. 31, 2018.
Age criteria	51-75 years
Exclusionary criteria	Members with a diagnosis of colorectal cancer or total colectomy on or before Dec. 31, 2018 Members 65 years of age or older who are: <ul style="list-style-type: none"> Enrolled in an institutional SNP (I-SNP) any time during the measurement year. Living long-term in an institution any time during the measurement year. Members in hospice or using hospice services any time during 2018.
Numerator	One or more screenings for colorectal cancer: <ul style="list-style-type: none"> Fecal occult blood test (FOBT) during 2018 Flexible sigmoidoscopy anytime during 2014 – 2018 Colonoscopy anytime during 2009 – 2018 FIT-DNA (Cologuard) anytime during 2016 – 2018 CT colonography anytime during 2014 – 2018
Denominator	Eligible members between 50-75 years of age
Level of measurement	Practice group
Minimum members	1 per practice group
Applicable product lines	HMO/POS, ASO/PPO, Medicare
Method of measurement	Claims data processed by Feb. 28, 2019. Physician reported data submitted by Jan. 31, 2019.
Provider data input	Supplemental data may be provided until Jan. 31, 2019 Supplemental data includes: <ul style="list-style-type: none"> HL7 Patient Profile Report #70 <p>If member had any of these services defined below completed prior to enrollment with Priority Health, enter that date of service and result in Patient Profile or Report #70</p> <ul style="list-style-type: none"> Fecal occult blood test (FOBT) Flexible sigmoidoscopy Colonoscopy <p>Enter the date and result of these services in Report #70</p> <ul style="list-style-type: none"> CT colonography FIT-DNA (Cologuard) <p>Supplemental data is subject to audit.</p>
Target: HMO/POS, ASO/PPO	74%
Target: Medicare	80%
Payout	\$10 per measured member

Chronic disease

Diabetes care: Controlled HbA1c less than 7.0%

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	The percentage of members with diabetes with an HbA1c <7.0%. This measure considers the most recent lab conducted in 2018. If no HbA1c was conducted during 2018, the level is considered to be greater than or equal to 7.0%
Case definition	<p>A member with diabetes is defined by:</p> <ul style="list-style-type: none"> • Two face-to-face encounters with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ On different dates of service ○ In an outpatient setting, observation visit, ED visit or non-acute inpatient encounter ○ In 2017 or 2018, or • One face-to-face encounter with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ In an acute inpatient encounter ○ In 2015 or 2016, or • Insulin or oral hypoglycemic/antihyperglycemic filled script with diagnosis of diabetes during 2017 or 2018. <p>Members must be continuously enrolled in 2018 with no more than a 45 day gap in coverage. Members must be active with Priority Health and assigned to a participating PCP on Dec. 31, 2018.</p>
Age criteria	18–64 years of age as of Dec. 31, 2018
Exclusionary criteria	<ul style="list-style-type: none"> • Coronary artery bypass graft (CABG): Members who had a CABG in any setting in 2017 or 2018 • Percutaneous Coronary Intervention (PCI): Members who had at least one encounter, in any setting, with any code to identify PCI in 2017 or 2018 • Ischemic vascular disease (IVD): Members with either of the following in 2017 or 2018: <ul style="list-style-type: none"> ○ At least one outpatient visit with an IVD diagnosis, or ○ At least one acute inpatient visit • Chronic heart failure (CHF): Members who had at least one encounter, in any setting, with any code to identify CHF • Thoracic aortic aneurysm: Members who had at least one outpatient visit or one acute inpatient visit with any code to identify thoracic aortic aneurysm in 2017 or 2018 • Prior myocardial infarction (MI): Members who had at least one encounter, in any setting, with any code to identify MI • Chronic kidney disease end-stage renal disease (ESRD): Members who had at least one encounter in any setting with any code to identify ESRD • Dementia: Members who had at least one encounter, in any setting, with any code to identify dementia • Blindness: Members who had at least one encounter, in any setting, with any code to identify blindness • Amputation: Members who had at least one encounter, in any setting, with any code to identify lower extremity amputation • Gestational or steroid induced diabetes: Members with gestational or steroid induced diabetes who did not have any face to face encounters with diagnosis of diabetes, in 2017 or 2018. • Members in hospice or using hospice services any time during 2018.

Numerator	The number of members with diabetes with an HbA1c <7.0%. This measure considers the most recent lab conducted in 2018. If no HbA1c was conducted during 2018, the level is considered to be greater than or equal to 7.0%.
Denominator	All members with diabetes as defined above
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO, and Medicaid
Method of measurement	HbA1c values are sent electronically to Priority Health by many network hospitals and independent labs. Supplemental data submitted by Jan. 31, 2019.
Provider data input	Documented lab values may be provided as supplemental data through Jan. 31, 2018. Supplemental data includes: <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 Providers may exclude any member they determine to be incorrectly defined as diabetic by submitting data through the Update Data function in Patient Profile. The deadline for data submission is Jan. 31, 2019. Supplemental data is subject to audit.
Target: HMO/POS, ASO/PPO	45%
Target: Medicaid	42%
Payout	\$25 per measured member

Chronic disease

Diabetes care: Controlled HbA1c less than 8.0%

Source	HEDIS
Target source	2016 HEDIS 90 th percentile
Identified measure	The percentage of members with diabetes with an HbA1c <8.0%. This measure considers the most recent lab conducted in 2017. If no HbA1c was conducted during 2018, the level is considered to be greater than or equal to 8.0%.
Case definition	<p>A member with diabetes is defined by:</p> <ul style="list-style-type: none"> • Two face-to-face encounters with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ On different dates of service ○ In an outpatient setting, observation visit, ED visit or non-acute inpatient encounter ○ In 2017 or 2018, or • One face-to-face encounter with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ In an acute inpatient encounter ○ In 2017 or 2018, or • Insulin or oral hypoglycemic/antihyperglycemic filled script with diagnosis of diabetes during 2017 or 2018. <p>Members must be continuously enrolled in 2018 with no more than a 45 day gap in coverage. Members must be active with Priority Health and assigned to a participating PCP on Dec. 31, 2018.</p>
Age criteria	18–75 years of age as of Dec. 31, 2018
Exclusionary criteria	<ul style="list-style-type: none"> • Gestational or steroid induced diabetes: Members with gestational or steroid induced diabetes who did not have any face to face encounters with diagnosis of diabetes, in 2017 or 2018. • Members in hospice or using hospice services any time during 2018.
Numerator	The number of members with diabetes with an HbA1c <8.0%. This measure considers the most recent lab conducted in 2017. If no HbA1c was conducted during 2018, the level is considered to be greater than or equal to 8.0%
Denominator	All members with diabetes as defined above
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO, Medicare and Medicaid
Method of measurement	HbA1c values are sent electronically to Priority Health by many network hospitals and independent labs. Supplemental data submitted by Jan. 31, 2019.
Provider data input	<p>Documented lab values may be provided as supplemental data through Jan. 31, 2019. Supplemental data includes:</p> <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 <p>Providers may exclude any member they determine to be incorrectly defined as diabetic by submitting data through the Update Data function in Patient Profile. The deadline for data submission is Jan. 31, 2019. Supplemental data is subject to audit.</p>
Target: HMO/POS, ASO/PPO	67%
Target: Medicare	78%
Target: Medicaid	59%
Payout	\$30 per measured member

Chronic disease

Diabetes care: Controlled HbA1c less than or equal to 9.0%

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	The percentage of members with diabetes with an HbA1c \leq 9.0%. This measure considers the most recent lab conducted in 2018. If no HbA1c was conducted during 2018, the level is considered to be greater than 9.0%.
Case definition	<p>A member with diabetes is defined by:</p> <ul style="list-style-type: none"> • Two face-to-face encounters with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ On different dates of service ○ In an outpatient setting, observation visit, ED visit or non-acute inpatient encounter ○ In 2017 or 2018, or • One face-to-face encounter with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ In an acute inpatient encounter ○ In 2017 or 2018, or • Insulin or oral hypoglycemic/antihyperglycemic filled script with diagnosis of diabetes during 2017 or 2018. <p>Members must be continuously enrolled in 2018 with no more than a 45 day gap in coverage. Members must be active with Priority Health and assigned to a participating PCP on Dec. 31, 2018.</p>
Age criteria	18–75 years of age as of Dec. 31, 2018
Exclusionary criteria	<ul style="list-style-type: none"> • Gestational or steroid induced diabetes: Members with gestational or steroid induced diabetes who did not have any face to face encounters with diagnosis of diabetes, in 2017 or 2018. • Members in hospice or using hospice services any time during 2018.
Numerator	The number of members with diabetes with an HbA1c \leq 9.0%. This measure considers the most recent lab conducted in 2018. If no HbA1c was conducted during 2018, the level is considered to be greater than 9.0%.
Denominator	All members with diabetes as defined above
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO and Medicaid
Method of measurement	<p>HbA1c values are sent electronically to Priority Health by many network hospitals and independent labs.</p> <p>Supplemental data submitted by Jan. 31, 2019.</p>
Provider data input	<p>Documented lab values may be provided as supplemental data through Jan. 31, 2019. Supplemental data includes:</p> <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 <p>Providers may exclude any member they determine to be incorrectly defined as diabetic by submitting data through the Update Data function in Patient Profile. The deadline for data submission is Jan. 31, 2019.</p> <p>Supplemental data is subject to audit.</p>
Target: HMO/POS, ASO/PPO	80%
Target: Medicare	88%
Target: Medicaid	71%
Payout	\$25 per measured member

Chronic disease

Diabetes care: Annual retinal eye exam

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	<p>The percentage of members with diabetes and a retinal eye exam in 2018 or a negative retinal or dilated eye exam in 2017.</p> <p>Two unilateral eye enucleations with service dates 14 days or more apart. For example, if the service date for the first unilateral eye enucleation was February 1 of the measurement year; the service date for the second unilateral eye enucleation must be on or after February 15.</p>
Case definition	<p>A member with diabetes is defined by:</p> <ul style="list-style-type: none"> • Two face-to-face encounters with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ On different dates of service ○ In an outpatient setting, observation visit, ED visit or non-acute inpatient encounter ○ In 2017 or 2018, or • One face-to-face encounter with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ In an acute inpatient encounter ○ In 2017 or 2018, or • Insulin or oral hypoglycemic/antihyperglycemic filled script with diagnosis of diabetes during 2017 or 2018. <p>Members must be continuously enrolled in 2018 with no more than a 45 day gap in coverage. Members must be active with Priority Health and assigned to a participating PCP on Dec. 31, 2018.</p>
Age criteria	18–75 years of age as of Dec. 31, 2018
Exclusionary criteria	<ul style="list-style-type: none"> • Gestational or steroid induced diabetes: Members with gestational or steroid induced diabetes who did not have any face to face encounters with diagnosis of diabetes, in 2017 or 2018. • Members in hospice or using hospice services any time during 2018.
Numerator	The number of members with diabetes with a retinal eye exam performed in 2018 or a negative retinal eye exam in 2017.
Denominator	All members with diabetes as defined above
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO, Medicare and Medicaid
Method of measurement	Claims data processed by Feb. 28, 2019. Supplemental data submitted by Jan. 31, 2019
Provider data input	<p>Documented retinal eye exams may be provided as supplemental data through Jan. 31, 2019. Supplemental data includes:</p> <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 <p>Providers may exclude any member they determine to be incorrectly defined as diabetic by submitting data through the Update Data function in Patient Profile. The deadline for data submission is Jan. 31, 2019.</p> <p>Supplemental data is subject to audit.</p>
Target: HMO/POS, ASO/PPO	72%
Target: Medicare	83%
Target: Medicaid	68%
Payout	\$15 per measured member

Chronic disease

Diabetes care: Monitoring for nephropathy

Source	HEDIS
Target source	2017 HEDIS 90 th percentile
Identified measure	<p>The percentage of members with diabetes who have had one of the following:</p> <ul style="list-style-type: none"> • A microalbuminuria lab during 2018 • Diagnosis of or treatment for nephropathy in 2018 • Pharmacy claim for ACE/ARB therapy during 2018 • Visit with a nephrologist in 2018 • Evidence of kidney transplant • Evidence of ESRD • Evidence of stage 4 chronic kidney disease
Case definition	<p>A member with diabetes is defined by:</p> <ul style="list-style-type: none"> • Two face-to-face encounters with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ On different dates of service ○ In an outpatient setting, observation visit, ED visit or non-acute inpatient encounter In 2017 or 2018, or • One face-to-face encounter with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ In an acute inpatient encounter In 2017 or 2018, or • Insulin or oral hypoglycemic/antihyperglycemic filled script with diagnosis of diabetes during 2017 or 2018. <p>Members must be continuously enrolled in 2018 with no more than a 45 day gap in coverage. Members must be active with Priority Health and assigned to a participating PCP on Dec. 31, 2018.</p>
Age criteria	18–75 years of age as of Dec. 31, 2018
Exclusionary criteria	<ul style="list-style-type: none"> • Gestational or steroid induced diabetes: Members with gestational or steroid induced diabetes who did not have any face to face encounters with diagnosis of diabetes, in 2017 or 2018. • Members in hospice or using hospice services any time during 2018.
Numerator	<p>Members with diabetes who have had one of the following:</p> <ul style="list-style-type: none"> • A microalbuminuria lab during 2018 • Diagnosis of or treatment for nephropathy in 2018 • Pharmacy claim for ACE/ARB therapy during 2018 • Visit with a nephrologist in 2018 • Evidence of ESRD • Evidence of stage 4 chronic kidney disease • Evidence of kidney transplant
Denominator	All members with diabetes as defined above
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, ASO/PPO, Medicare and Medicaid
Method of measurement	<p>Claims data processed by Feb. 28, 2019. Supplemental data submitted by Jan. 31, 2019.</p>
Provider data input	<p>Documented microalbuminuria labs may be provided as supplemental data through Jan. 31, 2019. Supplemental data includes:</p> <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 <p>Providers may exclude any member they determine to be incorrectly defined as diabetic by submitting data through the Update Data function in Patient Profile. The deadline for data submission is Jan. 31, 2019. Supplemental data is subject to audit.</p>

Target: HMO/POS, ASO/PPO	94%
Target: Medicare	98%
Target: Medicaid	94%
Payout	\$10 per measured member

Chronic disease

Optimal diabetes care

Source	Extrapolated from HEDIS Diabetes Care measures
Identified measure	The percentage of patients with diabetes who have met all standards defined in each of the following measures: <ul style="list-style-type: none"> • Diabetes care: Controlled HbA1c Less Than 7.0% (if applicable, based on co-morbidities and age) • Diabetes care: Controlled HbA1c Less Than 8.0% • Diabetes care: Annual retinal eye exam • Diabetes care: Monitoring for nephropathy • Diabetes care: Controlled blood pressure
Case definition	A member with diabetes is defined by: <ul style="list-style-type: none"> • Two face-to-face encounters with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ On different dates of service ○ In an outpatient setting ○ In 2017 or 2018, or • One face-to-face encounter with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ In an acute inpatient or emergency department setting ○ In 2017 or 2018, or • Insulin or oral hypoglycemic/anti-hyperglycemic filled script with diagnosis of diabetes during 2017 or 2018. <p>Members must be continuously enrolled in 2018 with no more than a 45 day gap in coverage and active with Priority Health on Dec. 31, 2018.</p>
Age criteria	18–75 years of age as of Dec. 31, 2018 (Exception: Diabetes Care: Controlled HbA1c Less than 7.0% measure age range is 65 years)
Exclusionary criteria	<ul style="list-style-type: none"> • Gestational or steroid induced diabetes: Members with gestational or steroid induced diabetes who did not have any face to face encounters with diagnosis of diabetes, in 2017 or 2018. • Members in hospice or using hospice services any time during 2018.
Numerator	The number of members with diabetes that met each of the standards in the following diabetes measures: <ul style="list-style-type: none"> • Diabetes care: Controlled HbA1c Less Than 7% (if applicable, based on co-morbidities and age) • Diabetes care: Controlled HbA1c Less Than 8% • Diabetes care: Annual retinal eye exam • Diabetes care: Monitoring for nephropathy • Diabetes care: Controlled blood pressure
Denominator	All members with diabetes as defined above
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product lines	HMO/POS, ASO/PPO and Medicaid
Method of measurement	Claims data processed by Feb. 28, 2019. Supplemental data submitted by Jan. 31, 2019.
Provider data input	None
Targets: HMO/POS, ASO/PPO and Medicaid	20-29%, 30-34%, 35% and above
Payout: HMO/POS, ASO/PPO and Medicaid	\$ 75 per member measured for performance of 20-29%, \$125 per member measured for performance of 30-34% \$200 per member measured for performance of and above 35% and above

Chronic disease

Hypertension: Controlled blood pressure

Source	Priority Health Standard of Excellence
Identified measure	<p>The percentage of members 18–85 years of age who had a diagnosis of hypertension (HTN) and whose BP was adequately controlled during the measurement year based on the following criteria:</p> <ul style="list-style-type: none"> • Members 18–59 years of age whose BP was <140/90 mm Hg. • Members 60–85 years of age with a diagnosis of diabetes whose BP was <140/90 mm Hg. • Members 60–85 years of age without a diagnosis of diabetes whose BP was <150/90 mm Hg. <p>Hypertension diagnosis can come from any physician (PCPs and specialists) within the first 6 months of the year. We accept blood pressure data through supplemental data sources as specified below. We use the BP value submitted on or after the date of the most recent billed PCP visit to determine if blood pressure is controlled.</p> <p>If multiple BP measurements occur on the same date or are noted in the chart on the same date, use the lowest systolic and lowest diastolic BP reading. The systolic and diastolic results do not need to be from the same reading. If no BP is recorded during the measurement year assume that the member is “not controlled.” If a member does not have a PCP office visit during 2018 and is failing to meet the measure, the member will be removed from the measure denominator at year-end.</p>
Case definition	<p>A member with hypertension is defined by:</p> <ul style="list-style-type: none"> • One outpatient encounter between Jan. 1 and June 30, 2018, and • Billed diagnosis of I10.x during the outpatient encounter <p>A member with diabetes is defined by:</p> <ul style="list-style-type: none"> • Two face-to-face encounters with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ On different dates of service ○ In an outpatient setting ○ In 2017 or 2018, or • One face-to-face encounter with a diagnosis of diabetes: <ul style="list-style-type: none"> ○ In an acute inpatient or emergency department setting ○ In 2017 or 2018, or • Insulin or oral hypoglycemic/antihyperglycemic filled script with diagnosis of diabetes during 2017 or 2018. <p>The following members in the eligible population should not be considered to have diabetes: Gestational or steroid-induced diabetes: Members with gestational or steroid-induced diabetes who did not have any face-to-face encounters with diagnosis of diabetes, in any setting, in 2017 or 2018.</p> <p>Members must be continuously enrolled with Priority Health in 2018 with no more than a 45 day gap in coverage. Members must be active with Priority Health on Dec. 31, 2018.</p>
Age criteria	18–85 years of age as of Dec. 31, 2018
Exclusionary criteria	Exclude from the eligible population all members with evidence of end-stage renal disease (ESRD) or kidney transplant on or prior to Dec. 31, 2018, all members with a diagnosis of pregnancy during 2018, all members who had a non-acute inpatient admission during 2018, and all members in hospice or using hospice services.

	<p>Exclude Medicare members age 65 and older of January 1 of the measurement year who are:</p> <ul style="list-style-type: none"> • Enrolled in an Institutional SNP (I-SNP) any time during the measurement year. • Living long-term in an institution any time during measurement year.
Numerator	<p>The number of members in the denominator whose most recent BP (both systolic and diastolic) is adequately controlled during the measurement year based on the following criteria:</p> <ul style="list-style-type: none"> • Members 18–59 years of age as of December 31 of the measurement year whose BP was <140/90 mm Hg • Members 60–85 years of age as of December 31 of the measurement year and flagged with a diagnosis of diabetes whose BP was <140/90 mm Hg • Members 60–85 years of age as of December 31 of the measurement year and flagged as not having a diagnosis of diabetes whose BP was <150/90 mm Hg
Denominator	Hypertensive patients as defined above
Level of measure	Practice group
Minimum members	1 per practice
Applicable product lines	HMO/POS, ASO/PPO, Medicare and Medicaid
Method of measurement	Physician reported data submitted by Jan. 31, 2019
Provider data input	<p>Documented blood pressure may be provided as supplemental data through Jan. 31, 2019. Supplemental data includes:</p> <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 <p>Providers may exclude any member they determine to be incorrectly defined as hypertensive by submitting data through the Update Data function in Patient Profile by Jan. 31, 2019. Supplemental data is subject to audit. BPs must be documented by a health care provider and saved within the member's medical record.</p>
Special note for members with no PCP visit in 2018	<p>Monthly 2018 reporting includes members who have a billed diagnosis of hypertension by any physician. If a member does not have a PCP office visit during 2018, the member will be removed from the measure denominator at year-end.</p> <p>As an option to keep these members in your measure denominator—and potentially the measure numerator—practices may obtain medical records of a blood pressure recorded during a specialist office visit. With this documentation, practices may submit the blood pressure and apply it as supplemental data. We do not apply claims that contain an afterhours CPT code.</p> <p>Within reporting, you may see BP history unfamiliar to your practice. Health systems using a shared patient registry submit BP data from all visits, including specialists.</p>
Target: HMO/POS, ASO/PPO	76%
Target: Medicare	86%
Target: Medicaid	71%
Payout	\$50 per measured member

Chronic disease Medicare 5-star optimal measure

Source	Extrapolated from HEDIS Diabetes Care, Hypertension: Controlled blood pressure and colorectal cancer screening measures													
Target source	The higher of 2017 CMS 5-Star Threshold and Medicare HEDIS 90 th percentile													
Identified measure	<p>The number of the following measures the practice score is at or above the target:</p> <table border="1"> <thead> <tr> <th>Measure</th> <th>Target</th> </tr> </thead> <tbody> <tr> <td>Colorectal cancer screening</td> <td>80%</td> </tr> <tr> <td>Diabetes care: Controlled HbA1c \leq 9.0%</td> <td>88%</td> </tr> <tr> <td>Diabetes care: Eye exam</td> <td>83%</td> </tr> <tr> <td>Diabetes care: Monitoring for Nephropathy</td> <td>98%</td> </tr> <tr> <td>Hypertension: Controlled blood pressure</td> <td>86%</td> </tr> </tbody> </table> <p>A minimum of one member must be in the measure for the practice group to be eligible for meeting a measure.</p>		Measure	Target	Colorectal cancer screening	80%	Diabetes care: Controlled HbA1c \leq 9.0%	88%	Diabetes care: Eye exam	83%	Diabetes care: Monitoring for Nephropathy	98%	Hypertension: Controlled blood pressure	86%
Measure	Target													
Colorectal cancer screening	80%													
Diabetes care: Controlled HbA1c \leq 9.0%	88%													
Diabetes care: Eye exam	83%													
Diabetes care: Monitoring for Nephropathy	98%													
Hypertension: Controlled blood pressure	86%													
Case definition	See individual measures for measure case definitions													
Age criteria	Defined by measure													
Exclusionary criteria	Defined by measure													
Numerator	Defined by measure													
Denominator	Defined by measure													
Level of measure	Practice group													
Minimum members	1 per practice group													
Applicable product lines	Medicare													
Method of measurement	Defined by measure													
Provider data input	Defined by measure													
Targets: Medicare	3, 4 or 5 measures met													
Payout: Medicare	<table border="1"> <thead> <tr> <th>Measures met</th> <th>Payout</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>\$0.25 per member per month</td> </tr> <tr> <td>4</td> <td>\$0.75 per member per month</td> </tr> <tr> <td>5</td> <td>\$1.50 per member per month</td> </tr> </tbody> </table>		Measures met	Payout	3	\$0.25 per member per month	4	\$0.75 per member per month	5	\$1.50 per member per month				
Measures met	Payout													
3	\$0.25 per member per month													
4	\$0.75 per member per month													
5	\$1.50 per member per month													


Chronic disease

Depression screening and follow-up

Target source	Priority Health Standard of Excellence
Identified measure	The percentage of patients 12 years of age or older as of Dec. 31, 2018 who had a billed preventive evaluation and management (E&M) visit with a participating PCP and were screened for clinical depression using the standardized tool (PHQ-2, PHQ-4 or PHQ-9) AND If screened positive, received appropriate follow-up care. A PHQ-2, PHQ-4 or PHQ-9 value must be provided via supplemental data and must be conducted on the same date as the E&M visit completed by the PCP.
Case definition	Members who had a PCP E&M visit and screened for clinical depression and if screened positive for clinical depression with a PHQ-9 score ≥ 10 on that visit date received appropriate follow-up care. Only the first billed preventative E&M visit with a participating PCP during the measurement year will be evaluated. Members must be continuously enrolled in 2017 and 2018 with no more than a 45 day gap in coverage in each year and active with Priority health on Dec. 31, 2017 and Dec. 31, 2018.
Age criteria	12 years and older as of Dec. 31, 2018
Exclusionary criteria	An active diagnosis of bipolar disorder during 2017 or 2018. An active diagnosis of depression in 2017 and up to the day before the preventive E&M visit in 2018. An active diagnosis of depression in 2017 and 2018.
Numerator	Patients 12 years and older as of the last day of the measurement year who had an outpatient visit during 2018 and were screened for depression and for those who were screened positive for clinical depression, were provided follow-up care within 30 calendar days of the positive result with one or more of the following: <ul style="list-style-type: none"> • Dispensed an antidepressant medication (Table AMM-C) – see manual code set • A follow-up encounter in behavioral health, including assessment, therapy, medication management, acute care. • A follow-up outpatient visit with a diagnosis of depression. • Follow-up with a care manager with documented assessment of depression symptoms assessment (any encounter that addresses depression symptoms). Care management encounters on the same day as the positive screen do not count as follow-up care. See care management code set. • Assessment on the same day as the positive screen which includes documentation of additional depression assessment indicating no depression.
Denominator	Patients 12 years and older as of the last day of the measurement year who had a billed preventive evaluation and management (E&M) visit with a participating PCP on or before Nov. 30, 2018.
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product lines	HMO/POS, ASO/PPO, Medicare and Medicaid

Method of measurement	Claims data processed by Feb. 28, 2019. Supplemental data submitted by Jan. 31, 2019.
HCPCS billing codes	G8431-Positive screen for clinical depression, follow-up plan documented (requires evidence of follow-up) G8510-Negative screen for clinical depression documented, follow-up plan not required (numerator compliant) G8511-Positive screen of clinical depression using an age appropriate standardized tool documented, follow-up plan not documented, reason not specified (requires evidence of follow-up)
Provider data input	Supplemental data includes: <ul style="list-style-type: none"> • HL7 • Patient Profile • Report #70 Supplemental data is subject to audit.
Targets: HMO/POS, ASO/PPO, Medicare and Medicaid	80%
Payout	\$0.20 per member per month
Notes	Behavioral health encounters on the same day as the positive screen count as follow-up care. Outpatient encounters outside behavioral health on the same day as the positive screen do not count as follow-up care. For example, a visit with a primary care provider with a diagnosis of depression or dysthymia on the same day as the positive screen does not meet the criteria for follow-up care. If the provider that completed the depression screening is no longer a participating PCP, that screening and the corresponding visit will not count towards the incentive measure.

Depression flow chart



Chronic disease Senior care education

Source	Priority Health Standard of Excellence
Identified measure	<p>An incentive is provided for practices that have implemented routine discussions/counseling during annual wellness visits or a comprehensive physical exam to cover the following topics with Medicare members:</p> <ul style="list-style-type: none"> • Fall prevention: Ways to prevent falls and problems with balance and walking • Mental health: What they can do if they have feelings of sadness, confusion, forgetfulness or loneliness • Physical health: How to stay physically active and the importance of exercise • Bladder control: How to improve bladder control • Proper coding for risk adjustment: Documentation of the members full burden of illness and coding to specificity to ensure the capture of a full diagnosis on a claim <p>To receive credit for this incentive, providers must complete a pre-recorded educational webcast and complete the attestation survey (questionnaire).</p> <p>The senior care education webcast and attestation survey is available at priorityhealth.com/provider/center/incentives/cpc-plus/senior-care-education (login required).</p>
Age criteria	64 years of age and older
Exclusionary criteria	None
Level of measure	Practice group
Minimum members	1 Medicare member per practice group
Applicable product line	Medicare
Method of measurement	<p>Implementation of routine discussions/counseling during annual wellness visits or a comprehensive physical exam to cover the topics outlined above in measure specifications by May 31, 2018.</p> <p>Completion of the Priority Health provider webcast and attestation survey by June 1, 2018.</p>
Payout	\$0.25 per member per month

Transformation of care Medication Therapy Management (MTM)

Source	CMS 5-Star Measure
Target source	Priority Health Standard of Excellence
Identified measure	The percentage of patients identified by OutcomesMTM that received a comprehensive medication review.
Case definition	<p>Members who meet eligibility criteria for medication therapy management (MTM) services as defined by OutcomesMTM.</p> <p>Commercial and Medicaid: at least 18 yrs old and 4 or more chronic or maintenance drugs filled in the last 6 months.</p> <p>Medicare: 3 or more specific health conditions (see measure code set) and taking 4 or more chronic or maintenance drugs and the total costs of your drugs must be at least \$3,057 each year.</p> <p>Members must be continuously enrolled in 2018 with no more than a 45 day gap in coverage and active with Priority health on Dec. 31, 2018. Members must be eligible for the MTM services as defined by OutcomesMTM greater than 60 days before Dec. 31, 2018.</p>
Age criteria	18 years and older as of Dec. 31, 2018
Exclusionary criteria	None
Numerator	The number of patients in the denominator that have received one or more comprehensive medication reviews (CMRs) during the measurement year.
Denominator	<p>Patients 18 years and older as of the last day of the measurement year who met eligibility criteria for medication therapy management (MTM) services by Nov. 1, 2018</p> <p>Or, patients who received a comprehensive medication review (CMR) during the measurement year.</p>
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product lines	HMO/POS, ASO/PPO, Medicare and Medicaid
Method of measurement	CMR billed by OutcomesMTM processed by Feb. 28, 2019.
Provider data input	None
Targets: HMO/POS, ASO/PPO	45%
Target: Medicare	77%
Target: Medicaid	60%
Payout: HMO/POS, ASO/PPO	\$40 per measured member
Payout: Medicare, Medicaid	\$25 per measured member
Notes	Practice groups receiving direct funding for pharmacists may be ineligible for this measure.

Transformation of care

Care management

<p>Identified measure</p>	<p>An incentive is available for primary care practices that have implemented care management. One of the primary goals of Priority Health’s PCP Incentive Program is to encourage appropriate care management and disease management of members with complex health care needs.</p> <p>To be eligible for this incentive, practice groups must include a minimum of one part-or full-time care manager assigned to the practice and actively working with Priority Health members. The care manager must be trained and seeing members by May 1, 2018. In addition to the above, practices must meet/provide the following:</p> <ul style="list-style-type: none"> • Billed claims for care management services • Survey attestation form (this must be completed for each year of participation in PIP) • Continuing education documentation <p>Claims Practices must meet or exceed a risk adjusted target of unique Priority Health members receiving care management services. This is a combined target for all active members assigned or attributed to the practice. Continuous member enrollment criteria does not apply. Members need only be active on the date care management services were provided.</p> <p>In order for a member to count towards the care management measure for PIP 2018, the member must have at least two visits on different days. Multiple claims billed on the same date of service will only count once towards the two billed care management claims per unique member requirement.</p> <p>The measure denominator is defined as the practice’s assigned/attributed 2018 member months divided by 12.</p> <p>Claims with the following HCPCS and CPT codes will serve to identify members that have received care management services and will count toward the risk adjusted care management billing threshold.</p> <table border="1" data-bbox="418 1312 1464 1900"> <thead> <tr> <th>Codes</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>G0511*</td> <td>Care coordination services and payment for RHCs and FQHCs only</td> </tr> <tr> <td>G0512*</td> <td>Care coordination services and payment for RHCs and FQHCs only</td> </tr> <tr> <td>G9001</td> <td>Coordinated care fee</td> </tr> <tr> <td>G9002</td> <td>Coordinated care fee</td> </tr> <tr> <td>G9007</td> <td>Coordinated care fee scheduled team conference</td> </tr> <tr> <td>G9008</td> <td>Coordinated care fee, physician coordinated care oversight services</td> </tr> <tr> <td>99487</td> <td>Complex chronic care management services</td> </tr> <tr> <td>99490</td> <td>Chronic care management services</td> </tr> <tr> <td>99492*</td> <td>Psychiatric collaborative care management services</td> </tr> <tr> <td>99493*</td> <td>Psychiatric collaborative care management services</td> </tr> <tr> <td>99494*</td> <td>Psychiatric collaborative care management services</td> </tr> <tr> <td>99495*</td> <td>Transitional care management services</td> </tr> </tbody> </table>	Codes	Description	G0511*	Care coordination services and payment for RHCs and FQHCs only	G0512*	Care coordination services and payment for RHCs and FQHCs only	G9001	Coordinated care fee	G9002	Coordinated care fee	G9007	Coordinated care fee scheduled team conference	G9008	Coordinated care fee, physician coordinated care oversight services	99487	Complex chronic care management services	99490	Chronic care management services	99492*	Psychiatric collaborative care management services	99493*	Psychiatric collaborative care management services	99494*	Psychiatric collaborative care management services	99495*	Transitional care management services
Codes	Description																										
G0511*	Care coordination services and payment for RHCs and FQHCs only																										
G0512*	Care coordination services and payment for RHCs and FQHCs only																										
G9001	Coordinated care fee																										
G9002	Coordinated care fee																										
G9007	Coordinated care fee scheduled team conference																										
G9008	Coordinated care fee, physician coordinated care oversight services																										
99487	Complex chronic care management services																										
99490	Chronic care management services																										
99492*	Psychiatric collaborative care management services																										
99493*	Psychiatric collaborative care management services																										
99494*	Psychiatric collaborative care management services																										
99495*	Transitional care management services																										

99496*	Transitional care management services
98966	Non-face-to-face non-physician telephone services
98967	Non-face-to-face non-physician telephone services
98968	Non-face-to-face non-physician telephone services

* - Denotes new codes for 2018

Additional billing information can be found at:

priorityhealth.com/provider/center/services/medical/care-management.

Priority Health offers a FileMart report, "PIP_013 Care Management", which provides additional detail around care management claims and practice-level performance. For information on this report or to receive an electronic version, please contact your Provider Performance Specialist.

Attestation and Documentation

To be eligible for the care management incentive, practices are required to attest to details of their care management program. The following program requirement details will be addressed in an attestation survey. The attestation must be completed in full in order to be eligible for the care management incentive.

Below are some of the key topics that are covered by the attestation:

- Listing of care managers actively working the practice and the number of days each care manager will be seeing patients.
- Attestation to care managers having qualified health professional licensure. This requirement aligns with licensure required to bill care management codes (RN, RD, MSW, CDE, CAE, Pharmacist, PA, NP)
- Attestation to care management staff having been trained under a recognized training program. Priority Health requires all qualified health professionals working as a care manager to complete care management training under a recognized training program. Examples include:
 - o Case Management Society of America
 - o Health Services Institute
 - o Learning Action Network
 - o Michigan Center for Clinical System Improvement (MICCSI)
 - o Practice Transformation Institute
 - o State Innovation Model (SIM)
 - o MiCMRC Complex Care Management Course

Please note: Priority Health has determined that the MiCMRC PDCM online course provides insufficient training for care management and this training will not satisfy requirements for this attestation.

Beyond the initial training requirement for first year care managers, each care manager must be able to document at least 8 hours of continuing education during 2018 to qualify for this incentive.

- The practice's care management program is built on the team-based model.
- Provider registry or EMR use for risk stratification, or Priority Health population segmentation reports to identify patients for care management.
- The practice supports integration with the Priority Health care management team. Integration is defined as communication, as needed, between Priority Health and practice care managers to coordinate care. The frequency of communication will

	<p>vary based on the membership size within the practice.</p> <ul style="list-style-type: none"> Practice or PHO/PO must have a physician champion for their care management program. If the practice is a member of a PO/PHO and the physician champion for care management covers all practice sites, this meets criteria. Independent practices must designate a physician lead for care management. <p>For information on the survey attestation survey requirements go to priorityhealth.com/provider/center/incentives/cpc-plus/care-management (login required).</p> <p>For CPC+ sites to receive payment in April, the Care Management attestation must be submitted by March 1. If a practice is new to care management or undergoing transition, and a care manager has not been hired and trained by May 1, the practice will have until June 1 to complete this component of the measure. Be advised, the care manager must be trained and seeing members by May 1, 2018. In either case, prospective payments will commence only after attestation is completed.</p> <p>Practices may be audited to confirm compliance with measure criteria.</p> <p>Priority Health recommends the Agency for Healthcare Research and Quality (AHRQ) and Case Management Society of America (CMSA) as resources to learn more about care management.</p>															
Level of measure	Practice group															
Minimum members	1 per practice group															
Applicable product lines	HMO/POS, ASO/PPO, Medicare and Medicaid															
Method of measurement	<p>Claims activity to measure risk adjusted practice group target.</p> <p>Two billed care management claims on different dates of service in 2018 per unique member.</p> <p>Survey attestation completion due by June 1, 2018.</p>															
Tiered Target and payout Methodology	<p>The target and payment for care management is a “tiered” model based on the illness burden of the Priority Health membership for the practice. Each practice will be assigned a 2%, 3%, or 4% target along with a unique per member per month (PMPM) payment value.</p> <p>Membership is assigned to 4 risk quartiles, risk scores are compiled at practice level, and average PMPMs are assigned to each practice.</p> <p>CPC+ Track 1 CM Targets and Payouts</p> <p>Membership is assigned to 4 risk quartiles, risk scores are compiled at practice level, and average PMPMs are assigned to each practice. Consistent with the PIP/CPC+ program in 2017, a reduced PMPM is allocated for ACA/Individual product members.</p> <table border="1" data-bbox="418 1625 1232 1824"> <thead> <tr> <th>Risk Quartile</th> <th>ACA Product PMPM</th> <th>All Other Products PMPM</th> </tr> </thead> <tbody> <tr> <td>1 (Lowest)</td> <td>\$0.50</td> <td>\$1.10</td> </tr> <tr> <td>2</td> <td>\$1.00</td> <td>\$1.50</td> </tr> <tr> <td>3</td> <td>\$2.90</td> <td>\$2.90</td> </tr> <tr> <td>4 (Highest)</td> <td>\$5.50</td> <td>\$5.50</td> </tr> </tbody> </table>	Risk Quartile	ACA Product PMPM	All Other Products PMPM	1 (Lowest)	\$0.50	\$1.10	2	\$1.00	\$1.50	3	\$2.90	\$2.90	4 (Highest)	\$5.50	\$5.50
Risk Quartile	ACA Product PMPM	All Other Products PMPM														
1 (Lowest)	\$0.50	\$1.10														
2	\$1.00	\$1.50														
3	\$2.90	\$2.90														
4 (Highest)	\$5.50	\$5.50														

Practice PMPMs are allotted to ranges as shown below and CM targets are assigned to each practice.

Target	PMPM
2%	< \$2.00
3%	\$2.00 - \$3.25
4%	> \$3.25

CPC+ Track 2 CM Targets and Payouts

CPC+ Track 2 practices are assigned a “stretch” care management goal, which is a percentage point beyond their “standard” goal. For example: a CPC+ Track 2 practice with an assessed illness burden corresponding with a 4% CM target will have a stretch CM target of 5%. To incentivize practices to reach this higher target, an additional PMPM (referred to as the Standard PMPM below) is offered beyond the Base PMPM. Track 2 practices meeting only their lower care management target will receive the Standard PMPM, while Track 2 practices meeting their higher, or stretch care management target will receive the Stretch PMPM.

In either case, the Standard PMPM will be paid out to CPC+ Track 2 practices prospectively, while practices earning the Stretch PMPM will receive this additional funding during retrospective, end-of-year settlement.

Standard Track 2 PMPMs, the payment values if the standard care management target is met by CPC+ Track 2 practices:

Risk Quartile	ACA Product PMPM	All Other Products PMPM
1 (Lowest)	\$0.75	\$1.35
2	\$1.25	\$1.75
3	\$3.15	\$3.15
4 (Highest)	\$5.75	\$5.75

Stretch Track 2 PMPMs, the payment values if the stretch care management target is met by CPC+ Track 2 practices:

Risk Quartile	ACA Product PMPM	All Other Products PMPM
1 (Lowest)	\$1.00	\$1.85
2	\$1.75	\$2.25
3	\$3.65	\$3.65
4 (Highest)	\$6.25	\$6.25

Example Calculation – CPC+ Track 1

The following table and calculations demonstrate an example calculation for a CPC+ Track 1 practice.

Risk Quartile	Member Months (12 months)	PMPM per Quartile	Total Payout
1	600	\$1.10	\$660
2	1200	\$1.50	\$1,800
3	3600	\$2.90	\$10,440
4	1200	\$5.50	\$6,600
Total	6600	N/A	\$19,500

	<p><u>Calculating the total payout:</u></p> <ul style="list-style-type: none"> • Quartile 1: 600 member months x \$1.10 • Quartile 2: 1200 member months x \$1.50 • Quartile 3: 3600 member months x \$2.90 • Quartile 4: 1200 member months x \$5.50 <p>Total payout: \$19,500</p> <p><u>Calculating the estimated practice PMPM:</u> \$19,500 total funds / 6600 member months = \$2.95 practice PMPM</p> <p>The estimated PMPM of \$2.95 results in a target of 3% for this practice.</p> <p>Reporting: Each practice in the network has a defined target and estimated PMPM opportunity. This information has been emailed to ACNs and practice groups. If your practice or ACN has not received this reporting, contact your Provider Performance Specialist.</p>
<p>Notes</p>	<p>Practices are eligible for either the PCMH incentive or the care management incentive. If a PCMH practice qualifies for the care management incentive, the higher care management incentive will be paid.</p> <p>Assigned or attributed PCP of the member on the date of care management visit will get the credit.</p> <p>Care management touch points do not transfer between assigned PCP practice groups.</p> <p>Any care management touch points will stay with the assigned or attributed PCP at the time of the care management visit.</p> <p>If a member changes PCPs within the same practice group, care management visits stay with that assigned PCP practice. If the member changes PCPs outside the practice group, care management visits stay with the previously assigned PCP practice.</p> <p>If two care management visits are completed by the assigned or attributed PCP and the member transfers to a different practice, care management visits stay with the previously assigned PCP practice group.</p> <p>If a PCP changes from an attested practice group to another attested practice group, care management touch points will follow the assigned PCP to the new attested practice location.</p> <p>If a PCP changes practice groups from one attested practice group to a non-attested practice group, care management touch points will not count for any non-attested practice group.</p> <p>Practice groups receiving payment for Medicaid members in SIM PMCH are not eligible for the care management incentive.</p> <p>Prospective care management payment reporting is an ad hoc report that is available quarterly. Contact your Provider Performance Specialist for details.</p>

Transformation of care

Patient-centered medical home (PCMH) recognition

Identified measure	<p>Priority Health provides an incentive for all practices with active patient-centered medical home recognition. Priority Health is honoring three recognition programs: BCBS of Michigan, NCQA and URAC.</p> <p>BCBS PGIP PCMH recognition Practices are required to resubmit proof of PCMH renewal through BCBS by Sept. 14, 2018. This process aligns with BCBS' annual announcement of PGIP PCMH recognized practices.</p> <p>Practices that lose BCBS PCMH recognition in July 2018 will have monthly pro-rated recognition end September 2018. Practices that are newly recognized by BCBS in July 2018 will have recognition begin October 2018. Failure to submit proof of recognition by Sept. 14, 2018 will stop existing PCMH recognition in September 2018.</p> <p>NCQA recognition - Practices with existing NCQA recognition are requested to submit proof of recognition status during the fourth quarter of 2018. Practices that are newly recognized should submit proof of recognition as soon as it is granted.</p> <p>URAC - Practices with existing URAC recognition are requested to submit proof of recognition status during fourth quarter 2018. Practices that are newly recognized should submit proof of recognition as soon as it is granted.</p>
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	Medicaid
Method of measurement	<p>Practices must have active patient-centered medical home recognition. Priority Health is honoring three recognition programs: BCBS of Michigan, NCQA and URAC.</p> <p>BCBS of Michigan – The BCBS PHO/PO notification Excel spreadsheet is required as proof of recognition status. Priority Health facility site IDs are required for those practice groups that received BCBS PGIP PCMH designation. Priority Health will require practices to submit the Priority Health facility site ID with the BCBS documentation.</p> <p>NCQA - Newly-recognized practices must provide documentation of recognition status. A letter from NCQA or certificate is appropriate documentation. Priority Health will require practices to submit the Priority Health facility site ID with the NCQA documentation.</p> <p>URAC - Practices must provide documentation of recognition status. A letter or certificate from URAC is appropriate documentation. Priority Health will require practices to submit the Priority Health facility site ID with the URAC documentation.</p>
Payout	\$0.75 per member per month
Notes	<p>Practices are eligible for either the PCMH incentive or the care management incentive. If a PCMH practice qualifies for the care management incentive, the higher care management incentive will be paid.</p> <p>PCMH is a practice group measure. If a PCP leaves a designated PCMH practice site, PCMH recognition does not follow the provider. Submit PCMH designation to PH-PartnersinPerformance@priorityhealth.com</p>

Transformation of care CG CAHPS

Identified measure	<p>An incentive is available to practices that have conducted the CG Consumer Assessment Healthcare Providers and Systems (CAHPS) patient experience survey.</p> <p>CG CAHPS is promoted by the Michigan Patient Experience of Care (MIPEC) initiative. However, practices do not need to participate with the MIPEC initiative to receive an incentive.</p> <p>Practices eligible for this incentive must conduct a minimum number of surveys as identified in the chart below. The chart was developed by the Agency for Healthcare Research and Quality (AHRQ). Practices are identified by Priority Health facility site ID. The minimum survey count applies to any patient, not just Priority Health members.</p> <table border="1" data-bbox="553 726 1442 957"> <thead> <tr> <th># of Providers per practice site</th> <th>Required # of completed surveys</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>50</td> </tr> <tr> <td>2</td> <td>100</td> </tr> <tr> <td>3</td> <td>150</td> </tr> <tr> <td>4-9</td> <td>175</td> </tr> <tr> <td>10-13</td> <td>200</td> </tr> <tr> <td>14+</td> <td>250</td> </tr> </tbody> </table> <p>Based on the need for comparable, reliable and bias-free survey methodology and results, Priority Health reserves the right to require use of a certified vendor to conduct the CG-CAHPS survey.</p>	# of Providers per practice site	Required # of completed surveys	1	50	2	100	3	150	4-9	175	10-13	200	14+	250
# of Providers per practice site	Required # of completed surveys														
1	50														
2	100														
3	150														
4-9	175														
10-13	200														
14+	250														
Level of measurement	Practice group														
Minimum members	No minimum member requirement														
Applicable product lines	HMO/POS, ASO/PPO, Medicare and Medicaid														
Method of measurement	<p>Initiate CG CAHPS survey processes by May 1, 2018.</p> <p>Submit practice-level performance data for each GC CAHPS survey question via flat ASC II or excel to Priority Health by Jan. 31, 2019.</p> <p>For additional CG-CAHPS measure information and to download the practice-level performance data excel spreadsheets visit priorityhealth.com/provider/center/incentives/cpc-plus/cg-cahps (login required).</p>														
Payout	\$0.10 per member per month														
Notes	<p>Practice sites that do not participate with MIPEC will need to submit practice-level performance data to Priority Health for incentive credit.</p> <p>Submit CG CAHPS practice-level data to: PH-PartnersinPerformance@priorityhealth.com</p>														

Transformation of care

Healthy Michigan Plan: HRA completion and open access

Identified measure	<p>For calendar year 2018, primary care providers are eligible for a \$25 incentive for proper completion of a health risk assessment (HRA) and an additional \$25 if they are open to new Medicaid members on the date of service.</p> <p>\$25 incentive for HRA completion Priority Health will pay a \$25 incentive to participating PCPs only when the PCP (physician or mid-level primary care provider) completes the HRA form properly and timely. To receive the incentive, the PCP must:</p> <ul style="list-style-type: none"> • Conduct an initial visit with the Healthy Michigan Plan member within 150 days of the member's original enrollment date • Within 60 days of the initial visit OR the patient's effective date with Priority Health, whichever is later, return the entire completed HRA to Priority Health at 616.942.0616. Incomplete forms will be returned to you for completion. Complete and send back to Priority Health within 10 days. Failure to complete the form properly will result in ineligibility for the incentive. <p>To be considered, HRA must be signed and include results of all questions and the provider attestation information. Handwritten forms must be legible.</p> <p>\$25 additional incentive for PCPs open to new Medicaid members PCPs open to new Medicaid members can earn an additional \$25 per completed HRA form. To receive the additional incentive, PCPs must meet the criteria above for earning the \$25 HRA incentive and be open to new Medicaid members on the date of service on which the visit occurred.</p> <p>If a practice is currently closed to new Medicaid members, use the Participating Provider Change Form to inform Priority Health that you will open your practice to new members. Priority Health will use the date the form is received as the effective date of open status. Both incentive payments will be processed annually.</p> <p>Federally qualified health clinics and rural health clinics are eligible.</p> <p>Note: This incentive is paid once per member to the PCP who conducts the visit. Only those members with greater than a two month gap in coverage who re-enroll are eligible for the incentive again. Members will show on the assigned PCP's report until they have a qualifying visit with another PCP. From then on, the member will appear on the treating PCP's report.</p>
Case definition	Members with coverage under the Healthy Michigan Plan. PCPs must be open to new members under their Priority Health Medicaid contract to receive the additional \$25 payout.
Age criteria	19-64 years of age
Exclusionary criteria	None
Level of measure	Practice level. Open status is based on the individual practitioner.
Minimum members	1 per practice
Applicable product line	Medicaid
Method of measurement	Completed HRA form returned to the plan
Provider data input	Complete and submit the HRA within 60 days of the initial visit date of service
Payout	\$25 per measured member for submission of completed HRA \$25 per measured member for Open Access on date of service.
Notes	Payment award will be paid with all other settlement payments (April 2019) The initial health risk assessment (HRA) will only be paid out for the initial HRA only; it will not be paid out for subsequent years.

Transformation of care

All-cause readmissions

Source	Priority Health standard of excellence derived from HEDIS.
Identified measure	<p>The percentage of acute inpatient stays discharged on or between December 1, 2017 and November 30, 2018 that were followed by an unplanned acute readmission for any diagnosis within 30 days.</p> <p>Attestation In an effort to assess your organization's current initiatives around preventing readmission rates ACNs will also be required to complete a survey attestation. The attestation survey will be available in January and will be emailed to ACNs that meet the minimum membership requirement. The deadline to complete the attestation survey is June 1, 2018.</p>
Case definition	<p>For each eligible acute inpatient stay the member must be continuously enrolled 365 days prior to discharge with no more than one 45 day gap in medical coverage and also be continuously enrolled 30 days post discharge with no gaps in medical coverage.</p> <p>In the event of an acute-to-acute direct transfer, the discharge date from the direct transfer is used for measurement. A direct transfer is when the discharge date from one acute inpatient stay is one calendar day apart or less from the next.</p> <p>All eligible inpatient stays are assigned to the members PCP on the date of discharge.</p> <p>A lower rate is better</p>
Age criteria	18 years and older on the date of discharge
Exclusionary criteria	<p>An acute inpatient stay is excluded from measurement if the first readmission within 30 days of discharge meets any of the following criteria:</p> <ul style="list-style-type: none"> • A primary diagnosis of maintenance chemotherapy • A primary diagnosis of rehabilitation • An organ transplant (kidney, bone marrow, etc.) • A potentially planned procedure without a primary acute diagnosis <p>Acute inpatient stays where the admission date is the same as the discharge date are excluded.</p> <p>An acute inpatient stay is also excluded for any of the following reasons:</p> <ul style="list-style-type: none"> • The member died during stay • The acute inpatient stay has a primary diagnosis of pregnancy • The acute inpatient stay has a primary diagnosis of a condition originating in the perinatal period
Numerator	Count of unique acute inpatient stays from the denominator with an unplanned acute readmission for any diagnosis within 30 days of a discharge.
Denominator	Count of unique acute inpatient stays with a discharge date on or between Dec. 1, 2017 and Nov. 30, 2018.
Level of measure	Contracted Accountable Care Network (ACN)

Minimum members	ACNs with 10,000 or more unique members defined by product line as of Jan. 31, 2018 are eligible for this measure.
Applicable product lines	HMO/POS, ASO/PPO, Medicare and Medicaid
Method of measurement	Claims data processed by Feb. 28, 2019.
Provider data input	None
Target, improvement and shared savings	TBD

Transformation of care

ED visits: PCP treatable care

Case definition	<p>Emergency department utilization of PCP treatable care as identified through ICD-10 coding. PCP treatable care is based on the NYU code set.</p> <p>Performance is measured in a PCP treatable ED rate per 1,000 members.</p> <p>A shared savings incentive will be provided to primary care practices that:</p> <ul style="list-style-type: none"> Exceed (lower than) the product-specific target ED PCP treatable visits per thousand for the 50% shared savings, or Experience improvement from year-end 2017 to year-end 2018 and have a year-end 2018 rate between the product-specific thresholds for the 25% shared savings.
Age criteria	All ages
Exclusionary criteria	ED visits resulting in an inpatient admission
Numerator	Number of PCP treatable ED visits with a PCP treatable defined primary diagnosis.
Denominator	Member months affiliated with an ACN
Level of measure	Accountable Care Network (ACN)
Minimum members	<p>A minimum of 12,000 annual member months at the ACN level in 2018.</p> <p>ACNs with fewer than 12,000 annual member months in 2017 who reach more than 12,000 annual member months in 2018, will only be eligible for the target measurement. No improvement criteria will apply.</p>
Applicable product lines	HMO/POS, Medicaid
Method of measurement	Claims data submitted by Feb. 28, 2019
Calculation	$\frac{\text{PCP treatable ED visits} \times 12,000}{\text{Total member months}}$
Target, improvement and shared savings	TBD – The targets will not be available until June.

Transformation of care

Risk adjustment education

<p>Identified measure</p>	<p>The purpose of the risk adjustment incentive is to engage practices to improve coding and documentation of the full burden of illness for all encounters. The risk adjustment payment model developed by CMS (Centers for Medicare and Medicaid Services) utilizes Hierarchical Condition Categories (HCC), which are correlated to diagnoses codes, to appropriately code to the highest level of specificity. Developing this competency in the practice will help guide population health strategies and support success on performance measures that include a risk adjustment factor. This includes the current Care Management measure in the PIP program, as well as measures within CMS programs like Comprehensive Primary Care (CPC+) and Merit-Based Incentive Payment System (MIPS).</p> <p>To qualify for the incentive, practice sites must complete two components for the risk adjustment measure:</p> <ul style="list-style-type: none"> • Component 1: Risk adjustment education – Complete an attestation survey or present a course certification of completion. <p>Component 2: Risk adjustment adoption – Demonstration of current HCC coding and documentation standards implemented within the practice group.</p> <p>Education: The practice must demonstrate that they have a team member (e.g. biller, coder, practice manager, care manager, physician, APP, RN, LPN, MA, PA, etc.) who has received training or education on HCC coding and documenting the full burden of illness. Education options include:</p> <ul style="list-style-type: none"> • Option 1: In-person Training – We will offer an in-person training seminar in spring 2018. The network will be notified when the training seminar is scheduled. A course certificate of completion will be provided by Priority Health at the end of the training. Continuing Education Credits (CEU) may be offered. • Option 2: Pre-recorded Webcast and survey attestation – We will offer a pre-recorded webcast that can be accessed on the provider portal in 2018. Multiple practice sites can view the pre-recorded webcast at one location at the same time. The attestation will include the option to attach a list of the individuals who participated in the training, their title or certification, the name of the practice facility, and the practice facility site ID. CEUs do not apply for pre-recorded events. • Option 3: Practice Invested Training – Practice groups may receive credit for the education component if they have invested in their own training through a vendor, a contracted resource, or an HCC certification program. Training or education must include specific emphasis on the HCC methodology, as well as best practices for implementing HCC coding and documentation standards. Include the following information to meet this criteria: <ul style="list-style-type: none"> • A list of the individuals who participated in the training, their title or certification, the name of the practice facility and the facility site ID. • Program description
----------------------------------	---

	<ul style="list-style-type: none"> • Program content summary • Training resources and deliverables such as a slide deck, training packets, or other program materials <ul style="list-style-type: none"> • Option 4: Certified Individuals – Practice groups may receive credit for the education component if they have individuals in the practice that have been trained in HCC coding and risk adjustment processes. Proof of certification must be submitted to fulfill the education component. Include with the documentation the following: <ul style="list-style-type: none"> • Practice group name • Practice facility site ID • Name of the individual that has been trained in HCC coding and risk adjustment process (e.g. CRC) <p>Practice adoption The practice must demonstrate the current HCC coding and documentation standards implemented in the workflow of the practice through an attestation survey. Criteria to be considered as part of the attestation include:</p> <ul style="list-style-type: none"> • Practice has disseminated risk adjustment education to the providers and it is being reiterated on a regular basis (e.g. monthly staff meeting minutes, email blasts or newsletters sent to the providers, etc.) • Written policies and procedures for risk adjustment processes (e.g. formal coder / physician query process, addendum procedures, best practices manual, etc.) • Identification of at least 3 HCCs to focus on improving the level of specificity in coding • Practice has the capability to submit at least 8 diagnosis codes on a claim. <p>The goal of the attestation is to highlight practice implemented workflow improvements to aid in accurate medical record documentation and coding to the highest level of specificity. In order to be considered for this incentive, all education/training materials and documentation that outlines practice adoption, should be sent to PH-PartnersinPerformance@priorityhealth.com by a soon to be determined date.</p> <p>Practice groups will be notified if the education/training materials are not approved. Practice groups can resubmit by date Sept. 28, 2018. No extensions will be granted.</p>
Level of measure	Practice group
Minimum members	1 per practice group
Applicable product line	HMO/POS, Medicare
Method of measurement	<ul style="list-style-type: none"> • Risk Adjustment Education and Training • Risk Adjustment Adoption
Payout: ACA individual	\$1.00 per member per month
Payout: Medicare	\$0.40 per member per month

Notes	<p>To receive incentive credit, practice groups must complete one of the following:</p> <ul style="list-style-type: none">• Viewing of the webcast and completion of attestation due by Sept. 14, 2018• Attend one of two in-person training seminars Grand Rapids, May 21, 2018 Southfield, May 22, 2018 <p>Look for updated event information on Priorityhealth.com</p> <ul style="list-style-type: none">• Submit the training type and supporting documentation of practice invested training by Sept. 14, 2018. The practice facility site ID is required with all submitted documentation. Subject to approval. <p>Practices that are participating in the Advanced Health Assessment (AHA) program prior to June 1, 2018 will not be eligible for this measure.</p>
--------------	---

Measure code sets

Cervical cancer screenings

CPT		HCPCS		UBREV
88141	88150	88165	G0123	G0145
88142	88152	88166	G0124	G0147
88143	88153	88167	G0141	G0148
88147	88154	88174	G0143	P3000
88148	88164	88175	G0144	P3001
				Q0091

HPV screening

CPT	HCPCS
87620	G0476
87621	
87622	
87624	
87625	

Hysterectomy exclusion

CPT		ICD10CM	
51925	58267	58570	Q51.5
56308	58270	58571	Z90.710
57540	58275	58572	Z90.712
57545	58280	58573	0UTC0ZZ
57550	58285	58951	0UTC4ZZ
57555	58290	58953	0UTC7ZZ
57556	58291	58954	0UTC8ZZ
58150	58292	58956	
58152	58293	59135	
58200	58294		
58210	58548		
58240	58550		
58260	58552		
58262	58553		
58263	58554		

Measures codes for childhood immunizations

DTaP		IPV		MMR		
CPT	CVX	CPT	CVX	CPT	CVX	ICD10CM
90698	20	90698	10	90705	05	B26.0
90700	50	90713	89	90707	03	B26.1
90721	106	90723	110	90710	94	B26.2
90723	107		120	90708	04	B26.3
	110			90704	07	B26.81
	120			90706	06	B26.82
						B26.83
						B26.84
						B26.85
						B26.89
						B26.9
						B06.00
						B06.01
						B06.02
						B06.09
						B06.81
						B06.82
						B06.89
						B06.9

HIB					
CPT	CVX	CPT	CVX	HCPCS	ICD10CM
90644	17	90723	08	G0010	B16.0
90645	46	90740	44		B16.1
90646	47	90744	45		B16.2
90647	48	90747	51		B16.9
90648	49	90748			B17.0
90698	50				B18.0
90721	51				B18.1
90748	120				B19.10
	148				B19.11
					Z22.51

Varicella					
CPT	CVX	ICD10CM			
90710	21	B01.0	B01.89	B02.22	B02.31
90716	94	B01.11	B01.9	B02.23	B02.32
		B01.12	B02.0	B02.24	B02.33
		B01.2	B02.1	B02.29	B02.34
		B01.81	B02.21	B02.30	B02.39

Pneumococcal Conjugate		
CPT	CVX	HCPCS
90669	100	G0009
90670	152	

HIV

ICD10CM
B20
Z21

HIV type 2

ICD10CM
B97.35

Severe combined immunodeficiency

ICD10CM
D81.0
D81.1
D81.2
D81.9

Anaphylactic Reaction

ICD10CM
T80.52XA
T80.52XD
T80.52XS

Encephalopathy**ICD10CM**

G04.32

T50.A15A

T50.A15D

T50.A15S

Disorders of the immune system**ICD10CM**

D80.0	D81.2	D82.9	D89.811
D80.1	D81.4	D83.0	D89.812
D80.2	D81.6	D83.1	D89.813
D80.3	D81.7	D83.2	D89.82
D80.4	D81.89	D83.8	D89.89
D80.5	D81.9	D83.9	D89.9
D80.6	D82.0	D84.0	
D80.7	D82.1	D84.1	
D80.8	D82.2	D84.8	
D80.9	D82.3	D84.9	
D81.0	D82.4	D89.3	
D81.1	D82.8	D89.810	

Lymphoreticular cancer, multiple myeloma or leukemia**ICD10CM**

C81.00	C82.12	C83.04	C84.16	C85.28	C92.30
C81.01	C82.13	C83.05	C84.17	C85.29	C92.31
C81.02	C82.14	C83.06	C84.18	C85.80	C92.32
C81.03	C82.15	C83.07	C84.19	C85.81	C92.40
C81.04	C82.16	C83.08	C84.40	C85.82	C92.41
C81.05	C82.17	C83.09	C84.41	C85.83	C92.42
C81.06	C82.18	C83.10	C84.42	C85.84	C92.50
C81.07	C82.19	C83.11	C84.43	C85.85	C92.51
C81.08	C82.20	C83.12	C84.44	C85.86	C92.52
C81.09	C82.21	C83.13	C84.45	C85.87	C92.60
C81.10	C82.22	C83.14	C84.46	C85.88	C92.61
C81.11	C82.23	C83.15	C84.47	C85.89	C92.62
C81.12	C82.24	C83.16	C84.48	C85.90	C92.90
C81.13	C82.25	C83.17	C84.49	C85.91	C92.91
C81.14	C82.26	C83.18	C84.60	C85.92	C92.92
C81.15	C82.27	C83.19	C84.61	C85.93	C92.A0
C81.16	C82.28	C83.30	C84.62	C85.94	C92.A1

C81.17	C82.29	C83.31	C84.63	C85.95	C92.A2
C81.18	C82.30	C83.32	C84.64	C85.96	C92.Z0
C81.19	C82.31	C83.33	C84.65	C85.97	C92.Z1
C81.20	C82.32	C83.34	C84.66	C85.98	C92.Z2
C81.21	C82.33	C83.35	C84.67	C85.99	C93.00
C81.22	C82.34	C83.36	C84.68	C86.0	C93.01
C81.23	C82.35	C83.37	C84.69	C86.1	C93.02
C81.24	C82.36	C83.38	C84.70	C86.2	C93.10
C81.25	C82.37	C83.39	C84.71	C86.3	C93.11
C81.26	C82.38	C83.50	C84.72	C86.4	C93.12
C81.27	C82.39	C83.51	C84.73	C86.5	C93.30
C81.28	C82.40	C83.52	C84.74	C86.6	C93.31
C81.29	C82.41	C83.53	C84.75	C88.2	C93.32
C81.30	C82.42	C83.54	C84.76	C88.3	C93.90
C81.31	C82.43	C83.55	C84.77	C88.4	C93.91
C81.32	C82.44	C83.56	C84.78	C88.8	C93.92
C81.33	C82.45	C83.57	C84.79	C88.9	C93.Z0
C81.34	C82.46	C83.58	C84.90	C90.00	C93.Z1
C81.35	C82.47	C83.59	C84.91	C90.01	C93.Z2
C81.36	C82.48	C83.70	C84.92	C90.02	C94.00
C81.37	C82.49	C83.71	C84.93	C90.10	C94.01
C81.38	C82.50	C83.72	C84.94	C90.11	C94.02
C81.39	C82.51	C83.73	C84.95	C90.12	C94.20
C81.40	C82.52	C83.74	C84.96	C90.20	C94.21
C81.41	C82.53	C83.75	C84.97	C90.21	C94.22
C81.42	C82.54	C83.76	C84.98	C90.22	C94.30
C81.43	C82.55	C83.77	C84.99	C90.30	C94.31
C81.44	C82.56	C83.78	C84.A0	C90.31	C94.32
C81.45	C82.57	C83.79	C84.A1	C90.32	C94.80
C81.46	C82.58	C83.80	C84.A2	C91.00	C94.81
C81.47	C82.59	C83.81	C84.A3	C91.01	C94.82
C81.48	C82.60	C83.82	C84.A4	C91.02	C95.00
C81.49	C82.61	C83.83	C84.A5	C91.10	C95.01
C81.70	C82.62	C83.84	C84.A6	C91.11	C95.02
C81.71	C82.63	C83.85	C84.A7	C91.12	C95.10
C81.72	C82.64	C83.86	C84.A8	C91.30	C95.11
C81.73	C82.65	C83.87	C84.A9	C91.31	C95.12
C81.74	C82.66	C83.88	C84.Z0	C91.32	C95.90
C81.75	C82.67	C83.89	C84.Z1	C91.40	C95.91
C81.76	C82.68	C83.90	C84.Z2	C91.41	C95.92
C81.77	C82.69	C83.91	C84.Z3	C91.42	C96.0

C81.78	C82.80	C83.92	C84.Z4	C91.50	C96.2
C81.79	C82.81	C83.93	C84.Z5	C91.51	C96.4
C81.90	C82.82	C83.94	C84.Z6	C91.52	C96.9
C81.91	C82.83	C83.95	C84.Z7	C91.60	C96.A
C81.92	C82.84	C83.96	C84.Z8	C91.61	C96.Z
C81.93	C82.85	C83.97	C84.Z9	C91.62	
C81.94	C82.86	C83.98	C85.10	C91.90	
C81.95	C82.87	C83.99	C85.11	C91.91	
C81.96	C82.88	C84.00	C85.12	C91.92	
C81.97	C82.89	C84.01	C85.13	C91.A0	
C81.98	C82.90	C84.02	C85.14	C91.A1	
C81.99	C82.91	C84.03	C85.15	C91.A2	
C82.00	C82.92	C84.04	C85.16	C91.Z0	
C82.01	C82.93	C84.05	C85.17	C91.Z1	
C82.02	C82.94	C84.06	C85.18	C91.Z2	
C82.03	C82.95	C84.07	C85.19	C92.00	
C82.04	C82.96	C84.08	C85.20	C92.01	
C82.05	C82.97	C84.09	C85.21	C92.02	
C82.06	C82.98	C84.10	C85.22	C92.10	
C82.07	C82.99	C84.11	C85.23	C92.11	
C82.08	C83.00	C84.12	C85.24	C92.12	
C82.09	C83.01	C84.13	C85.25	C92.20	
C82.10	C83.02	C84.14	C85.26	C92.21	
C82.11	C83.03	C84.15	C85.27	C92.22	

Measure codes for adolescent immunizations

Meningococcal		Tdap		HPV	
CPT	CVX	CPT	CVX	CPT	CVX
90734	108	90715	115	90649	62
	136			90650	118
	148			90651	137
					165

Measure codes for well-child visits

CPT	HCPCS	ICD10CM	
99381	G0438	Z00.00	Z02.3
99382	G0439	Z00.01	Z02.4
99383		Z00.110	Z02.5
99384		Z00.111	Z02.6
99385		Z00.121	Z02.71
99391		Z00.129	Z02.79
99392		Z00.5	Z02.81
99393		Z00.8	Z02.82
99394		Z02.0	Z02.83
99395		Z02.1	Z02.89
99461		Z02.2	Z02.9

Measure codes for chlamydia screening

CPT	
87110	87491
87270	87492
87320	87810
87490	

Sexually active women

CPT					HCPCS	UBREV
11976	59150	59841	80055	87624	G0101	0112
57022	59151	59850	80081	87625	G0123	0122
57170	59160	59851	82105	87660	G0124	0132
58300	59200	59852	82106	87661	G0141	0142
58301	59300	59855	82143	87808	G0143	0152
58600	59320	59856	82731	87810	G0144	0720
58605	59325	59857	83632	87850	G0145	0721
58615	59350	59866	83661	88141	G0147	0722
58970	59400	59870	83662	88142	G0148	0724
58974	59409	59871	83663	88143	G0475	0729
58976	59410	59897	83664	88147	G0476	0923
59000	59412	59898	84163	88148	H1000	
59001	59414	59899	84704	88150	H1001	
59012	59425	76801	86592	88152	H1003	
59015	59426	76805	86593	88153	H1004	
59020	59430	76811	86631	88154	H1005	

Sexually active women

CPT				HCPCS	
59025	59510	76813	86632	88164	P3000
59030	59514	76815	87110	88165	P3001
59050	59515	76816	87164	88166	Q0091
59051	59525	76817	87166	88167	S0199
59070	59610	76818	87270	88174	S4981
59072	59612	76819	87320	88175	S8055
59074	59614	76820	87490	88235	
59076	59618	76821	87491	88267	
59100	59620	76825	87492	88269	
59120	59622	76826	87590		
59121	59812	76827	87591		
59130	59820	76828	87592		
59135	59821	76941	87620		
59136	59830	76945	87621		
59140	59840	76946	87622		

Sexually active women

ICD10CM

A34	A52.77	A56.11	N71.1	Z30.011	Z32.2	Z3A.08
A51.0	A52.78	A56.19	N71.9	Z30.012	Z32.3	Z3A.09
A51.1	A52.79	A56.2	N93.0	Z30.013	Z33.1	Z3A.10
A51.2	A52.8	A56.3	N94.1	Z30.014	Z33.2	Z3A.11
A51.31	A52.9	A56.4	N96	Z30.018	Z34.00	Z3A.12
A51.32	A53.0	A56.8	N97.0	Z30.019	Z34.01	Z3A.13
A51.39	A53.9	A57	N97.1	Z30.02	Z34.02	Z3A.14
A51.41	A54.00	A58	N97.2	Z30.09	Z34.03	Z3A.15
A51.42	A54.01	A59.00	N97.8	Z30.2	Z34.80	Z3A.16
A51.43	A54.02	A59.01	N97.9	Z30.40	Z34.81	Z3A.17
A51.44	A54.03	A59.03	O94	Z30.41	Z34.82	Z3A.18
A51.45	A54.09	A59.09	T38.4X1A	Z30.42	Z34.83	Z3A.19
A51.46	A54.1	A59.8	T38.4X1D	Z30.430	Z34.90	Z3A.20
A51.49	A54.21	A59.9	T38.4X1S	Z30.431	Z34.91	Z3A.21
A51.5	A54.24	A60.00	T38.4X2A	Z30.432	Z34.92	Z3A.22
A51.9	A54.29	A60.03	T38.4X2D	Z30.433	Z34.93	Z3A.23
A52.00	A54.30	A60.04	T38.4X2S	Z30.49	Z36	Z3A.24
A52.01	A54.31	A60.09	T38.4X3A	Z30.8	Z37.0	Z3A.25
A52.02	A54.32	A60.1	T38.4X3D	Z30.9	Z37.1	Z3A.26

Sexually active women

ICD10CM						
A52.03	A54.33	A60.9	T38.4X3S	Z31.0	Z37.2	Z3A.27
A52.04	A54.39	A63.0	T38.4X4A	Z31.41	Z37.3	Z3A.28
A52.05	A54.40	A63.8	T38.4X4D	Z31.42	Z37.4	Z3A.29
A52.06	A54.41	A64	T38.4X4S	Z31.430	Z37.50	Z3A.30
A52.09	A54.42	B20	T38.4X5A	Z31.438	Z37.51	Z3A.31
A52.10	A54.43	B97.33	T38.4X5D	Z31.440	Z37.52	Z3A.32
A52.11	A54.49	B97.34	T38.4X5S	Z31.441	Z37.53	Z3A.33
A52.12	A54.5	B97.35	T38.4X6A	Z31.448	Z37.54	Z3A.34
A52.13	A54.6	B97.7	T38.4X6D	Z31.49	Z37.59	Z3A.35
A52.14	A54.81	F52.6	T38.4X6S	Z31.5	Z37.60	Z3A.36
A52.15	A54.82	F53	T83.31XA	Z31.61	Z37.61	Z3A.37
A52.16	A54.83	G44.82	T83.31XD	Z31.62	Z37.62	Z3A.38
A52.17	A54.84	N70.01	T83.31XS	Z31.69	Z37.63	Z3A.39
A52.19	A54.85	N70.02	T83.32XA	Z31.81	Z37.64	Z3A.40
A52.2	A54.86	N70.03	T83.32XD	Z31.82	Z37.69	Z3A.41
A52.3	A54.89	N70.11	T83.32XS	Z31.83	Z37.7	Z3A.42
A52.71	A54.9	N70.12	T83.39XA	Z31.84	Z37.9	Z3A.49
A52.72	A55	N70.13	T83.39XD	Z31.89	Z39.0	Z64.0
A52.73	A56.00	N70.91	T83.39XS	Z31.9	Z39.1	Z64.1
A52.74	A56.01	N70.92	Z20.2	Z32.00	Z39.2	Z72.51
A52.75	A56.02	N70.93	Z21	Z32.01	Z3A.00	Z72.52
A52.76	A56.09	N71.0	Z22.4	Z32.02	Z3A.01	Z72.53
Z79.3						
Z92.0						
Z97.5						
Z98.51						

Pregnancy test (when billed with diagnostic radiology)

CPT	UBREV
81025	925
84702	
84703	

Diagnostic radiology

CPT	UBREV		
70010-76499	320	322	324
	321	323	329

Contraceptive medications

Description	Prescription
Contraceptives	Desogestrel-ethinyl estradiol
	Dienogest-estradiol multiphasic
	Drospirenone-ethinyl estradiol
	Drospirenone-ethinyl estradiol-levomefolate biphasic
	Ethinyl estradiol-ethynodiol
	Ethinyl estradiol-etonogestrel
	Ethinyl estradiol-levonorgestrel
	Ethinyl estradiol-norelgestromin
	Ethinyl estradiol-norgestrel
	Etonogestrel
	Levonorgestrel
	Medroxyprogesterone
	Mestranol-norethindrone
	Norethindrone
Diaphragm	Diaphragm
Spermicide	Nonyl 9

Exclusion for prescription retinoid (Isotretinoin) identified by National Drug Code

Oral contraceptive prescriptions to determine sexual activity identified by National Drug Code

Measure code for lead screening in children

Lead test**CPT**

83655

Measure codes for adult BMI

Z68.51 - Z68.54 - for members 20 and younger

Z68.1 – Z68.45 for members 21-74

E66.1 & E66.2

Measure codes for colorectal cancer screening

Colonoscopy

CPT				HCPCS
44388	44403	45381	45391	G0105
44389	44404	45382	45392	G0121
44390	44405	45383	45393	
44391	44406	45384	45398	
44392	44407	45385		
44393	44408	45386		
44394	45355	45387		
44397	45378	45388		
44401	45379	45389		
44402	45380	45390		

Fecal occult blood test (FOBT)

CPT	HCPCS
82270	G0328
82274	

Flexible sigmoidoscopy

CPT				HCPCS
45330	45334	45339	45345	G0104
45331	45335	45340	45346	
45332	45337	45341	45347	
45333	45338	45342	45349	
			45350	

Colorectal cancer

HCPCS	ICD10CM		
G0213	C18.0	C18.7	C78.5
G0214	C18.1	C18.8	Z85.038
G0215	C18.2	C18.9	Z85.048
G0231	C18.3	C19	
	C18.4	C20	
	C18.5	C21.2	
	C18.6	C21.8	

Total colectomy

CPT	ICD10PCS
44150	0DTE0ZZ
44151	0DTE4ZZ
44152	0DTE7ZZ
44153	0DTE8ZZ
44155	
44156	
44157	
44158	
44210	
44211	
44212	

CT colonography

CPT
74261
74262
74263

FIT-DNA (Cologuard)

CPT	HCPCS
81528	G0464

Measure codes for diabetes care measures

Diabetes

ICD-10CM					
E10.10	E10.3393	E10.3541	E10.51	E11.3211	E11.3491
E10.11	E10.3399	E10.3542	E10.52	E11.3212	E11.3492
E10.21	E10.341	E10.3543	E10.59	E11.3213	E11.3493
E10.22	E10.3411	E10.3549	E10.610	E11.3219	E11.3499
E10.29	E10.3412	E10.3551	E10.618	E11.329	E11.351
E10.311	E10.3413	E10.3552	E10.620	E11.3291	E11.3511
E10.319	E10.3419	E10.3553	E10.621	E11.3292	E11.3512
E10.321	E10.349	E10.3559	E10.622	E11.3293	E11.3513
E10.3211	E10.3491	E10.359	E10.628	E11.3299	E11.3519
E10.3212	E10.3492	E10.3591	E10.630	E11.331	E11.3521
E10.3213	E10.3493	E10.3592	E10.638	E11.3311	E11.3522
E10.3219	E10.3499	E10.3593	E10.641	E11.3312	E11.3523
E10.329	E10.351	E10.3599	E10.649	E11.3313	E11.3529
E10.3291	E10.3511	E10.36	E10.65	E11.3319	E11.3531
E10.3292	E10.3512	E10.37X1	E10.69	E11.339	E11.3532
E10.3293	E10.3513	E10.37X2	E10.8	E11.3391	E11.3533
E10.3299	E10.3519	E10.37X3	E10.9	E11.3392	E11.3539
E10.331	E10.3521	E10.37X9	E11.00	E11.3393	E11.3541
E10.3311	E10.3522	E10.39	E11.01	E11.3399	E11.3542
E10.3312	E10.3523	E10.40	E11.21	E11.341	E11.3543
E10.3313	E10.3529	E10.41	E11.22	E11.3411	E11.3549
E10.3319	E10.3531	E10.42	E11.29	E11.3412	E11.3551
E10.339	E10.3532	E10.43	E11.311	E11.3413	E11.3552
E10.3391	E10.3533	E10.44	E11.319	E11.3419	E11.3553
E10.3392	E10.3539	E10.49	E11.321	E11.349	E11.3559
E11.359	E11.628	E13.3292	E13.3512	E13.37X1	E13.69
E11.3591	E11.630	E13.3293	E13.3513	E13.37X2	E13.8
E11.3592	E11.638	E13.3299	E13.3519	E13.37X3	E13.9
E11.3593	E11.641	E13.331	E13.3521	E13.37X9	O24.011
E11.3599	E11.649	E13.3311	E13.3522	E13.39	O24.012
E11.36	E11.65	E13.3312	E13.3523	E13.40	O24.013
E11.37X1	E11.69	E13.3313	E13.3529	E13.41	O24.019
E11.37X2	E11.8	E13.3319	E13.3531	E13.42	O24.02
E11.37X3	E11.9	E13.339	E13.3532	E13.43	O24.03
E11.37X9	E13.00	E13.3391	E13.3533	E13.44	O24.111
E11.39	E13.01	E13.3392	E13.3539	E13.49	O24.112
E11.40	E13.10	E13.3393	E13.3541	E13.51	O24.113

E11.41	E13.11	E13.3399	E13.3542	E13.52	O24.119
E11.42	E13.21	E13.341	E13.3543	E13.59	O24.12
E11.43	E13.22	E13.3411	E13.3549	E13.610	O24.13
E11.44	E13.29	E13.3412	E13.3551	E13.618	O24.311
E11.49	E13.311	E13.3413	E13.3552	E13.620	O24.312
E11.51	E13.319	E13.3419	E13.3553	E13.621	O24.313
E11.52	E13.321	E13.349	E13.3559	E13.622	O24.319
E11.59	E13.3211	E13.3491	E13.359	E13.628	O24.32
E11.610	E13.3212	E13.3492	E13.3591	E13.630	O24.33
E11.618	E13.3213	E13.3493	E13.3592	E13.638	O24.811
E11.620	E13.3219	E13.3499	E13.3593	E13.641	O24.812
E11.621	E13.329	E13.351	E13.3599	E13.649	O24.813
E11.622	E13.3291	E13.3511	E13.36	E13.65	O24.819

HbA1C lab codes

CPT	
83036	3044F
83037	3045F
	3046F

Diabetes care: HbA1c less than 7.0% - CABG exclusion

CPT	HCPGS	ICD10PCS			
33510	S2205	0210093	02100Z8	02120A8	02130JC
33511	S2206	0210098	02100Z9	02120A9	02130JF
33512	S2207	0210099	02100ZC	02120AC	02130JW
33513	S2208	0211093	02100ZF	02120AF	02130K3
33514	S2209	0211098	021109C	02120AW	02130K8
33516		0211099	021109F	02120J3	02130K9
33517		0212093	021109W	02120J8	02130KC
33518		0212098	02110A3	02120J9	02130KF
33519		0212099	02110A8	02120JC	02130KW
33521		0213093	02110A9	02120JF	02130Z3
33522		0213098	02110AC	02120JW	02130Z8
33523		0213099	02110AF	02120K3	02130Z9
33533		021009C	02110AW	02120K8	02130ZC
33534		021009F	02110J3	02120K9	02130ZF
33535		021009W	02110J8	02120KC	
33536		02100A3	02110J9	02120KF	
		02100A8	02110JC	02120KW	
		02100A9	02110JF	02120Z3	
		02100AC	02110JW	02120Z8	
		02100AF	02110K3	02120Z9	
		02100AW	02110K8	02120ZC	
		02100J3	02110K9	02120ZF	
		02100J8	02110KC	021309C	
		02100J9	02110KF	021309F	
		02100JC	02110KW	021309W	
		02100JF	02110Z3	02130A3	
		02100JW	02110Z8	02130A8	
		02100K3	02110Z9	02130A9	
		02100K8	02110ZC	02130AC	
		02100K9	02110ZF	02130AF	
		02100KC	021209C	02130AW	
		02100KF	021209F	02130J3	
		02100KW	021209W	02130J8	
		02100Z3	02120A3	02130J9	

Diabetes care: HbA1c less than 7.0% - PCI exclusion

CPT	HCPCS	ICD10PCS				
92920	C9600	0270346	02703Z6	02713TZ	02723T6	02733DZ
92924	C9602	0270446	02703ZZ	02713Z6	02723TZ	02733T6
92928	C9604	0271346	027044Z	02713ZZ	02723Z6	02733TZ
92933	C9606	0271446	02704D6	027144Z	02723ZZ	02733Z6
92937	C9607	0272346	02704DZ	02714D6	027244Z	02733ZZ
92941		0272446	02704T6	02714DZ	02724D6	027344Z
92943		0273346	02704TZ	02714T6	02724DZ	02734D6
92980		0273446	02704Z6	02714TZ	02724T6	02734DZ
92982		027034Z	02704ZZ	02714Z6	02724TZ	02734T6
92995		02703D6	027134Z	02714ZZ	02724Z6	02734TZ
		02703DZ	02713D6	027234Z	02724ZZ	02734Z6
		02703T6	02713DZ	02723D6	027334Z	02734ZZ
		02703TZ	02713T6	02723DZ	02733D6	

Diabetes care: Controlled HbA1c less than 7.0% - IVD exclusion

ICD10CM						
I20.0	I63.20	I66.09	I70.328	I70.502	I70.65	I75.013
I20.8	I63.211	I66.11	I70.329	I70.503	I70.661	I75.019
I20.9	I63.212	I66.12	I70.331	I70.508	I70.662	I75.021
I24.0	I63.219	I66.13	I70.332	I70.509	I70.663	I75.022
I24.1	I63.22	I66.19	I70.333	I70.511	I70.668	I75.023
I24.8	I63.231	I66.21	I70.334	I70.512	I70.669	I75.029
I24.9	I63.232	I66.22	I70.335	I70.513	I70.691	I75.81
I25.10	I63.239	I66.23	I70.338	I70.518	I70.692	I75.89
I25.110	I63.29	I66.29	I70.339	I70.519	I70.693	T82.855A
I25.111	I63.30	I66.3	I70.341	I70.521	I70.698	T82.855D
I25.118	I63.311	I66.8	I70.342	I70.522	I70.699	T82.855S
I25.119	I63.312	I66.9	I70.343	I70.523	I70.701	T82.856A
I25.5	I63.319	I67.2	I70.344	I70.528	I70.702	T82.856D
I25.6	I63.321	I70.0	I70.345	I70.529	I70.703	
I25.700	I63.322	I70.1	I70.348	I70.531	I70.708	
I25.701	I63.329	I70.201	I70.349	I70.532	I70.709	
I25.708	I63.331	I70.202	I70.35	I70.533	I70.711	
I25.709	I63.332	I70.203	I70.361	I70.534	I70.712	
I25.710	I63.339	I70.208	I70.362	I70.535	I70.713	
I25.711	I63.341	I70.209	I70.363	I70.538	I70.718	
I25.718	I63.342	I70.211	I70.368	I70.539	I70.719	
I25.719	I63.349	I70.212	I70.369	I70.541	I70.721	
I25.720	I63.39	I70.213	I70.391	I70.542	I70.722	

Diabetes care: Controlled HbA1c less than 7.0% - IVD exclusion

ICD10CM					
I25.721	I63.40	I70.218	I70.392	I70.543	I70.723
I25.728	I63.411	I70.219	I70.393	I70.544	I70.728
I25.729	I63.412	I70.221	I70.398	I70.545	I70.729
I25.730	I63.419	I70.222	I70.399	I70.548	I70.731
I25.731	I63.421	I70.223	I70.401	I70.549	I70.732
I25.738	I63.422	I70.228	I70.402	I70.55	I70.733
I25.739	I63.429	I70.229	I70.403	I70.561	I70.734
I25.750	I63.431	I70.231	I70.408	I70.562	I70.735
I25.751	I63.432	I70.232	I70.409	I70.563	I70.738
I25.758	I63.439	I70.233	I70.411	I70.568	I70.739
I25.759	I63.441	I70.234	I70.412	I70.569	I70.741
I25.760	I63.442	I70.235	I70.413	I70.591	I70.742
I25.761	I63.449	I70.238	I70.418	I70.592	I70.743
I25.768	I63.49	I70.239	I70.419	I70.593	I70.744
I25.769	I63.50	I70.241	I70.421	I70.598	I70.745
I25.790	I63.511	I70.242	I70.422	I70.599	I70.748
I25.791	I63.512	I70.243	I70.423	I70.601	I70.749
I25.798	I63.519	I70.244	I70.428	I70.602	I70.75
I25.799	I63.521	I70.245	I70.429	I70.603	I70.761
I25.810	I63.522	I70.248	I70.431	I70.608	I70.762
I25.811	I63.529	I70.249	I70.432	I70.609	I70.763
I25.812	I63.531	I70.25	I70.433	I70.611	I70.768
I25.82	I63.532	I70.261	I70.434	I70.612	I70.769
I25.83	I63.539	I70.262	I70.435	I70.613	I70.791
I25.84	I63.541	I70.263	I70.438	I70.618	I70.792
I25.89	I63.542	I70.268	I70.439	I70.619	I70.793
I25.9	I63.549	I70.269	I70.441	I70.621	I70.798
I63.00	I63.59	I70.291	I70.442	I70.622	I70.799
I63.011	I63.6	I70.292	I70.443	I70.623	I70.8
I63.012	I63.8	I70.293	I70.444	I70.628	I70.90
I63.019	I63.9	I70.298	I70.445	I70.629	I70.91
I63.02	I65.01	I70.299	I70.448	I70.631	I70.92
I63.031	I65.02	I70.301	I70.449	I70.632	I74.01
I63.032	I65.03	I70.302	I70.45	I70.633	I74.09
I63.039	I65.09	I70.303	I70.461	I70.634	I74.10
I63.09	I65.1	I70.308	I70.462	I70.635	I74.11
I63.10	I65.21	I70.309	I70.463	I70.638	I74.19
I63.111	I65.22	I70.311	I70.468	I70.639	I74.2

Diabetes care: Controlled HbA1c less than 7.0% - IVD exclusion

ICD10CM					
I63.112	I65.23	I70.312	I70.469	I70.641	I74.3
I63.119	I65.29	I70.313	I70.491	I70.642	I74.4
I63.12	I65.8	I70.318	I70.492	I70.643	I74.5
I63.131	I65.9	I70.319	I70.493	I70.644	I74.8
I63.132	I66.01	I70.321	I70.498	I70.645	I74.9
I63.139	I66.02	I70.322	I70.499	I70.648	I75.011
I63.19	I66.03	I70.323	I70.501	I70.649	I75.012

Diabetes care: Controlled HbA1c less than 7.0% - thoracic aortic aneurysm exclusion

ICD10CM
I71.01
I71.03
I71.1
I71.2
I71.5
I71.6

Diabetes care: Controlled HbA1c less than 7.0% - CHF exclusion

ICD10CM			
I42.0	I42.8	I50.30	I50.9
I42.1	I42.9	I50.31	
I42.2	I43	I50.32	
I42.3	I50.1	I50.33	
I42.4	I50.20	I50.40	
I42.5	I50.21	I50.41	
I42.6	I50.22	I50.42	
I42.7	I50.23	I50.43	

Diabetes care: Controlled HbA1c less than 7.0% - Prior myocardial infarction exclusion

ICD-10CM		
I21.01	I21.4	I23.2
I21.02	I22.0	I23.3
I21.09	I22.1	I23.4
I21.11	I22.2	I23.5
I21.19	I22.8	I23.6
I21.21	I22.9	I23.7
I21.29	I23.0	I23.8
I21.3	I23.1	I25.2

Diabetes care: Controlled HbA1c less than 7.0% - blindness exclusion

ICD10CM	
H54.0	H54.41
H54.10	H54.42
H54.11	H54.50
H54.12	H54.51
H54.2	H54.52
H54.40	H54.8

Diabetes care: Controlled HbA1c less than 7.0% - lower extremity amputation exclusion

CPT	ICD10CM	ICD10PCS			
27290	Z89.411	0Y620ZZ	0Y6M0Z8	0Y6Q0Z3	0Y6W0Z3
27295	Z89.412	0Y630ZZ	0Y6M0Z9	0Y6R0Z0	0Y6X0Z0
27590	Z89.419	0Y640ZZ	0Y6M0ZB	0Y6R0Z1	0Y6X0Z1
27591	Z89.421	0Y670ZZ	0Y6M0ZC	0Y6R0Z2	0Y6X0Z2
27592	Z89.422	0Y680ZZ	0Y6M0ZD	0Y6R0Z3	0Y6X0Z3
27594	Z89.429	0Y6C0Z1	0Y6M0ZF	0Y6S0Z0	0Y6Y0Z0
27596	Z89.431	0Y6C0Z2	0Y6N0Z0	0Y6S0Z1	0Y6Y0Z1
27598	Z89.432	0Y6C0Z3	0Y6N0Z4	0Y6S0Z2	0Y6Y0Z2
27880	Z89.439	0Y6D0Z1	0Y6N0Z5	0Y6S0Z3	0Y6Y0Z3
27881	Z89.441	0Y6D0Z2	0Y6N0Z6	0Y6T0Z0	
27882	Z89.442	0Y6D0Z3	0Y6N0Z7	0Y6T0Z1	
27884	Z89.449	0Y6F0ZZ	0Y6N0Z8	0Y6T0Z2	
27886	Z89.511	0Y6G0ZZ	0Y6N0Z9	0Y6T0Z3	
27888	Z89.512	0Y6H0Z1	0Y6N0ZB	0Y6U0Z0	
27889	Z89.519	0Y6H0Z2	0Y6N0ZC	0Y6U0Z1	
28800	Z89.521	0Y6H0Z3	0Y6N0ZD	0Y6U0Z2	
28805	Z89.522	0Y6J0Z1	0Y6N0ZF	0Y6U0Z3	
28810	Z89.529	0Y6J0Z2	0Y6P0Z0	0Y6V0Z0	
28820	Z89.611	0Y6J0Z3	0Y6P0Z1	0Y6V0Z1	
28825	Z89.612	0Y6M0Z0	0Y6P0Z2	0Y6V0Z2	
	Z89.619	0Y6M0Z4	0Y6P0Z3	0Y6V0Z3	
	Z89.621	0Y6M0Z5	0Y6Q0Z0	0Y6W0Z0	
	Z89.622	0Y6M0Z6	0Y6Q0Z1	0Y6W0Z1	
	Z89.629	0Y6M0Z7	0Y6Q0Z2	0Y6W0Z2	

Diabetes care: Controlled HbA1c less than 7.0% - dementia exclusion

ICD10CM				
F01.50	F03.91	F13.97	F19.27	G30.9
F01.51	F04	F18.17	F19.97	G31.83
F02.80	F10.27	F18.27	G30.0	G31.01
F02.81	F10.97	F18.97	G30.1	G31.09
F03.90	F13.27	F19.17	G30.8	

Measure codes for Diabetes care: Annual retinal eye exam

Retinal eye exam

CPT				HCPCS	CPT II	
67028	67108	67227	92228	99242	S0620	2022F
67030	67110	67228	92230	99243	S0621	2024F
67031	67112	92002	92235	99244	S3000	2026F
67036	67113	92004	92240	99245		3072F
67039	67121	92012	92250			
67040	67141	92014	92260			
67041	67145	92018	99203			
67042	67208	92019	99204			
67043	67210	92134	99205			
67101	67218	92225	99213			
67105	67220	92226	99214			
67107	67221	92227	99215			

Unilateral eye enucleation

CPT	ICD10PCS
65091	08B10ZX
65093	08B10ZZ
65101	08B13ZX
65103	08B13ZZ
65105	08B1XZX
65110	08B1XZZ
65112	08B00ZX
65114	08B00ZZ
50	08B03ZX
9950	08B03ZZ
	08B0XZX
	08B0XZZ

Diabetes mellitus without complications

ICD10CM		
E10.9	E11.9	E13.9

Measure codes for Diabetes care: Monitoring for nephropathy

Microalbuminuria and treatment

CPT	CPT II	ICD10CM				
81000	3060F	E08.21	N01.0	N04.3	N07.6	Q60.2
81001	3061F	E08.22	N01.1	N04.4	N07.7	Q60.3
81002	3062F	E08.29	N01.2	N04.5	N07.8	Q60.4
81003	3066F	E09.21	N01.3	N04.6	N07.9	Q60.5
81005	4010F	E09.22	N01.4	N04.7	N08	Q60.6
82042		E09.29	N01.5	N04.8	N14.0	Q61.00
82043		E10.21	N01.6	N04.9	N14.1	Q61.01
82044		E10.22	N01.7	N05.0	N14.2	Q61.02
84156		E10.29	N01.8	N05.1	N14.3	Q61.11
		E11.21	N01.9	N05.2	N14.4	Q61.19
		E11.22	N02.0	N05.3	N17.0	Q61.2
		E11.29	N02.1	N05.4	N17.1	Q61.3
		E13.21	N02.2	N05.5	N17.2	Q61.4
		E13.22	N02.3	N05.6	N17.8	Q61.5
		E13.29	N02.4	N05.7	N17.9	Q61.8
		I12.0	N02.5	N05.8	N18.1	Q61.9
		I12.9	N02.6	N05.9	N18.2	R80.0
		I13.0	N02.7	N06.0	N18.3	R80.1
		I13.10	N02.8	N06.1	N18.4	R80.2
		I13.11	N02.9	N06.2	N18.5	R80.3
		I13.2	N03.0	N06.3	N18.6	R80.8
		I15.0	N03.1	N06.4	N18.9	R80.9
		I15.1	N03.2	N06.5	N19	
		N00.0	N03.3	N06.6	N25.0	
	N00.1	N03.4	N06.7	N25.1		
	N00.2	N03.5	N06.8	N25.81		
	N00.3	N03.6	N06.9	N25.89		
	N00.4	N03.7	N07.0	N25.9		
	N00.5	N03.8	N07.1	N26.1		
	N00.6	N03.9	N07.2	N26.2		
	N00.7	N04.0	N07.3	N26.9		
	N00.8	N04.1	N07.4	Q60.0		
	N00.9	N04.2	N07.5	Q60.1		

Stage 4 Chronic kidney disease

CPT
N18.4

End stage renal disease (ESRD)

CPT	HCPCS	ICD10CM	ICD10PCS	UBREV		
36147	90958	G0257	N18.5	3E1M39Z	0800	0839
36800	90959	S9339	N18.6	5A1D00Z	0801	0840
36810	90960		Z91.15	5A1D60Z	0802	0841
36815	90961		Z99.2		0803	0842
36818	90962				0804	0843
36819	90965				0809	0844
36820	90966				0820	0845
36821	90969				0821	0849
36831	90970				0822	0850
36832	90989				0823	0851
36833	90993				0824	0852
90935	90997				0825	0853
90937	90999				0829	0854
90940	99512				0830	0855
90945					0831	0859
90947					0832	0880
90957					0833	0881
					0834	0882
					0835	0889

Kidney transplant

CPT	HCPCS	ICD10CM	ICD10PCS	UBREV
50300	S2065	Z94.0	0TY00Z0	367
50320			0TY00Z1	
50340			0TY00Z2	
50360			0TY10Z0	
50365			0TY10Z1	
50370			0TY10Z2	
50380				

Measure codes for hypertension: Controlled blood pressure

Blood pressure

CPT II	
Systolic	2074F - Most recent systolic blood pressure < 130 mm Hg
	3075F - Most recent systolic blood pressure 130 -139 mm Hg
	3077F - Most recent systolic blood pressure greater than or equal to 140 mm Hg
Diastolic	3078F - Most recent diastolic blood pressure less than 80 mm Hg
	3079F - Most recent diastolic blood pressure 80-89 mm Hg
	3080F - Most recent diastolic blood pressure greater than or equal to 90 mm Hg

Essential hypertension

ICD10CM

I10

Hypertension and nephropathy drug subclasses

DRUG_SUBCLASS_DESC	DRUG_CLASS_DESC	DRUG_GRP_DESC
ACE Inhibitor & Calcium Channel Blocker Combinations	Antihypertensive Combinations	ANTIHYPERTENSIVES
ACE Inhibitor-Nutritional Supplement Combinations	Antihypertensive Combinations	ANTIHYPERTENSIVES
ACE Inhibitors	ACE Inhibitors	ANTIHYPERTENSIVES
ACE Inhibitors & Thiazide/Thiazide-Like	Antihypertensive Combinations	ANTIHYPERTENSIVES
Adrenolytics-Central & Thiazide/Thiazide-Like Comb	Antihypertensive Combinations	ANTIHYPERTENSIVES
Angiotensin II Receptor Ant-Ca Channel Blocker-Thiazides	Antihypertensive Combinations	ANTIHYPERTENSIVES
Angiotensin II Receptor Antag & Ca Channel Blocker Comb	Antihypertensive Combinations	ANTIHYPERTENSIVES
Angiotensin II Receptor Antag & Thiazide/Thiazide-Like	Antihypertensive Combinations	ANTIHYPERTENSIVES
Angiotensin II Receptor Antagonists	Angiotensin II Receptor Antagonists	ANTIHYPERTENSIVES
Beta Blocker & Diuretic Combinations	Antihypertensive Combinations	ANTIHYPERTENSIVES
CALCIUM CHANNEL BLOCKERS	CALCIUM CHANNEL BLOCKERS	CALCIUM CHANNEL BLOCKERS
Calcium Channel Blocker & HMG CoA Reductase Inhibit Comb	Cardiovascular Agents Misc. - Combinations	CARDIOVASCULAR AGENTS - MISC.
Calcium Channel Blocker-Nutritional Supplement Comb	Calcium Channel Blocker Combinations	CALCIUM CHANNEL BLOCKERS
DPP-4 Inhibitor-HMG CoA Reductase Inhibitor Comb	Antidiabetic Combinations	ANTIDIABETICS
Direct Renin Inhibitors	Direct Renin Inhibitors	ANTIHYPERTENSIVES
Direct Renin Inhibitors & Angiotensin II Receptor Antag	Antihypertensive Combinations	ANTIHYPERTENSIVES
Direct Renin Inhibitors & Calcium Channel Blocker Comb	Antihypertensive Combinations	ANTIHYPERTENSIVES
Direct Renin Inhibitors & Thiazide/Thiazide-Like Comb	Antihypertensive Combinations	ANTIHYPERTENSIVES
Direct Renin Inhibitors-Ca Channel	Antihypertensive	ANTIHYPERTENSIVES

Blocker-Thiazide Comb	Combinations	
Diuretic Combinations	Diuretic Combinations	DIURETICS
Neprilysin Inhib (ARNI)-Angiotensin II Recept Antag Comb	Cardiovascular Agents Misc. - Combinations	CARDIOVASCULAR AGENTS - MISC.
Reserpine Combinations	Antihypertensive Combinations	ANTIHYPERTENSIVES
Thiazides and Thiazide-Like Diuretics	Thiazides and Thiazide-Like Diuretics	DIURETICS
Vasodilators & Thiazides	Antihypertensive Combinations	ANTIHYPERTENSIVES

Pregnancy exclusions

ICD10CM						
O00.0	O03.5	O07.0	O09.00	O09.519	O09.893	O10.319
O00.1	O03.6	O07.1	O09.01	O09.521	O09.899	O10.32
O00.2	O03.7	O07.2	O09.02	O09.522	O09.90	O10.33
O00.8	O03.80	O07.30	O09.03	O09.523	O09.91	O10.411
O00.9	O03.81	O07.31	O09.10	O09.529	O09.92	O10.412
O01.0	O03.82	O07.32	O09.11	O09.611	O09.93	O10.413
O01.1	O03.83	O07.33	O09.12	O09.612	O10.011	O10.419
O01.9	O03.84	O07.34	O09.13	O09.613	O10.012	O10.42
O02.0	O03.85	O07.35	O09.211	O09.619	O10.013	O10.43
O02.1	O03.86	O07.36	O09.212	O09.621	O10.019	O10.911
O02.81	O03.87	O07.37	O09.213	O09.622	O10.02	O10.912
O02.89	O03.88	O07.38	O09.219	O09.623	O10.03	O10.913
O02.9	O03.89	O07.39	O09.291	O09.629	O10.111	O10.919
O03.0	O03.9	O07.4	O09.292	O09.70	O10.112	O10.92
O03.1	O04.5	O08.0	O09.293	O09.71	O10.113	O10.93
O03.2	O04.6	O08.1	O09.299	O09.72	O10.119	O11.1
O03.30	O04.7	O08.2	O09.30	O09.73	O10.12	O11.2
O03.31	O04.80	O08.3	O09.31	O09.811	O10.13	O11.3
O03.32	O04.81	O08.4	O09.32	O09.812	O10.211	O11.9
O03.33	O04.82	O08.5	O09.33	O09.813	O10.212	O12.00
O03.34	O04.83	O08.6	O09.40	O09.819	O10.213	O12.01
O03.35	O04.84	O08.7	O09.41	O09.821	O10.219	O12.02
O03.36	O04.85	O08.81	O09.42	O09.822	O10.22	O12.03
O03.37	O04.86	O08.82	O09.43	O09.823	O10.23	O12.10
O03.38	O04.87	O08.83	O09.511	O09.829	O10.311	O12.11

Pregnancy exclusions

ICD10CM						
O03.39	O04.88	O08.89	O09.512	O09.891	O10.312	O12.12
O03.4	O04.89	O08.9	O09.513	O09.892	O10.313	O12.13
O12.20	O22.10	O23.32	O24.419	O26.41	O26.879	O29.212
O12.21	O22.11	O23.33	O24.420	O26.42	O26.891	O29.213
O12.22	O22.12	O23.40	O24.424	O26.43	O26.892	O29.219
O12.23	O22.13	O23.41	O24.429	O26.50	O26.893	O29.291
O13.1	O22.20	O23.42	O24.430	O26.51	O26.899	O29.292
O13.2	O22.21	O23.43	O24.434	O26.52	O26.90	O29.293
O13.3	O22.22	O23.511	O24.439	O26.53	O26.91	O29.299
O13.9	O22.23	O23.512	O24.811	O26.611	O26.92	O29.3X1
O14.00	O22.30	O23.513	O24.812	O26.612	O26.93	O29.3X2
O14.02	O22.31	O23.519	O24.813	O26.613	O28.0	O29.3X3
O14.03	O22.32	O23.521	O24.819	O26.619	O28.1	O29.3X9
O14.10	O22.33	O23.522	O24.82	O26.62	O28.2	O29.40
O14.12	O22.40	O23.523	O24.83	O26.63	O28.3	O29.41
O14.13	O22.41	O23.529	O24.911	O26.711	O28.4	O29.42
O14.20	O22.42	O23.591	O24.912	O26.712	O28.5	O29.43
O14.22	O22.43	O23.592	O24.913	O26.713	O28.8	O29.5X1
O14.23	O22.50	O23.593	O24.919	O26.719	O28.9	O29.5X2
O14.90	O22.51	O23.599	O24.92	O26.72	O29.011	O29.5X3
O14.92	O22.52	O23.90	O24.93	O26.73	O29.012	O29.5X9
O14.93	O22.53	O23.91	O25.10	O26.811	O29.013	O29.60
O15.00	O22.8X1	O23.92	O25.11	O26.812	O29.019	O29.61
O15.02	O22.8X2	O23.93	O25.12	O26.813	O29.021	O29.62
O15.03	O22.8X3	O24.011	O25.13	O26.819	O29.022	O29.63
O15.1	O22.8X9	O24.012	O25.2	O26.821	O29.023	O29.8X1
O15.2	O22.90	O24.013	O25.3	O26.822	O29.029	O29.8X2
O15.9	O22.91	O24.019	O26.00	O26.823	O29.091	O29.8X3
O16.1	O22.92	O24.02	O26.01	O26.829	O29.092	O29.8X9
O16.2	O22.93	O24.03	O26.02	O26.831	O29.093	O29.90
O16.3	O23.00	O24.111	O26.03	O26.832	O29.099	O29.91
O16.9	O23.01	O24.112	O26.10	O26.833	O29.111	O29.92
O20.0	O23.02	O24.113	O26.11	O26.839	O29.112	O29.93
O20.8	O23.03	O24.119	O26.12	O26.841	O29.113	O30.001
O20.9	O23.10	O24.12	O26.13	O26.842	O29.119	O30.002
O21.0	O23.11	O24.13	O26.20	O26.843	O29.121	O30.003
O21.1	O23.12	O24.311	O26.21	O26.849	O29.122	O30.009
O21.2	O23.13	O24.312	O26.22	O26.851	O29.123	O30.011

Pregnancy exclusions

ICD10CM						
O21.8	O23.20	O24.313	O26.23	O26.852	O29.129	O30.012
O21.9	O23.21	O24.319	O26.30	O26.853	O29.191	O30.013
O22.00	O23.22	O24.32	O26.31	O26.859	O29.192	O30.019
O22.01	O23.23	O24.33	O26.32	O26.86	O29.193	O30.021
O22.02	O23.30	O24.410	O26.33	O26.872	O29.199	O30.022
O22.03	O23.31	O24.414	O26.40	O26.873	O29.211	O30.023
O30.029	O30.292	O31.02X5	O31.20X5	O31.32X5	O32.0XX5	O32.8XX5
O30.031	O30.293	O31.02X9	O31.20X9	O31.32X9	O32.0XX9	O32.8XX9
O30.032	O30.299	O31.03X0	O31.21X0	O31.33X0	O32.1XX0	O32.9XX0
O30.033	O30.801	O31.03X1	O31.21X1	O31.33X1	O32.1XX1	O32.9XX1
O30.039	O30.802	O31.03X2	O31.21X2	O31.33X2	O32.1XX2	O32.9XX2
O30.041	O30.803	O31.03X3	O31.21X3	O31.33X3	O32.1XX3	O32.9XX3
O30.042	O30.809	O31.03X4	O31.21X4	O31.33X4	O32.1XX4	O32.9XX4
O30.043	O30.811	O31.03X5	O31.21X5	O31.33X5	O32.1XX5	O32.9XX5
O30.049	O30.812	O31.03X9	O31.21X9	O31.33X9	O32.1XX9	O32.9XX9
O30.091	O30.813	O31.10X0	O31.22X0	O31.8X10	O32.2XX0	O33.0
O30.092	O30.819	O31.10X1	O31.22X1	O31.8X11	O32.2XX1	O33.1
O30.093	O30.821	O31.10X2	O31.22X2	O31.8X12	O32.2XX2	O33.2
O30.099	O30.822	O31.10X3	O31.22X3	O31.8X13	O32.2XX3	O33.3XX0
O30.101	O30.823	O31.10X4	O31.22X4	O31.8X14	O32.2XX4	O33.3XX1
O30.102	O30.829	O31.10X5	O31.22X5	O31.8X15	O32.2XX5	O33.3XX2
O30.103	O30.891	O31.10X9	O31.22X9	O31.8X19	O32.2XX9	O33.3XX3
O30.109	O30.892	O31.11X0	O31.23X0	O31.8X20	O32.3XX0	O33.3XX4
O30.111	O30.893	O31.11X1	O31.23X1	O31.8X21	O32.3XX1	O33.3XX5
O30.112	O30.899	O31.11X2	O31.23X2	O31.8X22	O32.3XX2	O33.3XX9
O30.113	O30.90	O31.11X3	O31.23X3	O31.8X23	O32.3XX3	O33.4XX0
O30.119	O30.91	O31.11X4	O31.23X4	O31.8X24	O32.3XX4	O33.4XX1
O30.121	O30.92	O31.11X5	O31.23X5	O31.8X25	O32.3XX5	O33.4XX2
O30.122	O30.93	O31.11X9	O31.23X9	O31.8X29	O32.3XX9	O33.4XX3
O30.123	O31.00X0	O31.12X0	O31.30X0	O31.8X30	O32.4XX0	O33.4XX4
O30.129	O31.00X1	O31.12X1	O31.30X1	O31.8X31	O32.4XX1	O33.4XX5
O30.191	O31.00X2	O31.12X2	O31.30X2	O31.8X32	O32.4XX2	O33.4XX9
O30.192	O31.00X3	O31.12X3	O31.30X3	O31.8X33	O32.4XX3	O33.5XX0
O30.193	O31.00X4	O31.12X4	O31.30X4	O31.8X34	O32.4XX4	O33.5XX1
O30.199	O31.00X5	O31.12X5	O31.30X5	O31.8X35	O32.4XX5	O33.5XX2
O30.201	O31.00X9	O31.12X9	O31.30X9	O31.8X39	O32.4XX9	O33.5XX3
O30.202	O31.01X0	O31.13X0	O31.31X0	O31.8X90	O32.6XX0	O33.5XX4
O30.203	O31.01X1	O31.13X1	O31.31X1	O31.8X91	O32.6XX1	O33.5XX5

Pregnancy exclusions

ICD10CM						
O30.209	O31.01X2	O31.13X2	O31.31X2	O31.8X92	O32.6XX2	O33.5XX9
O30.211	O31.01X3	O31.13X3	O31.31X3	O31.8X93	O32.6XX3	O33.6XX0
O30.212	O31.01X4	O31.13X4	O31.31X4	O31.8X94	O32.6XX4	O33.6XX1
O30.213	O31.01X5	O31.13X5	O31.31X5	O31.8X95	O32.6XX5	O33.6XX2
O30.219	O31.01X9	O31.13X9	O31.31X9	O31.8X99	O32.6XX9	O33.6XX3
O30.221	O31.02X0	O31.20X0	O31.32X0	O32.0XX0	O32.8XX0	O33.6XX4
O30.222	O31.02X1	O31.20X1	O31.32X1	O32.0XX1	O32.8XX1	O33.6XX5
O30.223	O31.02X2	O31.20X2	O31.32X2	O32.0XX2	O32.8XX2	O33.6XX9
O30.229	O31.02X3	O31.20X3	O31.32X3	O32.0XX3	O32.8XX3	O33.7
O30.291	O31.02X4	O31.20X4	O31.32X4	O32.0XX4	O32.8XX4	O33.8
O33.9	O34.73	O35.4XX5	O36.0115	O36.0935	O36.1915	O36.22X5
O34.00	O34.80	O35.4XX9	O36.0119	O36.0939	O36.1919	O36.22X9
O34.01	O34.81	O35.5XX0	O36.0120	O36.0990	O36.1920	O36.23X0
O34.02	O34.82	O35.5XX1	O36.0121	O36.0991	O36.1921	O36.23X1
O34.03	O34.83	O35.5XX2	O36.0122	O36.0992	O36.1922	O36.23X2
O34.10	O34.90	O35.5XX3	O36.0123	O36.0993	O36.1923	O36.23X3
O34.11	O34.91	O35.5XX4	O36.0124	O36.0994	O36.1924	O36.23X4
O34.12	O34.92	O35.5XX5	O36.0125	O36.0995	O36.1925	O36.23X5
O34.13	O34.93	O35.5XX9	O36.0129	O36.0999	O36.1929	O36.23X9
O34.21	O35.0XX0	O35.6XX0	O36.0130	O36.1110	O36.1930	O36.4XX0
O34.29	O35.0XX1	O35.6XX1	O36.0131	O36.1111	O36.1931	O36.4XX1
O34.30	O35.0XX2	O35.6XX2	O36.0132	O36.1112	O36.1932	O36.4XX2
O34.31	O35.0XX3	O35.6XX3	O36.0133	O36.1113	O36.1933	O36.4XX3
O34.32	O35.0XX4	O35.6XX4	O36.0134	O36.1114	O36.1934	O36.4XX4
O34.33	O35.0XX5	O35.6XX5	O36.0135	O36.1115	O36.1935	O36.4XX5
O34.40	O35.0XX9	O35.6XX9	O36.0139	O36.1119	O36.1939	O36.4XX9
O34.41	O35.1XX0	O35.7XX0	O36.0190	O36.1120	O36.1990	O36.5110
O34.42	O35.1XX1	O35.7XX1	O36.0191	O36.1121	O36.1991	O36.5111
O34.43	O35.1XX2	O35.7XX2	O36.0192	O36.1122	O36.1992	O36.5112
O34.511	O35.1XX3	O35.7XX3	O36.0193	O36.1123	O36.1993	O36.5113
O34.512	O35.1XX4	O35.7XX4	O36.0194	O36.1124	O36.1994	O36.5114
O34.513	O35.1XX5	O35.7XX5	O36.0195	O36.1125	O36.1995	O36.5115
O34.519	O35.1XX9	O35.7XX9	O36.0199	O36.1129	O36.1999	O36.5119
O34.521	O35.2XX0	O35.8XX0	O36.0910	O36.1130	O36.20X0	O36.5120
O34.522	O35.2XX1	O35.8XX1	O36.0911	O36.1131	O36.20X1	O36.5121
O34.523	O35.2XX2	O35.8XX2	O36.0912	O36.1132	O36.20X2	O36.5122
O34.529	O35.2XX3	O35.8XX3	O36.0913	O36.1133	O36.20X3	O36.5123
O34.531	O35.2XX4	O35.8XX4	O36.0914	O36.1134	O36.20X4	O36.5124

Pregnancy exclusions

ICD10CM						
O34.532	O35.2XX5	O35.8XX5	O36.0915	O36.1135	O36.20X5	O36.5125
O34.533	O35.2XX9	O35.8XX9	O36.0919	O36.1139	O36.20X9	O36.5129
O34.539	O35.3XX0	O35.9XX0	O36.0920	O36.1190	O36.21X0	O36.5130
O34.591	O35.3XX1	O35.9XX1	O36.0921	O36.1191	O36.21X1	O36.5131
O34.592	O35.3XX2	O35.9XX2	O36.0922	O36.1192	O36.21X2	O36.5132
O34.593	O35.3XX3	O35.9XX3	O36.0923	O36.1193	O36.21X3	O36.5133
O34.599	O35.3XX4	O35.9XX4	O36.0924	O36.1194	O36.21X4	O36.5134
O34.60	O35.3XX5	O35.9XX5	O36.0925	O36.1195	O36.21X5	O36.5135
O34.61	O35.3XX9	O35.9XX9	O36.0929	O36.1199	O36.21X9	O36.5139
O34.62	O35.4XX0	O36.0110	O36.0930	O36.1910	O36.22X0	O36.5190
O34.63	O35.4XX1	O36.0111	O36.0931	O36.1911	O36.22X1	O36.5191
O34.70	O35.4XX2	O36.0112	O36.0932	O36.1912	O36.22X2	O36.5192
O34.71	O35.4XX3	O36.0113	O36.0933	O36.1913	O36.22X3	O36.5193
O34.72	O35.4XX4	O36.0114	O36.0934	O36.1914	O36.22X4	O36.5194
O36.5195	O36.61X5	O36.73X5	O36.8225	O36.8995	O40.2XX5	O41.03X5
O36.5199	O36.61X9	O36.73X9	O36.8229	O36.8999	O40.2XX9	O41.03X9
O36.5910	O36.62X0	O36.80X0	O36.8230	O36.90X0	O40.3XX0	O41.1010
O36.5911	O36.62X1	O36.80X1	O36.8231	O36.90X1	O40.3XX1	O41.1011
O36.5912	O36.62X2	O36.80X2	O36.8232	O36.90X2	O40.3XX2	O41.1012
O36.5913	O36.62X3	O36.80X3	O36.8233	O36.90X3	O40.3XX3	O41.1013
O36.5914	O36.62X4	O36.80X4	O36.8234	O36.90X4	O40.3XX4	O41.1014
O36.5915	O36.62X5	O36.80X5	O36.8235	O36.90X5	O40.3XX5	O41.1015
O36.5919	O36.62X9	O36.80X9	O36.8239	O36.90X9	O40.3XX9	O41.1019
O36.5920	O36.63X0	O36.8120	O36.8290	O36.91X0	O40.9XX0	O41.1020
O36.5921	O36.63X1	O36.8121	O36.8291	O36.91X1	O40.9XX1	O41.1021
O36.5922	O36.63X2	O36.8122	O36.8292	O36.91X2	O40.9XX2	O41.1022
O36.5923	O36.63X3	O36.8123	O36.8293	O36.91X3	O40.9XX3	O41.1023
O36.5924	O36.63X4	O36.8124	O36.8294	O36.91X4	O40.9XX4	O41.1024
O36.5925	O36.63X5	O36.8125	O36.8295	O36.91X5	O40.9XX5	O41.1025
O36.5929	O36.63X9	O36.8129	O36.8299	O36.91X9	O40.9XX9	O41.1029
O36.5930	O36.70X0	O36.8130	O36.8910	O36.92X0	O41.00X0	O41.1030
O36.5931	O36.70X1	O36.8131	O36.8911	O36.92X1	O41.00X1	O41.1031
O36.5932	O36.70X2	O36.8132	O36.8912	O36.92X2	O41.00X2	O41.1032
O36.5933	O36.70X3	O36.8133	O36.8913	O36.92X3	O41.00X3	O41.1033
O36.5934	O36.70X4	O36.8134	O36.8914	O36.92X4	O41.00X4	O41.1034
O36.5935	O36.70X5	O36.8135	O36.8915	O36.92X5	O41.00X5	O41.1035
O36.5939	O36.70X9	O36.8139	O36.8919	O36.92X9	O41.00X9	O41.1039
O36.5990	O36.71X0	O36.8190	O36.8920	O36.93X0	O41.01X0	O41.1090

Pregnancy exclusions

ICD10CM						
O36.5991	O36.71X1	O36.8191	O36.8921	O36.93X1	O41.01X1	O41.1091
O36.5992	O36.71X2	O36.8192	O36.8922	O36.93X2	O41.01X2	O41.1092
O36.5993	O36.71X3	O36.8193	O36.8923	O36.93X3	O41.01X3	O41.1093
O36.5994	O36.71X4	O36.8194	O36.8924	O36.93X4	O41.01X4	O41.1094
O36.5995	O36.71X5	O36.8195	O36.8925	O36.93X5	O41.01X5	O41.1095
O36.5999	O36.71X9	O36.8199	O36.8929	O36.93X9	O41.01X9	O41.1099
O36.60X0	O36.72X0	O36.8210	O36.8930	O40.1XX0	O41.02X0	O41.1210
O36.60X1	O36.72X1	O36.8211	O36.8931	O40.1XX1	O41.02X1	O41.1211
O36.60X2	O36.72X2	O36.8212	O36.8932	O40.1XX2	O41.02X2	O41.1212
O36.60X3	O36.72X3	O36.8213	O36.8933	O40.1XX3	O41.02X3	O41.1213
O36.60X4	O36.72X4	O36.8214	O36.8934	O40.1XX4	O41.02X4	O41.1214
O36.60X5	O36.72X5	O36.8215	O36.8935	O40.1XX5	O41.02X5	O41.1215
O36.60X9	O36.72X9	O36.8219	O36.8939	O40.1XX9	O41.02X9	O41.1219
O36.61X0	O36.73X0	O36.8220	O36.8990	O40.2XX0	O41.03X0	O41.1220
O36.61X1	O36.73X1	O36.8221	O36.8991	O40.2XX1	O41.03X1	O41.1221
O36.61X2	O36.73X2	O36.8222	O36.8992	O40.2XX2	O41.03X2	O41.1222
O36.61X3	O36.73X3	O36.8223	O36.8993	O40.2XX3	O41.03X3	O41.1223
O36.61X4	O36.73X4	O36.8224	O36.8994	O40.2XX4	O41.03X4	O41.1224
O41.1225	O41.1495	O41.91X5	O43.101	O44.02	O46.091	O60.13X9
O41.1229	O41.1499	O41.91X9	O43.102	O44.03	O46.092	O60.14X0
O41.1230	O41.8X10	O41.92X0	O43.103	O44.10	O46.093	O60.14X1
O41.1231	O41.8X11	O41.92X1	O43.109	O44.11	O46.099	O60.14X2
O41.1232	O41.8X12	O41.92X2	O43.111	O44.12	O46.8X1	O60.14X3
O41.1233	O41.8X13	O41.92X3	O43.112	O44.13	O46.8X2	O60.14X4
O41.1234	O41.8X14	O41.92X4	O43.113	O45.001	O46.8X3	O60.14X5
O41.1235	O41.8X15	O41.92X5	O43.119	O45.002	O46.8X9	O60.14X9
O41.1239	O41.8X19	O41.92X9	O43.121	O45.003	O46.90	O60.20X0
O41.1290	O41.8X20	O41.93X0	O43.122	O45.009	O46.91	O60.20X1
O41.1291	O41.8X21	O41.93X1	O43.123	O45.011	O46.92	O60.20X2
O41.1292	O41.8X22	O41.93X2	O43.129	O45.012	O46.93	O60.20X3
O41.1293	O41.8X23	O41.93X3	O43.191	O45.013	O47.00	O60.20X4
O41.1294	O41.8X24	O41.93X4	O43.192	O45.019	O47.02	O60.20X5
O41.1295	O41.8X25	O41.93X5	O43.193	O45.021	O47.03	O60.20X9
O41.1299	O41.8X29	O41.93X9	O43.199	O45.022	O47.1	O60.22X0
O41.1410	O41.8X30	O42.00	O43.211	O45.023	O47.9	O60.22X1
O41.1411	O41.8X31	O42.011	O43.212	O45.029	O48.0	O60.22X2
O41.1412	O41.8X32	O42.012	O43.213	O45.091	O48.1	O60.22X3
O41.1413	O41.8X33	O42.013	O43.219	O45.092	O60.00	O60.22X4
O41.1414	O41.8X34	O42.019	O43.221	O45.093	O60.02	O60.22X5
O41.1415	O41.8X35	O42.02	O43.222	O45.099	O60.03	O60.22X9
O41.1419	O41.8X39	O42.10	O43.223	O45.8X1	O60.10X0	O60.23X0
O41.1420	O41.8X90	O42.111	O43.229	O45.8X2	O60.10X1	O60.23X1
O41.1421	O41.8X91	O42.112	O43.231	O45.8X3	O60.10X2	O60.23X2

Pregnancy exclusions

ICD10CM						
O41.1422	O41.8X92	O42.113	O43.232	O45.8X9	O60.10X3	O60.23X3
O41.1423	O41.8X93	O42.119	O43.233	O45.90	O60.10X4	O60.23X4
O41.1424	O41.8X94	O42.12	O43.239	O45.91	O60.10X5	O60.23X5
O41.1425	O41.8X95	O42.90	O43.811	O45.92	O60.10X9	O60.23X9
O41.1429	O41.8X99	O42.911	O43.812	O45.93	O60.12X0	O61.0
O41.1430	O41.90X0	O42.912	O43.813	O46.001	O60.12X1	O61.1
O41.1431	O41.90X1	O42.913	O43.819	O46.002	O60.12X2	O61.8
O41.1432	O41.90X2	O42.919	O43.891	O46.003	O60.12X3	O61.9
O41.1433	O41.90X3	O42.92	O43.892	O46.009	O60.12X4	O62.0
O41.1434	O41.90X4	O43.011	O43.893	O46.011	O60.12X5	O62.1
O41.1435	O41.90X5	O43.012	O43.899	O46.012	O60.12X9	O62.2
O41.1439	O41.90X9	O43.013	O43.90	O46.013	O60.13X0	O62.3
O41.1490	O41.91X0	O43.019	O43.91	O46.019	O60.13X1	O62.4
O41.1491	O41.91X1	O43.021	O43.92	O46.021	O60.13X2	O62.8
O41.1492	O41.91X2	O43.022	O43.93	O46.022	O60.13X3	O62.9
O41.1493	O41.91X3	O43.023	O44.00	O46.023	O60.13X4	O63.0
O41.1494	O41.91X4	O43.029	O44.01	O46.029	O60.13X5	O63.1
O63.2	O64.5XX5	O69.0XX4	O69.81X4	O71.89	O86.21	O88.83
O63.9	O64.5XX9	O69.0XX5	O69.81X5	O71.9	O86.22	O89.01
O64.0XX0	O64.8XX0	O69.0XX9	O69.81X9	O72.0	O86.29	O89.09
O64.0XX1	O64.8XX1	O69.1XX0	O69.82X0	O72.1	O86.4	O89.1
O64.0XX2	O64.8XX2	O69.1XX1	O69.82X1	O72.2	O86.81	O89.2
O64.0XX3	O64.8XX3	O69.1XX2	O69.82X2	O72.3	O86.89	O89.3
O64.0XX4	O64.8XX4	O69.1XX3	O69.82X3	O73.0	O87.0	O89.4
O64.0XX5	O64.8XX5	O69.1XX4	O69.82X4	O73.1	O87.1	O89.5
O64.0XX9	O64.8XX9	O69.1XX5	O69.82X5	O74.0	O87.2	O89.6
O64.1XX0	O64.9XX0	O69.1XX9	O69.82X9	O74.1	O87.3	O89.8
O64.1XX1	O64.9XX1	O69.2XX0	O69.89X0	O74.2	O87.4	O89.9
O64.1XX2	O64.9XX2	O69.2XX1	O69.89X1	O74.3	O87.8	O90.0
O64.1XX3	O64.9XX3	O69.2XX2	O69.89X2	O74.4	O87.9	O90.1
O64.1XX4	O64.9XX4	O69.2XX3	O69.89X3	O74.5	O88.011	O90.2
O64.1XX5	O64.9XX5	O69.2XX4	O69.89X4	O74.6	O88.012	O90.3
O64.1XX9	O64.9XX9	O69.2XX5	O69.89X5	O74.7	O88.013	O90.4
O64.2XX0	O65.0	O69.2XX9	O69.89X9	O74.8	O88.019	O90.5
O64.2XX1	O65.1	O69.3XX0	O69.9XX0	O74.9	O88.02	O90.6
O64.2XX2	O65.2	O69.3XX1	O69.9XX1	O75.0	O88.03	O90.81
O64.2XX3	O65.3	O69.3XX2	O69.9XX2	O75.1	O88.111	O90.89
O64.2XX4	O65.4	O69.3XX3	O69.9XX3	O75.2	O88.112	O90.9
O64.2XX5	O65.5	O69.3XX4	O69.9XX4	O75.3	O88.113	O91.011
O64.2XX9	O65.8	O69.3XX5	O69.9XX5	O75.4	O88.119	O91.012
O64.3XX0	O65.9	O69.3XX9	O69.9XX9	O75.5	O88.12	O91.013

Pregnancy exclusions

ICD10CM						
O64.3XX1	O66.0	O69.4XX0	O70.0	O75.81	O88.13	O91.019
O64.3XX2	O66.1	O69.4XX1	O70.1	O75.82	O88.211	O91.02
O64.3XX3	O66.2	O69.4XX2	O70.2	O75.89	O88.212	O91.03
O64.3XX4	O66.3	O69.4XX3	O70.3	O75.9	O88.213	O91.111
O64.3XX5	O66.40	O69.4XX4	O70.4	O76	O88.219	O91.112
O64.3XX9	O66.41	O69.4XX5	O70.9	O77.0	O88.22	O91.113
O64.4XX0	O66.5	O69.4XX9	O71.00	O77.1	O88.23	O91.119
O64.4XX1	O66.6	O69.5XX0	O71.02	O77.8	O88.311	O91.12
O64.4XX2	O66.8	O69.5XX1	O71.03	O77.9	O88.312	O91.13
O64.4XX3	O66.9	O69.5XX2	O71.1	O80	O88.313	O91.211
O64.4XX4	O67.0	O69.5XX3	O71.2	O82	O88.319	O91.212
O64.4XX5	O67.8	O69.5XX4	O71.3	O85	O88.32	O91.213
O64.4XX9	O67.9	O69.5XX5	O71.4	O86.0	O88.33	O91.219
O64.5XX0	O68	O69.5XX9	O71.5	O86.11	O88.811	O91.22
O64.5XX1	O69.0XX0	O69.81X0	O71.6	O86.12	O88.812	O91.23
O64.5XX2	O69.0XX1	O69.81X1	O71.7	O86.13	O88.813	O92.011
O64.5XX3	O69.0XX2	O69.81X2	O71.81	O86.19	O88.819	O92.012
O64.5XX4	O69.0XX3	O69.81X3	O71.82	O86.20	O88.82	O92.013
O92.019	O98.412	O99.112	O99.351	O99.844	Z34.01	
O92.02	O98.413	O99.113	O99.352	O99.845	Z34.02	
O92.03	O98.419	O99.119	O99.353	O99.89	Z34.03	
O92.111	O98.42	O99.12	O99.354	O9A.111	Z34.80	
O92.112	O98.43	O99.13	O99.355	O9A.112	Z34.81	
O92.113	O98.511	O99.210	O99.411	O9A.113	Z34.82	
O92.119	O98.512	O99.211	O99.412	O9A.119	Z34.83	
O92.12	O98.513	O99.212	O99.413	O9A.12	Z34.90	
O92.13	O98.519	O99.213	O99.419	O9A.13	Z34.91	
O92.20	O98.52	O99.214	O99.42	O9A.211	Z34.92	
O92.29	O98.53	O99.215	O99.43	O9A.212	Z34.93	
O92.3	O98.611	O99.280	O99.511	O9A.213	Z36	
O92.4	O98.612	O99.281	O99.512	O9A.219		
O92.5	O98.613	O99.282	O99.513	O9A.22		
O92.6	O98.619	O99.283	O99.519	O9A.23		
O92.70	O98.62	O99.284	O99.52	O9A.311		
O92.79	O98.63	O99.285	O99.53	O9A.312		
O98.011	O98.711	O99.310	O99.611	O9A.313		
O98.012	O98.712	O99.311	O99.612	O9A.319		
O98.013	O98.713	O99.312	O99.613	O9A.32		

Pregnancy exclusions

ICD10CM				
O98.019	O98.719	O99.313	O99.619	O9A.33
O98.02	O98.72	O99.314	O99.62	O9A.411
O98.03	O98.73	O99.315	O99.63	O9A.412
O98.111	O98.811	O99.320	O99.711	O9A.413
O98.112	O98.812	O99.321	O99.712	O9A.419
O98.113	O98.813	O99.322	O99.713	O9A.42
O98.119	O98.819	O99.323	O99.719	O9A.43
O98.12	O98.82	O99.324	O99.72	O9A.511
O98.13	O98.83	O99.325	O99.73	O9A.512
O98.211	O98.911	O99.330	O99.810	O9A.513
O98.212	O98.912	O99.331	O99.814	O9A.519
O98.213	O98.913	O99.332	O99.815	O9A.52
O98.219	O98.919	O99.333	O99.820	O9A.53
O98.22	O98.92	O99.334	O99.824	Z03.71
O98.23	O98.93	O99.335	O99.825	Z03.72
O98.311	O99.011	O99.340	O99.830	Z03.73
O98.312	O99.012	O99.341	O99.834	Z03.74
O98.313	O99.013	O99.342	O99.835	Z03.75
O98.319	O99.019	O99.343	O99.840	Z03.79
O98.32	O99.02	O99.344	O99.841	Z33.1
O98.33	O99.03	O99.345	O99.842	Z33.2
O98.411	O99.111	O99.350	O99.843	Z34.00

Senior care education

priorityhealth.com/provider/center/incentives/cpc-plus/senior-care-education (login required)

Medication Therapy Management (MTM)

Health conditions
Alzheimer's Disease
Anemia
Anticoagulation
Asthma
Autoimmune Disorders
Benign prostatic hyperplasia (BPH)
Bipolar disorder
Cancer
Chronic alcohol and other drug Dependence
Chronic heart failure (CHF)
Chronic lung disorders
Chronic non-cancer pain

Chronic obstructive pulmonary disease (COPD)
Chronic/Disabling mental health conditions
Depression
Diabetes
Dyslipidemia
End-stage renal disease (ESRD)
GI/Reflux/Ulcer conditions
Hepatitis C
HIV/AIDS
Hypertension
Multiple sclerosis
Neurologic disorders
Osteoarthritis
Osteoporosis
Parkinson's disease
Rheumatoid arthritis
Schizophrenia
Severe hematologic disorders
Stroke

Measure codes for care management

Care management

Codes	Description
G0511*	Care coordination services and payment for RHCs and FQHCs only
G0512*	Care coordination services and payment for RHCs and FQHCs only
G9001	Coordinated care fee
G9002	Coordinated care fee
G9007	Coordinated care fee scheduled team conference
G9008	Coordinated care fee, physician coordinated care oversight services
99487	Complex chronic care management services
99490	Chronic care management services
99492*	Psychiatric collaborative care management services
99493*	Psychiatric collaborative care management services
99494*	Psychiatric collaborative care management services
99495*	Transitional care management services
99496*	Transitional care management services
98966	Non-face-to-face non-physician telephone services
98967	Non-face-to-face non-physician telephone services
98968	Non-face-to-face non-physician telephone services

* New codes for 2018

Care management measure instructions and access to the attestation survey
priorityhealth.com/provider/center/incentives/cpc-plus/care-management (login required).

CG CAHPS

CG CAHPS measure instructions and to access the practice-level performance data spreadsheet
priorityhealth.com/provider/center/incentives/cpc-plus/cg-cahps (login required).

All-cause readmissions

Chemotherapy

ICD10CM
Z51.0
Z51.11
Z51.12

Rehabilitation

ICD10CM			
Z44.001	Z44.109	Z44.9	Z45.819
Z44.002	Z44.111	Z45.1	Z46.82
Z44.009	Z44.112	Z45.31	Z46.89
Z44.011	Z44.119	Z45.320	Z46.9
Z44.012	Z44.121	Z45.321	
Z44.019	Z44.122	Z45.328	
Z44.021	Z44.129	Z45.41	
Z44.022	Z44.30	Z45.42	
Z44.029	Z44.31	Z45.49	
Z44.101	Z44.32	Z45.811	
Z44.102	Z44.8	Z45.812	

Kidney transplant

ICD10CM	CPT	HCPCS	UBREV	
Z94.0	50300	50365	S2065	367
	50320	50370		
	50340	50380		
	50360			

Bone marrow transplant

ICD10PCS					
30230AZ	30233X0	30240Y1	30250X0	30260G0	30263Y0
30230G0	30233X1	30243AZ	30250X1	30260G1	30263Y1
30230G1	30233Y0	30243G0	30250Y0	30260X0	
30230X0	30233Y1	30243G1	30250Y1	30260X1	
30230X1	30240AZ	30243X0	30253G0	30260Y0	

30230Y0	30240G0	30243X1	30253G1	30260Y1
30230Y1	30240G1	30243Y0	30253X0	30263G0
30233AZ	30240X0	30243Y1	30253X1	30263G1
30233G0	30240X1	30250G0	30253Y0	30263X0
30233G1	30240Y0	30250G1	30253Y1	30263X1

Organ transplant other than kidney

CPT	HCPCS	ICD10PCS	UBREV			
32850	44720	S2053	02YA0Z0	0BYH0Z1	0DYE0Z2	0362
32851	44721	S2054	02YA0Z1	0BYH0Z2	0FY00Z0	0810
32852	47133	S2055	02YA0Z0	0BYJ0Z0	0FY00Z1	0811
32853	47135	S2060	02YA0Z1	0BYJ0Z1	0FY00Z2	0812
32854	47136	S2061	02YA0Z2	0BYJ0Z2	0FYG0Z0	0813
32855	47140	S2152	07YP0Z0	0BYK0Z0	0FYG0Z1	0819
32856	47141		07YM0Z0	0BYK0Z1	0FYG0Z2	
33930	47142		07YM0Z1	0BYK0Z2	0WY20Z1	
33933	47143		07YM0Z2	0BYL0Z0	0XYJ0Z0	
33935	47144		07YP0Z0	0BYL0Z1	0XYJ0Z1	
33940	47145		07YP0Z1	0BYL0Z2	3E030U1	
33944	47146		07YP0Z2	0BYM0Z0	3E033U1	
33945	47147		0BYC0Z0	0BYM0Z1	3E0J3U1	
44132	48160		0BYC0Z1	0BYM0Z2	3E0J7U1	
44133	48550		0BYC0Z2	0DY50Z0	3E0J8U1	
44135	48551		0BYD0Z0	0DY50Z1		
44136	48552		0BYD0Z1	0DY50Z2		
44137	48554		0BYD0Z2	0DY60Z0		
44715	48556		0BYF0Z0	0DY60Z1		
			0BYF0Z1	0DY60Z2		
			0BYF0Z2	0DY50Z2		
			0BYG0Z0	0DY80Z0		
			0BYG0Z1	0DY80Z1		
			0BYG0Z2	0DY80Z2		
			0BYH0Z0	0DYE0Z0		
				0DYE0Z1		

Introduction of autogogous pancreatic cells value set

ICD10 PCS
3E030U0
3E033U0
3E0J3U0
3E0J7U0
3E0J8U0

Potentially planned procedures

For a list of ICD10PCS codes, contact your Provider Performance Specialist.

Acute condition

For a list of ICD10PCS codes, contact your Provider Performance Specialist.

Perinatal

ICD10CM						
P00.0	P05.10	P13.0	P28.11	P52.22	P71.8	P92.09
P00.1	P05.11	P13.1	P28.19	P52.3	P71.9	P92.1
P00.2	P05.12	P13.2	P28.2	P52.4	P72.0	P92.2
P00.3	P05.13	P13.3	P28.3	P52.5	P72.1	P92.3
P00.4	P05.14	P13.4	P28.4	P52.6	P72.2	P92.4
P00.5	P05.15	P13.8	P28.5	P52.8	P72.8	P92.5
P00.6	P05.16	P13.9	P28.81	P52.9	P72.9	P92.6
P00.7	P05.17	P14.0	P28.89	P53	P74.0	P92.8
P00.81	P05.18	P14.1	P28.9	P54.0	P74.1	P92.9
P00.89	P05.2	P14.2	P29.0	P54.1	P74.2	P93.0
P00.9	P05.9	P14.3	P29.11	P54.2	P74.3	P93.8
P01.0	P07.00	P14.8	P29.12	P54.3	P74.4	P94.0
P01.1	P07.01	P14.9	P29.2	P54.4	P74.5	P94.1
P01.2	P07.02	P15.0	P29.3	P54.5	P74.6	P94.2
P01.3	P07.03	P15.1	P29.4	P54.6	P74.8	P94.8
P01.4	P07.10	P15.2	P29.81	P54.8	P74.9	P94.9
P01.5	P07.14	P15.3	P29.89	P54.9	P76.0	P95
P01.6	P07.15	P15.4	P29.9	P55.0	P76.1	P96.0
P01.7	P07.16	P15.5	P35.0	P55.1	P76.2	P96.1
P01.8	P07.17	P15.6	P35.1	P55.8	P76.8	P96.2
P01.9	P07.18	P15.8	P35.2	P55.9	P76.9	P96.3
P02.0	P07.20	P15.9	P35.3	P56.0	P77.1	P96.5
P02.1	P07.21	P19.0	P35.8	P56.90	P77.2	P96.81
P02.20	P07.22	P19.1	P35.9	P56.99	P77.3	P96.82
P02.29	P07.23	P19.2	P36.0	P57.0	P77.9	P96.83
P02.3	P07.24	P19.9	P36.10	P57.8	P78.0	P96.89
P02.4	P07.25	P22.0	P36.19	P57.9	P78.1	P96.9
P02.5	P07.26	P22.1	P36.2	P58.0	P78.2	Z38.00
P02.60	P07.30	P22.8	P36.30	P58.1	P78.3	Z38.01
P02.69	P07.31	P22.9	P36.39	P58.2	P78.81	Z38.1
P02.7	P07.32	P23.0	P36.4	P58.3	P78.82	Z38.2
P02.8	P07.33	P23.1	P36.5	P58.41	P78.83	Z38.30
P02.9	P07.34	P23.2	P36.8	P58.42	P78.89	Z38.31

P03.0	P07.35	P23.3	P36.9	P58.5	P78.9	Z38.4
P03.1	P07.36	P23.4	P37.0	P58.8	P80.0	Z38.5
P03.2	P07.37	P23.5	P37.1	P58.9	P80.8	Z38.61
P03.3	P07.38	P23.6	P37.2	P59.0	P80.9	Z38.62
P03.4	P07.39	P23.8	P37.3	P59.1	P81.0	Z38.63
P03.5	P08.0	P23.9	P37.4	P59.20	P81.8	Z38.64
P03.6	P08.1	P24.00	P37.5	P59.29	P81.9	Z38.65
P03.810	P08.21	P24.01	P37.8	P59.3	P83.0	Z38.66
P03.811	P08.22	P24.10	P37.9	P59.8	P83.1	Z38.68
P03.819	P09	P24.11	P38.1	P59.9	P83.2	Z38.69
P03.82	P10.0	P24.20	P38.9	P60	P83.30	Z38.7
P03.89	P10.1	P24.21	P39.0	P61.0	P83.39	Z38.8
P03.9	P10.2	P24.30	P39.1	P61.1	P83.4	
P04.0	P10.3	P24.31	P39.2	P61.2	P83.5	
P04.1	P10.4	P24.80	P39.3	P61.3	P83.6	
P04.2	P10.8	P24.81	P39.4	P61.4	P83.8	
P04.3	P10.9	P24.9	P39.8	P61.5	P83.9	
P04.41	P11.0	P25.0	P39.9	P61.6	P84	
P04.49	P11.1	P25.1	P50.0	P61.8	P90	
P04.5	P11.2	P25.2	P50.1	P61.9	P91.0	
P04.6	P11.3	P25.3	P50.2	P70.0	P91.1	
P04.8	P11.4	P25.8	P50.3	P70.1	P91.2	
P04.9	P11.5	P26.0	P50.4	P70.2	P91.3	
P05.00	P11.9	P26.1	P50.5	P70.3	P91.4	
P05.01	P12.0	P26.8	P50.8	P70.4	P91.5	
P05.02	P12.1	P26.9	P50.9	P70.8	P91.60	
P05.03	P12.2	P27.0	P51.0	P70.9	P91.61	
P05.04	P12.3	P27.1	P51.8	P71.0	P91.62	
P05.05	P12.4	P27.8	P51.9	P71.1	P91.63	
P05.06	P12.81	P27.9	P52.0	P71.2	P91.8	
P05.07	P12.89	P28.0	P52.1	P71.3	P91.9	
P05.08	P12.9	P28.10	P52.21	P71.4	P92.01	

ED visits: PCP treatable care

wagner.nyu.edu/faculty/billings/nyued-background

Measure codes for depression screening

Dispensed an antidepressant medication
Table AMM-C: Antidepressant medications

Description	Prescription		
Miscellaneous antidepressants	• Bupropion	• Vilazodone	• Vortioxetine
Monoamine oxidase inhibitors	• Isocarboxazid • Phenelzine	• Selegiline • Tranylcypromine	
Phenylpiperazine antidepressants	• Nefazodone	• Trazodone	
Psychotherapeutic combinations	• Amitriptyline-chlordiazepoxide • Amitriptyline-perphenazine		• Fluoxetine-olanzapine
SNRI antidepressants	• Desvenlafaxine • Duloxetine	• Levomilnacipran • Venlafaxine	
SSRI antidepressants	• Citalopram • Escitalopram	• Fluoxetine • Fluvoxamine	• Paroxetine • Sertraline
Tetracyclic antidepressants	• Maprotiline	• Mirtazapine	
Tricyclic antidepressants	• Amitriptyline • Amoxapine • Clomipramine	• Desipramine • Doxepin (>6 mg) • Imipramine	• Nortriptyline • Protriptyline • Trimipramine

Depression encounter

CPT		HCPCS		UBREV		
90791	99218	99384	G0155	H2012	0510	0911
90792	99219	99385	G0176	H2013	0513	0912
90832	99220	99386	G0177	H2014	0516	0913
90834	99241	99387	G0409	H2015	0517	0914
90837	99242	99391	G0410	H2016	0519	0915
98960	99243	99392	G0411	H2017	0520	0916
98961	99244	99393	G0463	H2018	0521	0917
98962	99245	99394	H0002	H2019	0522	0919
99078	99341	99395	H0004	H2020	0523	0982
99201	99342	99396	H0031	M0064	0526	0983
99202	99343	99397	H0034	S0201	0527	
99203	99344	99401	H0035	S9480	0528	
99204	99345	99402	H0036	S9484	0529	
99205	99347	99403	H0037	S9485	0900	
99211	99348	99404	H0039	T1015	0901	
99212	99349	99411	H0040		0902	
99213	99350	99412	H2000		0903	
99214	99381	99510	H2001		0904	
99215	99382		H2010		0905	
99217	99383		H2011		0907	

Depression reportable codes

HCPCS
G8431
G8510
G8511

Depression screening

ICD10			
296.3	296.35	F32.2	F33.3
296.34	296.26	F32.3	F33.40
296.32	296.33	F32.4	F33.41
296.25	296.22	F32.5	F33.42
296.24	296.2	F32.9	F33.9
296.21	296.31	F33.0	F34.1
296.36	296.23	F33.1	300.4
	F32.0	F33.2	F32.1

FUH - A visit with a mental health practitioner and place of service

CPT		POS		
90845	90868	11	15	17
90849	90869	12	20	18
90853	90791	22	3	19
90870	90792	24	5	
90847	90832	33	7	
90875	90833	52	13	
90876	90834	53	14	
90838	90836	71	49	
90840	90837	72	9	
90867	90839	50	16	

FUH - A visit with a mental health practitioner and the place of service must be a either a community mental health center or psychiatric facility hospitalization

CPT		POS	
99221	99233	99254	52
99223	99255	99252	53
99231	99239	99222	
99232	99251	99238	
		99253	

A visit to a behavioral healthcare facility and does not require it to be with a mental health practitioner

UBREV	
513	917
901	902
903	914
904	919
912	900
913	911
915	907
916	905

A visit to a non-behavioral healthcare facility with a mental health practitioner

POC		
510	529	528
515	983	
516	520	
519	982	
521	526	
522	517	
523	527	

Case management encounter

HCPCS	CPT
G9001	98966
G9002	98967
G9007	98968
G9008	99487
	99490

ECDS follow-up

For a list of codes, contact your Provider Performance Specialist.

PCP Incentive Program

Report #70 supplemental data reference guide

Purpose

Report #70 is a vehicle for providers to submit supplemental data for the PCP Incentive Program. Supplemental data is required measure-related information that is not received through claims, lab data interchange or registry data integration.

Distribution

Report #70 is updated monthly and represents year-to-date data received through the last day of the prior month. Reports can be generated for an individual practice, physician organization or physician hospital organization.

When distributed via FileMart, Report #70 is generated in a TAB delimited file. This should be converted by your practice into an Excel spreadsheet. We can accept the Excel file in either .xls or xlsx format.

Completion

The completed Report #70 file should be returned to your practice's Priority Health Provider Performance Specialist using a secure email format.

Your Provider Performance Specialist will send the file to our decision support team who will then prepare an error report. Errors occur when data is provided in a format which does not match the report parameters. Your practice will be notified of any errors so data entry can be corrected. Report parameters are below.

Data fields

The file you receive will contain the following data fields. The fields that may be updated are Data 1, Data 2 and Data 3.

Header	Field description
PFP_RPT_PERIOD_DESC	Report period
PAY_FOR_PERF_GRP_NAME	PFP group
FAC_SITE_NAME	Practice group
PRAC_NAME	Physician
MBR_ID	PH unique member ID
MBR_CONTR_EXT_ID	Contract number
MBR_LAST_NAME	Member last name
MBR_FIRST_NAME	Member first name

MBR_MIDDLE_NAME	Member middle initial
MBR_BIRTHDATE	Date of birth
SUPP_MEAS_CD	Measure code
SUPP_MEAS_VALUE_MSG	Measure description
MEASURE_DATE	Date of service
DATA1	Service value
DATA2	Service value
DATA3	Service value

Data requirements

- Each supplemental data entry must be accompanied by a measure date.
- The Data1 field must contain a value that matches the supplemental data language as listed in the table below. Any variation will cause an error that won't allow Priority Health to receive the data provided.
- The Data 2 field is designed for the two hypertension measures only.
- The Data 3 field is not used and should remain a blank field.
- Please do not modify, add or delete columns included in Report #70.

Measure code	Corresponding PCP IP measure	Value domain	Data parameters	Data 1 format	Data 2 format	Data 3 format
CC SCREEN	Cervical cancer screenings	V = NORMAL, ABNORMAL, UNK	Date during 2016, 2017, or 2018	See domain		
SM_HPVS_SCREEN	Cervical cancer screenings	V = NORMAL, ABNORMAL, UNK	Date during 2014, 2015, 2016, 2017 or 2018	See domain		
HYST (Total hysterectomy)	Cervical cancer Screenings	V = Y, N	Any date prior to Dec. 31, 2018	See domain		
SM_WELL_CHILD (Well-child visits	Well-child visits (15 months; 3-6 years)	V = Y, N	Any date prior to Dec. 31, 2018	See domain		

Measure code	Corresponding PCP IP measure	Value domain	Data parameters	Data 1 format	Data 2 format	Data 3 format
SM_CHLAMYDIA	Chlamydia screenings	V = NORMAL, ABNORMAL, UNK	Date during 2018	See domain		
LEAD (Lead Screen)	Lead screening in children	V = greater than 0	Date prior to patient's 2 nd birthday	Integer		
BMI_PCT (BMI percentile)	Recorded BMI	Percent between 0 and 100	Date during 2018	Integer, decimal		
BMI	Recorded BMI	BMI must be between 12 and 99	Date during 2018	Integer		
PHQ- 2 SCORE	Depression screening	Result between 0 and 6	Date during 2018	Integer		
PHQ-4 SCORE	Depression screening	Result between 0 and 12	Date during 2018	Integer		
PHQ-9 SCORE	Depression screening	Result between 0 and 27	Date during 2018	Integer		
CR_COLO (Colonoscopy)	Colorectal cancer screenings	V = NORMAL, ABNORMAL	Date between 2009 and 2018	See domain		
CR_CANC (Colorectal cancer)	Colorectal cancer screenings	V = Y, N	Date prior to Dec. 31, 2018	See domain		
CR_FOB (Fecal occult blood test)	Colorectal cancer screenings	V = NORMAL, ABNORMAL	Date prior to Dec. 31, 2018	See domain		
CR_SIG (Flexible sigmoidoscopy)	Colorectal cancer screenings	V = NORMAL, ABNORMAL	Date between 2014 and 2018	See domain		
COLECT (Total colectomy)	Colorectal cancer screenings	V = Y, N	Date prior to Dec. 31, 2018	See domain		

Measure code	Corresponding PCP IP measure	Value domain	Data parameters	Data 1 format	Data 2 format	Data 3 format
SM_COLOGUARD (Cologuard)	Colorectal cancer screenings	V = Y, N	Date during 2016 - 2018			
HBA1C	Diabetes care: Controlled HbA1c (3 measures)	Value between 1.3 and 18.9	Date during 2018	Integer, decimal preferred		
SM_HBA1C_EXCL (HbA1c<7.0 Exclusions)	Diabetes care: Controlled HbA1c less than 7.0%	V = CHF, MI, CKD (stage 4)/ESRD, DEMENTIA, BLINDNESS, AMPUTATION, NO EXCLUSIONS, CABG, , IVD, PCI, TAA	Any date prior to Dec. 31, 2018	See domain		
RET_EXAM	Diabetes care: Annual retinal exam	V = NORMAL, ABNORMAL, UNK	Date during 2017 or 2018	See domain		
MICROALB (Microalbumin test)	Diabetes care: Monitoring for nephropathy	V = POSITIVE, NEGATIVE, UNK	Date during 2018	See domain		
NEPHR (Nephropathy status)	Diabetes care: Monitoring for nephropathy	V = Y, N	Date during 2018	See domain		
BP (Blood pressure)	Diabetes care: Controlled blood pressure Hypertension: Controlled blood pressure	Systolic between 40 and 300/ Diastolic between 40 and 200	Date during 2018	Integer (systolic)	Integer (diastolic)	

10094C 2/2008