

**INDIANA HEALTH COVERAGE PROGRAMS (IHCP) PHARMACY BENEFIT  
PULMONARY ANTIHYPERTENSIVES PRIOR AUTHORIZATION REQUEST FORM**



**MDwise**  
 Fax to: (858) 790-7100  
 c/o MedImpact Healthcare Systems, Inc.  
 Attn: Prior Authorization Department  
 10181 Scripps Gateway Court, San Diego, CA 92131  
 Phone: (800) 788-2949



Today's Date

/   /

**Note:** This form must be completed by the prescribing provider.

**\*\*All sections must be completed or the request will be returned\*\***

Patient's Medicaid #	<input type="text"/>	Date of Birth	<input type="text"/> / <input type="text"/> / <input type="text"/>
Patient's Name	<input type="text"/>		
Prescriber's IN License #	<input type="text"/>	Specialty	<input type="text"/>
Prescriber's NPI #	<input type="text"/>	Prescriber's Signature	<input type="text"/>
Return Fax #	<input type="text"/> - <input type="text"/> - <input type="text"/>	Return Phone #	<input type="text"/> - <input type="text"/> - <input type="text"/>
Check box if requesting retro-active PA	<input type="checkbox"/>	Date(s) of service requested for retro-active eligibility (if applicable):	

*Note: Submit PA requests for retroactive claims (dates of service prior to eligibility determination, but within established eligibility timelines) with dates of service prior to 30 calendar days of submission separately from current PA requests (dates of service 30 calendar days or less and going forward).*

Requested Medication	Strength	Quantity	Dosage Regimen

**General information applicable to all products:**

**Pulmonary Antihypertensive PA Requirements:**

1. Member has a diagnosis of pulmonary hypertension  Yes  No
2. Member has a diagnosis of pulmonary hypertension associated with interstitial lung disease (only applicable to Tyvaso/Tyvaso DPI)  Yes  No

**Note: A diagnosis of pulmonary hypertension is required for plan approval, excluding Adempas.**

3. Requested agent has been prescribed by, or in consultation with, a pulmonologist or cardiologist  
 Yes  No

**Product specific information:**

**If the request is for Adempas (riociguat):**

1. Please select member's diagnosis
    - Pulmonary hypertension
    - Chronic thromboembolic pulmonary hypertension (CTEPH)
  2. Member has had a negative pregnancy test in the past 30 days
    - Yes  No  Not applicable to memberDate of negative pregnancy test (include documentation): \_\_\_\_\_
  3. Member is currently receiving one of the following: nitrate therapy, PDE5 inhibitor, nonspecific PDE inhibitor (dipyridamole; theophylline; aminophylline), vericiguat  Yes  No
  4. Member is enrolled in the riociguat REMS program if meeting eligibility requirement
    - Yes  No  Not applicable to member
  5. Requested dose is 7.5mg per day or less  Yes  No
- If no, please explain: \_\_\_\_\_

**If the request is for Adcirca (tadalafil):**

1. Member is currently receiving one of the following: nitrate therapy, PDE-5 inhibitor (other than the one being requested), riociguat  Yes  No
2. Dose requested is 40 mg per day or less  Yes  No

**Note: 'Alyq' requires trial and failure of generic tadalafil or medical justification for use**

**If the request is for Letairis (ambrisentan):**

1. Member is enrolled in the ambrisentan or PS-ambrisentan REMS program if meeting eligibility requirement
    - Yes  No  Not applicable to member
  2. Member has had a negative pregnancy test in the past 30 days
    - Yes  No  Not applicable to memberDate of negative pregnancy test (include documentation): \_\_\_\_\_
  3. Member is currently receiving cyclosporine therapy (requires dose reduction)  Yes  No  
**Note: dose of Letairis (ambrisentan) must be adjusted to max: 5 mg/day**
  4. Member has had a previous trial and failure of Tracleer (bosentan)  Yes  No
- If no, please explain \_\_\_\_\_
5. Dose requested is 10 mg per day or less  Yes  No

**If the request is for Opsumit (macitentan):**

1. Member is enrolled in the macitentan REMS program if meeting eligibility requirement  
 Yes  No  Not applicable to member
2. Member has had a negative pregnancy test in the past 30 days  
 Yes  No  Not applicable to member  
Date of negative pregnancy test (include documentation): \_\_\_\_\_
3. Member has had a previous trial and failure of Tracleer (bosentan)  Yes  No  
If no, please explain \_\_\_\_\_
4. Dose requested is 10 mg per day or less  Yes  No

**If the request is for Orenitram (treprostinil):**

1. Does the member have severe hepatic impairment (Child-Pugh class C)?  Yes  No  
**Note: members with Child-Pugh class C hepatic impairment will be denied**

**If the request is for Revatio (sildenafil) tablets or injection:**

1. Member is currently receiving one of the following: nitrate therapy, riociguat, atazanavir, darunavir, fosamprenavir, indinavir, lopinavir/ritonavir, nelfinavir, ritonavir, saquinavir, tipranavir, PDE-5 inhibitor (other than the one being requested)  Yes  No
2. Dose requested is 60 mg per day or less  Yes  No

**If the request is for Revatio (sildenafil) oral suspension:**

1. Member is under 18 years of age  Yes  No
2. Member is unable to swallow tablet formulation  Yes  No
3. Member is currently receiving one of the following: nitrate therapy, riociguat, atazanavir, darunavir, fosamprenavir, indinavir, lopinavir/ritonavir, nelfinavir, ritonavir, saquinavir, tipranavir, PDE-5 inhibitor (other than the one being requested)  Yes  No
4. Dose requested is 60 mg per day or less  Yes  No

**Note: Revatio Suspension is brand preferred. Authorization for generic sildenafil oral suspension is contingent upon medical necessity for use instead of the branded agent.**

**If the request is for Tadalafil (tadalafil) oral suspension:**

1. Member is under 18 years of age  Yes  No
2. Member is unable to swallow tablet formulation  Yes  No
3. Member is currently receiving one of the following: nitrate therapy, PDE-5 inhibitor (other than the one being requested), riociguat  Yes  No
4. Dose requested is 40 mg per day or less  Yes  No
5. Member has had a previous trial and failure of Revatio (sildenafil) oral suspension  Yes  No  
If no, please explain \_\_\_\_\_

**If the request is for Uptravi (selexipag):**

1. Member has had a previous trial and failure of Orenitram (treprostinil)  Yes  No  
If no, please explain \_\_\_\_\_
2. Will the member be utilizing a CYP2C8 inhibitor (e.g., gemfibrozil) concurrently with selexipag?  
 Yes  No  
**Note: members planning to use CYP2C8 inhibitors concurrently with selexipag will be denied**

**If the request is for Tracleer (bosentan):**

- Request is for:
- Tracleer tablet
  - Tracleer dispersible tablet
  - Bosentan tablet\*
1. Member is enrolled in the bosentan REMS program (**Note: ALL members must be enrolled in the bosentan REMS program**)  Yes  No
  2. Member has had a negative pregnancy test in the past 30 days  
 Yes  No  Not applicable to member  
Date of negative pregnancy test (include documentation): \_\_\_\_\_
  3. Will the member be utilizing cyclosporine-A or glyburide therapy concurrently with bosentan?  
 Yes  No  
**Note: members planning to use cyclosporine-A or glyburide concurrently with bosentan will be denied**
  4. Member age: \_\_\_\_\_ weight: \_\_\_\_\_ LB/KG (circle one)
  5. Does the requested dose exceed 250mg per day OR dose limits based on age/weight listed in criteria?  Yes  No  
If yes, please explain: \_\_\_\_\_

**CONFIDENTIAL INFORMATION**

This facsimile transmission (and attachments) may contain protected health information from the Indiana Health Coverage Programs (IHCP), which is intended only for the use of the individual or entity named in this transmission sheet. Any unintended recipient is hereby notified that the information is privileged and confidential, and any use, disclosure, or reproduction of this information is prohibited.