

If your patient has any of these problems, document the diagnosis, assessment, plan, and report the corresponding code annually.

| Diagnosis | ICD-10 | HCC | HCC Weight |
|---|------------|-----|------------|
| Type 2 diabetes (T2D): Always has HCC weight. Document as specifically as possible. | | | |
| T2D without complications | E11.9 | 19 | 0.105 |
| T2D with hyperglycemia | E11.65 | 18 | 0.302 |
| T2D with hypoglycemia, no coma | E11.649 | 18 | 0.302 |
| T2D with mild retinopathy | E11.329 | 18 | 0.302 |
| T2D with diabetic chronic kidney disease (CKD) | E11.22 | 18 | 0.302 |
| T2D with polyneuropathy | E11.42 | 18 | 0.302 |
| Long term (current) insulin use | Z79.4 | 19 | 0.105 |
| T2D due to underlying condition with Proliferative Diabetic Retinopathy | E08.35XX | 122 | 0.222 |
| Chronic kidney disease (CKD) | | | |
| Dialysis Status | Varies | 134 | 0.435 |
| CKD, Moderate (Stage 3) | N18.3 | 138 | 0.069 |
| CKD stage 4, glomerular filtration rate (GFR) 15-29 | N18.4 | 137 | 0.289 |
| CKD stage 5, GFR < 15 | N18.5 | 136 | 0.289 |
| ESRD | N18.6 | 136 | 0.289 |
| Hypertension (HTN): Isolated essential H TN has no HCC weight. Relationship must be explicitly documented. | | | |
| HTN with congestive heart failure (CHF) | I11.0 | 85 | 0.331 |
| HTN + CKD stage 5/end stage renal disease (ESRD) | I12.0 | 136 | 0.289 |
| HTN + CHF + CKD stage 1-4 | I13.0 | 85 | 0.331 |
| HTN + CHF + CKD stage 5/ESRD | I13.2 | 85 | 0.331 |
| HTN + heart disease (no CHF) + CKD 5/ESRD | I13.11 | 136 | 0.289 |
| Morbid Obesity: No HCC weight unless BMI is 40 or greater or there are comorbidities | | | |
| Morbid Obesity | E66.01 | 22 | 0.25 |
| Code BMI if known | Z68.41- 45 | 22 | 0.25 |
| Malnutrition requires documentation of objective data (e.g., albumin less than 3.4) or subjective data (wasted appearance). | | | |
| Protein-calorie malnutrition | E46 | 21 | 0.455 |
| Cachexia | R64 | 21 | 0.455 |
| Cardiac Disease | | | |
| Angina | I20.9 | 88 | 0.135 |
| Coronary artery disease with angina | I25.119 | 88 | 0.135 |
| Unstable angina | I20.0 | 87 | 0.195 |
| Acute myocardial infarction | I21.9 | 86 | 0.195 |
| Pulmonary hypertension | I27.20 | 85 | 0.331 |
| Cor pulmonale | I27.81 | 85 | 0.331 |
| Cardiomyopathy | I42.9 | 85 | 0.331 |
| CHF | I50.9 | 85 | 0.331 |

| | | | |
|---|--------|-----|-------|
| Atrial fibrillation | I48.91 | 96 | 0.268 |
| Aortic atherosclerosis | I70.0 | 108 | 0.288 |
| Abdominal aortic aneurysm | I71.4 | 108 | 0.288 |
| | | | |
| Chronic Respiratory Failure with hypoxia | J961.1 | 84 | 0.282 |
| Chronic Respiratory Failure with hypercapnia | J961.2 | 84 | 0.282 |
| | | | |
| Peripheral vascular disease | I73.9 | 108 | 0.288 |
| Diabetic peripheral vascular disease | E11.51 | 18 | 0.302 |
| Venous stasis ulcers with varicose veins | I83.0 | 107 | 0.383 |
| Chronic venous stasis ulcer | I87.31 | 107 | 0.383 |
| | | | |
| Smoker's cough | J41.0 | 111 | 0.335 |
| Emphysema | J43.X | 111 | 0.335 |
| Chronic obstructive pulmonary disease (COPD), other | J44.X | 111 | 0.335 |
| COPD, unspecified | J44.9 | 111 | 0.335 |
| Pulmonary fibrosis | J84.10 | 112 | 0.219 |
| Chronic respiratory failure | J96.10 | 84 | 0.282 |
| Pneumococcal Pneumonia, Empyema, Lung Abscess | Varies | 115 | 0.13 |
| | | | |
| Crohn's disease | K50.90 | 35 | 0.308 |
| Ulcerative colitis | K51.90 | 35 | 0.308 |
| | | | |
| Breast cancer | C50.9 | 12 | 0.15 |
| Prostate cancer | C61 | 12 | 0.15 |
| Lung, gastrointestinal, or pancreatic cancers | Varies | 9 | 1.024 |
| Metastasis to lymph nodes | C77.X | 8 | 2.659 |
| Renal cell carcinoma | C64 | 11 | 0.307 |
| | | | |
| Myelodysplastic syndrome | D46.9 | 46 | 1.372 |
| Aplastic anemia | D61.9 | 46 | 1.372 |
| Acquired coagulopathy | D68.4 | 48 | 0.192 |
| Senile purpura | D69.2 | 48 | 0.192 |
| Immune thrombocytopenic purpura | D69.3 | 48 | 0.192 |
| Thrombocytopenia | D69.6 | 48 | 0.192 |
| | | | |
| Chronic hepatitis C | B18.2 | 29 | 0.147 |
| Chronic hepatitis, unspecified | K73.9 | 29 | 0.147 |
| | | | |
| Alcoholic cirrhosis | K70.30 | 28 | 0.363 |
| Non-alcoholic cirrhosis | K74.60 | 28 | 0.363 |
| Esophageal varices | I85.X | 27 | 0.882 |
| Portal hypertension | K76.6 | 27 | 0.882 |
| | | | |
| Chronic pancreatitis | K86.1 | 34 | 0.287 |

| Rheumatologic problems | | | |
|---|--------------|-----|-------|
| Lupus | M32.9 | 40 | 0.421 |
| Sicca syndrome (Sjogren) | M35.00 | 40 | 0.421 |
| Rheumatoid arthritis | M06.9 | 40 | 0.421 |
| Inflammatory polyarthropathy | M06.4 | 40 | 0.421 |
| Polymyalgia rheumatica | M35.3 | 40 | 0.421 |
| Artificial Openings | | | |
| Tracheostomy status | Z93.0 | 82 | 1 |
| Gastrostomy status | Z93.1 | 188 | 0.534 |
| Colostomy status | Z93.3 | 188 | 0.534 |
| Cystostomy status | Z93.5 | 188 | 0.534 |
| Major infections: Active infections — serious, systemic, opportunistic, or bone/joint/muscle. | | | |
| HIV/AIDS | B20 | 1 | 0.335 |
| Sepsis | A41.8 | 2 | 0.352 |
| Psychiatric problems: "Run-of-the-mill" depression/ anxiety has no HCC weight. Must document Diagnostic and Statistical Manual of Mental Disorders criteria | | | |
| Schizophrenia | F20.9 | 57 | 0.524 |
| Schizoaffective disorder | F25.9 | 57 | 0.524 |
| Major depression, recurrent | F33.9 | 58 | 0.393 |
| Bipolar disorder | F31.9 | 58 | 0.393 |
| Major Depressive, Bipolar, and Paranoid Disorders | F30.X, F31.X | 59 | 0.309 |
| Personality Disorders | F60.X | 60 | 0.309 |
| Alcoholism | F10.20 | 55 | 0.329 |
| Alcoholism, in remission | F10.21 | 55 | 0.329 |
| Drug dependence (coded by substance) | F1X.20 | 55 | 0.329 |
| Drug dependence, in remission (coded by substance) | F1X.21 | 55 | 0.329 |
| Alcohol dependence with withdrawal delirium | F10.231 | 54 | 0.329 |
| Cannabis abuse with psychotic disorder, unspecified | F12.159 | 54 | 0.329 |
| Substance Use Disorder, Mild, Except Alcohol and Cannabis (coded by substance) | F1X.XX | 56 | 0.329 |
| Neurologic problems: Remember to list these chronic diseases annually, even if primary management is by a consultant. | | | |
| Parkinson's disease | G20 | 78 | 0.606 |
| Multiple sclerosis | G35 | 77 | 0.423 |
| Paralysis | G83.9 | 104 | 0.331 |
| Seizure disorder | G40.909 | 79 | 0.22 |
| Ischemic stroke | Varies | 100 | 0.23 |
| Hemiplegia/Hemiparesis | G81.XX | 103 | 0.437 |
| Quadriplegia | G82.5X | 70 | 1.242 |
| Paraplegia | G82.2X | 71 | 1.068 |
| Guillain-Barre syndrome | G61.0 | 75 | 0.472 |
| Inflammatory polyneuropathy, unspecified | G61.9 | 75 | 0.472 |
| Myasthenia gravis without (acute) exacerbation | G70.00 | 75 | 0.472 |
| Toxic myoneural disorders | G70.1 | 75 | 0.472 |
| Myoneural disorder, unspecified | G70.9 | 75 | 0.472 |
| Epilepsy, unspecified, not intractable, without status epilepticus | G40.909 | 79 | 0.22 |
| Other seizures | G40.89 | 79 | 0.22 |
| Cerebral Palsy | G80.0-G80.9 | 74 | 0.339 |

For a complete list of HCC codes please use this link:



If you have questions, please contact Dr. Michael Ziccardi at Michael.Ziccardi@mclaren.org or (248) 484-4923

