# **ONE**McLaren

## Moderate/High Suicide Risk Tasks/Orders

### Automated Tasks & Orders Based on Moderate/High Suicide Risk

Impacted Areas: Acute Nursing, Women's Health & Inpatient Rehab, Providers, Case Management

Cerner enhancement coming 4/14/22. In the inpatient setting when the Columbia Suicide Severity Rating Scale (CSSRS) screen is documented, if the patient qualifies as moderate or high risk, tasks and orders will automatically be placed to maintain patient safety and drive documentation per policy. The <u>ONE McLaren Suicide Screening Assessment and</u> <u>Interventions policy</u> is available on the <u>McLaren intranet</u>. This automation affects Inpatient, Observation and Outpatient in a bed encounter types.

#### The orders and tasks are outlined below depending on the severity of the screening results.

CSSRS High Risk Automatic Orders and Tasks	CSSRS Moderate Risk Automatic Orders and Tasks	
<ul> <li>Consult to Social Work/Case Management.</li> <li>Notify Provider order and one-time task to document when notification complete.</li> <li>Patient Safety Attendant (sitter) order and one-time task to document.</li> <li>Safety Meal Tray order.</li> <li>Suicide Precautions order.</li> <li>Safety Checks – order and Q12 hour task to chart safety check and assessment findings.</li> </ul>	<ul> <li>Consult to Social Work/Case Management.</li> <li>Notify Provider order and one-time task to document when notification complete.</li> <li>Safety Checks – order and Q12 hour task to chart safety check and assessment findings.</li> <li>Order to Notify provider if assessment indicates an increase in risk or change in status.</li> </ul>	

#### **High-Risk Orders:**

△ Consults/Referrals				
	$\checkmark$	Consult to Case Management - Psychosocial Needs	07/15/21 15:32:30 EDT, Psychosocial Needs, High Risk Identified on CSSRS screen	
△ Communication Orders				
		66' Notify Provider High/Moderate Suicide Risk	High Risk Identified on CSSRS screen	
Patient Care				
		66' High/Moderate Suicide Risk Safety Check	07/15/21 15:32:30 EDT, Q12H, High Risk Identified on CSSRS screen	
		ທີ່ຫຼີ Patient safety attendant (PSA)	07/15/21 15:32:29 EDT, Constant Order, High Risk Identified on CSSRS screen, CM PSA	
		ອ້ອ <sup>1</sup> Suicide Precautions	07/15/21 15:32:29 EDT, Constant Order, High Risk Identified on CSSRS screen, CM Suicide Precautions	
<b>Diet/Nutrition</b>				
		ທີ່ຈຳ Safety Meal Tray	07/15/21 15:32:29 EDT, Stop date 07/15/21 15:32:29 EDT, High Risk Identified on CSSRS screen, Room Assist	
	Communication Patient Care	Communication Ord	✓       Consult to Case Management - Psychosocial Needs         Communication Orders       ✓         ✓       & %         Notify Provider High/Moderate Suicide Risk         Patient Care         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         ✓       & %         Suicide Precautions	

#### **Moderate Risk Orders:**

⊿ Patient	Care			
•	>	່ 😚 High/Moderate Suicide Risk Safety Check	07/14/21 12:05:56 EDT, Q12H	
△ Active				
	$\checkmark$	Consult to Case Management - Psychosocial Needs	04/06/22 15:42:44 EDT, Psychosocial Needs, Moderate Risk Identified on CSSRS screen	
△ Communio	ation Order	5		
△ Active				
	66	Notify Provider	Constant order, if assessment indicates an increase in risk or change in status Moderate Risk Identified on CSSRS screen	
	66	Notify Provider High/Moderate Suicide Risk	04/06/22 15:42:44 EDT, Stop date 04/06/22 15:42:44 EDT, Moderate Risk Identified on CSSRS scree	
		,, <u>,</u> ,		

When the provider is notified, they may wish to assess the patient further and will make the determination to consult psychiatry/mental health professional services or instruct the RN to do so with a telephone order. This consultation is not automated as sites have varying processes for how psychiatric services are consulted and notified.

Provider Notification: Document once when the provider is notified

Provider Notification	
Provider Notification	
Provider Notification Reason	Suicide Risk
Provider Notification Details	Consult to psych
Unable to Reach Provider	
Provider Informed	Dudenhoefer,
Physician Requested Interventions	Orders received

Patient Safety Attendant: Document once when the sitter arrives.

No change to usual communication/notification process to nursing supervisor, et al. for sitter needs.

R 🛒	2:52 PM EDT
Patient Safety Attendant	
⊿ Patient Safety Attendant	
Patient Safety Attendant Criteria	Suicide risk; not yet cleared by Psychiatry
Patient Safety Attentdant Action	Initiate

 Tasked once for visibility. Additional assessment/documentation of Patient Safety Attendant can be performed in the Restraints Seclusion PSA iView band and/or the safety check task.

Kestraints Seclusion PSA

#### Safety Check/Observation Assessment, tasked once every 12 hours:

Document as appropriate for care, assessments and observations being performed at that time.

High/Moderate Suicide Risk Safety Check	
⊿ Environmental Safety Management	2
Environmental Safety Implemented	Call device within reach, Patient safety
PSA Action	$\diamond$
PSA Primary Criterion	$\diamond$
Patient Specific Safety Measures	$\diamond$
Demos Ability-Uses Call Light w/ Success	
CSSRS Individual Observation Record	
BH Patient Activity	Lying down
BH Affect	Flat
BH Level of Observation	1:1 Observation
BH Observation Comment	Resting without signs of distress
Patient Safety Checklist	Room inspection complete at start of s

Once a mental health professional evaluates the patient, if high or moderate suicide risk precautions are no longer warranted the provider should discontinue (or direct the RN to discontinue) the order(s) for safety check assessments, suicide precautions, safety tray, and patient sitter, as applicable.

Reference text has been added to the CSSRS forms to indicate the automation that will occur based on policy.

In acute care areas: documentation of High or Moderate suicide risk will place the appropriate orders/tasks as defined per policy. Depending on score these may include a safety sitter, suicide precautions, safety meal tray, case management/social work consult, provider notification, and additional assessments.

If any of these automated orders are active, the automation will <u>not</u> fire more than once regardless of score. If reassessed and a moderate or high score <u>changes</u> during the patient stay, notify the provider for appropriate orders reconciliation and/or refer to the policy for guidance.

As always, right-clicking on a response field in the CSSRS form and selecting Reference Text will display recommendations to guide questions as well as the level of interventions indicated for each "Yes" response, if indicated.

